



ROTATING ELECTRICS  
ALTERNADOR, ARRANQUE Y SU PARTES

RECTIFIER  
RECTIFICADOR


**No. 10**

International - Rotating Electrics Catalog - 07/2023-2024

Internacional - Catálogo de Alternador, Arranque y su Partes - 07/2023-2024

**AGRALE**
**GA1672**


**FEATURES / CARACTERÍSTICAS:** 110A, 6x50A Avalanche Diode, B+: M8X14.5mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**JAC:** J6 2.0 16V 2010>  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** TG11S072; **JAC:** 1015301GA

**BOSCH**
**GA1001**


**FEATURES / CARACTERÍSTICAS:** 55A, Diodes 3x35A, without diode trio  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 125 715 064, 9 121 080 349, 1 125 715 065, 9 121 080 671, 9 121 080 244, 9 121 080 849  
**APPLICATION / APLICACIÓN:**  
**MISCELLANEOUS:** Tractors Agrale, CBT, Fiat-Allis, Komatsu, Massey Perkins (to 85). Equipment Yanmar, Mercedes Benz;  
**SCANIA:** Trucks, Bus, Marine Engine / Stationary;  
**TOYOTA:** Bandeirantes and Utilitários (to 87);  
**VOLVO:** Trucks N10, N12 e Bus B58 (to 85);  
**FIAT DIESEL:** all models (to 82).  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 9 120 080 020, 9 120 080 031, 9 120 080 054, 9 120 080 084, 9 120 080 091, 9 120 080 082, 9 120 080 110, 9 120 080 125  
**VOLTAGE REGULATOR:**  
 GA004 / GA005

**BOSCH**
**GA1003**


**FEATURES / CARACTERÍSTICAS:** 55A, Diodes 3x35A, with diode trio  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 125 715 064, 9 121 080 349, 1 125 715 065, 9 121 080 671, 9 121 080 244, 9 121 080 849; **Magneti Marelli:** PR520402  
**APPLICATION / APLICACIÓN:**  
**MISCELLANEOUS:** Tractors Agrale, CBT, Fiat-Allis, Komatsu, Massey Perkins (to 85). Equipment Yanmar, Mercedes Benz;  
**SCANIA:** Trucks, Bus, Marine Engine / Stationary;  
**TOYOTA:** Bandeirantes and Utilitários (to 87);  
**VOLVO:** Trucks N10, N12 e Bus B58 (to 85);  
**FIAT DIESEL:** all models (to 82).  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 9 120 080 020, 9 120 080 031, 9 120 080 054, 9 120 080 084, 9 120 080 091, 9 120 080 082, 9 120 080 110, 9 120 080 125  
**VOLTAGE REGULATOR:**  
 GA004 / GA005

**BOSCH**
**GA1089**


**FEATURES / CARACTERÍSTICAS:** 65A, Diodes 6x35A, B+ Post M8x50, D+ Post M5x45, with diode trio  
**REPLACES / REEMPLAZA:**  
**Bosch:** 9 123 080 089; **Magneti Marelli:** PR520409  
**APPLICATION / APLICACIÓN:**  
**FORD:** Escort/ Verona 1.6i/ 1.8i without AC. (after 06.94), Royale/ Versailles 1.8i (AP) without AC. (to 01.93);  
**VW:** Gol/ Parati/ Voyage 1.6i, 1.8i/ 2.0i (after 10.96), Logus 1.6i, 1.8 CL, GL, GLS, 1.8i/ 2.0i (AP) Pointer 1.6i, 1.8i, 2.0i (after 02.93), Santana/ Quantum 1.8i/ 2.0i/ 2.0i GLS without AC. (after 03.93).  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 9 120 080 501  
**VOLTAGE REGULATOR:**  
 GA039 / GA040

**BOSCH**
**GA1128**


**FEATURES / CARACTERÍSTICAS:** 150A, Avalanche Diodes 6x70A, B+ M8x22  
**REPLACES / REEMPLAZA:**  
**Cargo:** 333715; **AS-Poland:** ARC0137; **Transpo:** IBR2201; **Mobileron:** RB-170HD; **Regitar:** RB-170HD  
**APPLICATION / APLICACIÓN:**  
**BMW:** 540i V8 4.4 1999>2000, 740i V8 4.4 1999>2000, 750iL V12 5.4 1999>2000, X5 V8 4.4 2000; **LAND ROVER:** Range Rover III 4400 V8 2002>2005; **MERCEDES BENZ:** C200 2200 Cdi 2000>2003, C220 CDI 2.2 2000>2003, C270 2700 2000>2007, E200 CDI 2.2 1999>2000, E220 CDI 2.2 1999>2000, E270 CDI 2.7 1999>2001, E320 CDI 3.2 1999>2000, G400 CDI 4.0 2000>2015, S320 CDI 3.2 1999>2002, ML270 2700 2000>2005, S400 CDI 4.0 1999>2005  
**ALTERNATOR / ALTERNATOR:**  
**BMW:** 12-31-1-705-483, 12-31-1-705-557, 12-31-7-508-052, 12-31-7-508-054; **LAND ROVER:** YLE000040; **MERCEDES BENZ:** 000-150-06-50, 000-150-20-50, 000-150-28-50, 000-154-05-50, 000-154-06-50, 000-154-20-50, 0001500550, 137-150-05-50, 137-150-09-50, A0001500550, A0001500650, A0001502050, A0001502850, A1371500550, A1371500950

**BOSCH**

**GA1129**



**FEATURES / CARACTERÍSTICAS:** 65A, Diodes 6x35A, B+ Post M8x50, D+ Post M5x45, W Post M5x45, with diode trio  
**REPLACES / REEMPLAZA:**  
**Bosch:** 9 123 080 129; **Magneti Marelli:** PR520411  
**APPLICATION / APLICACIÓN:**  
**VW:** Gol 1.0 MI (AT 1000 MI Hitork 10.96).  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 9 120 080 502  
**VOLTAGE REGULATOR:**  
 GA040

**BOSCH**

**GA1012**



**FEATURES / CARACTERÍSTICAS:** 70A, Diodes 6x35A, B+ Post M6x50, with diode trio  
**REPLACES / REEMPLAZA:**  
**Bosch:** F000 LD1-012; **Cargo:** 134341; **WAI/Transpo:** IBR301  
**APPLICATION / APLICACIÓN:**  
**FORD:** Pick-up F1000 HSD (Maxion High Speed) e F1000T (MWM-4.10T) (10.95) 9 120 080 230 K1 70 14;  
**MERCEDES BENZ:** Sprinter 310D with enginer OM-014A without AC (09.96) 9 120 080 212 K1 70 14.  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 9 120 080 230, 9 120 080 212  
**VOLTAGE REGULATOR:**  
 GA040

**BOSCH**

**GA1652**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, B+ Post M6, with diode trio  
**REPLACES / REEMPLAZA:**  
**Bosch:** 9 122 080 652; **Regitar:** RB-02; **Cargo:** 135605; **WAI/Transpo:** IBR304  
**APPLICATION / APLICACIÓN:**  
**GM:** Vectra 07>, S10, Blazer 2.2 05>, Kadet, Ipanema 89> with/ without AC  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 9 120 080 172, 9 120 080 180  
**VOLTAGE REGULATOR:**  
 GA032

**BOSCH**

**GA1027**




**FEATURES / CARACTERÍSTICAS:** 70A, Diodes 6x35A Avalanche (Zener) , B+ Post M6  
**REPLACES / REEMPLAZA:**  
**Bosch:** 9 121 067 385, 9 120 067 027; **Regitar:** RB-83H; **Cargo:** 136591; **WAI/Transpo:** IBR388  
**APPLICATION / APLICACIÓN:**  
**JOHN DEERE;**  
**THERMOKING;**  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 9 120 067 027; **LESTER:** 12223; **PIC:** 220344A; **THERMOKING:** 5D33839G01, 5D38603G01

**BOSCH**

**GA1067**



**FEATURES / CARACTERÍSTICAS:** 130A, Diodes 8x35A, Diode Avalanche (Zener)  
**REPLACES / REEMPLAZA:**  
**Bosch:** 9 121 067 067, 9 121 067 364, 9 121 067 371, 9 121 067 374, 9 121 067 375, 9 121 067 388, 9 121 067 394; **Regitar:** RB-84H;  
**Cargo:** 234953; **WAI/Transpo:** IBR308  
**APPLICATION / APLICACIÓN:**  
**FORD:** Mercury, Capri  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 9 120 060 009, 9 120 060 023; **PIC:** 220344, 220344A, 220344C  
**VOLTAGE REGULATOR:**  
 GA392

**BOSCH**
**GA1275**

**FEATURES / CARACTERÍSTICAS:** 75A, Diodes 6x35A, B+ Post M6x50.

**REPLACES / REEMPLAZA:**
**Bosch:** 9 122 080 275, 9 128 040 282, 1 127 011 117, 1 127 011 118, 1 127 011 119, 1 127 011 120, 1 127 011 121, 1 127 011 123, 1 127 011 124, 1 127 011 125, 1 127 011 128, 1 127 011 138, 1 127 011 140, 1 127 320 109, 1 127 320 110, 1 127 320 117, 1 127 320 128, 1 127 320 139, 1 127 320 148, 1 127 320 149, 1 127 320 150, 1 127 320 170, 1 127 320 171, 1 127 320 184, 1 127 320 187, 1 127 320 188, 1 127 320 189, 1 127 320 190, 1 127 320 195, 1 127 320 196, 1 127 320 197, 1 127 320 300, 1 127 320 301, 1 127 320 303, 1 127 320 304, 1 127 320 305, 1 127 320 306, 1 127 320 308, 1 127 320 309, 1 127 320 313, 1 127 320 318, 1 127 320 320, 1 127 320 325, 1 127 320 326;

**Regitar:** RB-02; **Cargo:** 130602; **WAI/Transpo:** IBR304; **Magneti Marelli:** PR520432

**APPLICATION / APLICACIÓN:**
**GM:** Chevette 1.6, Pick up D20, Bonanza, Veraneio Truck 12000 and 14000, Monza, Kadett and Ipanema;

**FIAT:** Spazio, Oggi, Uno, Prêmio, Uno Mille, Elba 1.3, Panorama, Fiat 147, Fiorino (after 10.79);

**LADA:** Niva, Laika.

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 400 740, 0 120 400 741, 0 120 400 828, 0 120 400 832, 0 120 400 850, 0 120 400 855, 0 120 400 921, 0 120 400 922, 0 120 400 928, 0 120 488 250, 0 120 488 073, 0 120 488 263, 0 120 488 637, 0 120 488 660, 0 120 488 668, 0 120 488 875, 0 120 488 882, 9 120 080 056, 9 120 080 089, 9 120 080 096, 9 120 080 098, 9 120 080 120, 9 120 080 141, 9 120 080 142, 9 120 080 143, 9 120 080 153, 9 120 080 165, 9 120 080 168, 9 120 080 169, 9 120 080 170, 9 120 080 171, 9 120 080 172, 9 120 080 173, 9 120 080 180, 9 120 080 186, 9 120 080 190, 9 120 080 191, 9 120 080 192, 9 120 080 194, 9 120 080 195, 9 120 080 198, 9 120 080 208, 9 120 080 211, 9 120 080 213, 9 120 080 216, 9 120 080 221, 9 120 080 224, 9 120 080 227, 9 120 080 228, 9 120 456 053

**VOLTAGE REGULATOR:**

GA026 / GA027 / GA028 / GA032 / GA034 / GA034R

**BOSCH**
**GA1277**

**FEATURES / CARACTERÍSTICAS:** 65A, Diodes 6x35A, with diode trio

**REPLACES / REEMPLAZA:**
**Bosch:** 9 122 080 277, 9 122 080 672, 9 122 080 276, 1 127 011 113, 1 127 011 112, 1 127 011 114, 1 127 011 115, 1 127 011 135,

 1 127 011 101, 1 127 320 081, 1 127 320 105, 1 127 320 108, 1 127 320 103, 1 127 320 119, 1 127 320 120; **Regitar:** RB-01; **Cargo:** 130603; **WAI/Transpo:** IBR303; **Magneti Marelli:** PR520433

**APPLICATION / APLICACIÓN:**
**FORD:** Escort Ghia 1.8, Escort Xr3 1.8, Escort Guarájá 1.8, Del Rey 1.8, Belina 1.8, Pampa 1.8 and Verona 1.6, GLX 1.8;

**VW:** Gol 1000, Gol Plus 1000i, Gol 1.6, GL, GT, GTS 1.8, Parati e Voyage 1.5/ 1.6, Kombi diesel Apolo, Parati GL, GLS 1.8, Passat 1.5/ 1.6/ 1.8 / GTS, Pointer, Santana, Quantum 1.8/ 2.0 (to 12.91).

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 400 705, 0 120 400 758, 0 120 400 767, 0 120 400 811, 0 120 400 814, 0 120 489 501, 0 120 489 503, 0 120 489 509, 0 120 489 511, 0 120 489 513, 0 120 489 522, 0 120 489 532, 0 120 489 535, 0 120 489 917, 9 120 080 095, 9 120 080 099, 9 120 080 100, 9 120 080 108, 9 120 080 115, 9 120 080 116, 9 120 080 152, 9 120 080 163, 9 120 080 164, 9 120 080 176, 9 120 080 177, 9 120 080 178, 9 120 080 185, 9 120 080 206, 9 120 080 214

**VOLTAGE REGULATOR:**

GA022 / GA027 / GA028 / GA034 / GA034R

**BOSCH**
**GA1283**

**FEATURES / CARACTERÍSTICAS:** 65A, Diodes 8 x35A, B+ Post M6x50

**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 690

**APPLICATION / APLICACIÓN:**
**DODGE:** Dynasty Plymont Voyager.

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 400 948, 0 120 400 950, 0 120 400 954, 0 120 400 947, 0 120 400 949, 5227249, 5233549

**BOSCH**
**GA1310**

**FEATURES / CARACTERÍSTICAS:** 85A, 6x35A Diodes, B+ Bolt M6, with diode trio, Ø 90mm

**REPLACES / REEMPLAZA:**
**Bosch:** 1125715027, 1125715034, 1127320017, 1127320115, 1127320141, 1127320142, 1127320146, 1127320316, 1127320317, 1127320345, 1127320393, 1127320569; **Regitar:** RB-13; **Cargo:** 132670; **WAI/Transpo:** IBR307

**APPLICATION / APLICACIÓN:**
**JOHN DEERE**
**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0120300535, 0120300552, 0120300562, 0120300567, 0120300575, 0120300576, 0120300577, 0120300578, 0120300579, 0120300580, 0120300585, 0120300586, 0120300589, 0120300590, 0120339511, 0120339512, 0120339513, 0120339514, 0120339521, 0120339531, 0120339532, 0120339535, 0120339536, 0120339537, 0120339538, 0120339542, 0120339543, 0120339544, 0120339545, 0120400504, 0120400554, 0120400555, 0120400558, 0120400563, 0120400566, 0120400567, 0120400568, 0120400569, 0120400570, 0120400571, 0120400572, 0120400836, 0120400837; **ISKRA:** AAG1301, AAG1302, AAG1304, AAG1310, AAG1311, AAG1315, AAG3315

**BOSCH**

**GA1337**



**FEATURES / CARACTERÍSTICAS:** 21A, 6x35A Bosch Press-fit standard diodes

**REPLACES / REEMPLAZA:**

**Bosch:** 9.121.080.998

**APPLICATION / APLICACIÓN:**

**CATERPILLAR:** Motor Grader ( 3306 wheel loader 930/966), Bulldozers D8L/D4E/D6D, Serie 120 B/C, 140 B/C 06.81>, Serie-930R 12.81>12.90, Serie 966C 02.82>12.90, Serie-3304 DIT / 3304 T / 3306 T 06.85> Serie 3306 DIT 06.89>, Serie D4E-DD / NA / PS / SR / SA, Serie D6D-PS / DO / PS / DD 12.81>, Serie D5B-OS / DD 12.87>, Serie D6C 01.81>12.90, Série D6D-SA 07.83>12.90, D5B-OS / DD 06.91>;

**CUMMINS:** Serie N855, N855C, NT855, NT855C/G, NTA855, NTA855C, NTA855

**KOMATSU:** D60E/F, D65E, D73E 08.89>

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 9120080128, 9120080174

**BOSCH**

**GA1347**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A

**REPLACES / REEMPLAZA:**

**Ford:** E9YJ-10304A; **Regitar:** RB-82H; **Cargo:** 136556; **WAI/Transpo:** IBR347

**APPLICATION / APLICACIÓN:**

**FORD:** Mercury, Capri

**ALTERNATOR / ALTERNATOR:**


**BOSCH:** 9 120 060 027; **FORD:** 89JA10300AA, E9JY10346A, E9YJ10346A; **LESTER:** 13300; **MOTORCRAFT:** GLE273, 220282

**VOLTAGE REGULATOR:**

GA392

**BOSCH**

**GA1638**



**FEATURES / CARACTERÍSTICAS:** 75A, Diodes 6x35A, B+ Post M6x50, W Post M5/ M4x45, with diode trio

**REPLACES / REEMPLAZA:**

**Bosch:** 9 122 080 638

**APPLICATION / APLICACIÓN:**

**FIAT ALLIS:** Tractors FB80.2 e 100.2, série 4630, 5030, 5060, 6630, 7630, 7830, 8030 (01.97) F 000 LD0 103 K1 75 14;

**GM:** Pick-up D20, D40, D6000, Bonanza, Veraneio (Maxion) with AC (03.92) 9 120 080 197 K1 75 14.

**ALTERNATOR / ALTERNATOR:**


**BOSCH:** F000 LD0-103, 9 120 080 197

**VOLTAGE REGULATOR:**

GA028 / GA034 / GA034R

**BOSCH**

**GA1651**



**FEATURES / CARACTERÍSTICAS:** 65A, Diodes 6x35A, B+ Post Double Thread: M8/M6x50, D+ Post M5x45, with diode trio

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 651, 1 127 320 677; **Cargo:** 133996

**APPLICATION / APLICACIÓN:**

**GM:** Omega, Suprema 2.0i, 2.2i, 3.0i, (after 09.92) with AC.

**ALTERNATOR / ALTERNATOR:**


**BOSCH:** 0 120 488 156, 0 120 488 157, 0 120 488 158, 0 120 488 159, 0 120 488 160, 0 120 488 161, 0 120 488 162, 0 120 488 163, 0 120 488 164, 0 120 488 165, 0 120 488 167, 0 120 488 168, 0 120 488 169, 0 120 488 170, 0 120 488 171, 0 120 488 172, 0 120 488 173, 0 120 488 174, 0 120 488 175, 0 120 488 190, 0 120 488 191, 0 120 488 192, 0 120 488 193, 0 120 488 200, 0 120 488 201, 0 120 488 202, 0 120 488 203, 0 120 488 204

**VOLTAGE REGULATOR:**

GA028 / GA029

**BOSCH**

**GA1676**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, B+ Post M8x50, D+ Post M5x45, with diode trio

**REPLACES / REEMPLAZA:**

**Bosch:** 9 122 080 676

**APPLICATION / APLICACIÓN:**


**FORD:** Escort 2.0i Xr3

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 9 120 080 167

**VOLTAGE REGULATOR:**

GA028 / GA034 / GA034R

**BOSCH**
**GA1677**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 8x35A Avalanche (Zener), B+ Post M8/M6x50, with diode trio

**REPLACES / REEMPLAZA:**

**Bosch:** F 000 LD1 006; **Magneti Marelli:** PR520511

**APPLICATION / APLICACIÓN:**

**GM:** S10 2.5L (after 10.95)(Maxxion High Speed with ACic.). Silverado 4.2 DLX (MWM with ACic.) (after 11.96). D6000, D6150 (after 11.96);

**FORD:** Pick-up Ranger 2.5D(Maxxion Hs4) (after 10.97);

**MERCEDES BENZ:** Sprinter 310/ 312/ 412.

**ALTERNATOR / ALTERNATOR:**

F000 LD0-102, F000 LD0-100, 9 120 080 232, 9 120 080 226

**VOLTAGE REGULATOR:**

GA021 / GA040

**BOSCH**
**GA1692**


**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x50A Avalanche (Zener), B+ Post M8x50, D+ Post M5x45, W Terminal,

With triodiode

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 692, F 042 310 047; **Cargo:** 138165; **Regitar:** RB-80H; **WAI/Transpo:** IBR324; **John Deere:** AL81451

**APPLICATION / APLICACIÓN:**

**JOHN DEERE:** Trator: 1550, 1640, 1750, 1850, 1850N, 1950, 1950N, 2040, 2040S, 2140, 2250, 2355, 2450, 2555, 2650, 2650N, 2755, 2850, 2850, 2855N, 2955, 3040, 3050, 3055, 3140, 3150, 3155, 3255, 3350, 3350, 3640, 3640S, 3650, 4039TL001, 4039TL003, 4039TL004, 4039TL004, 4039TL004, 4039TL006, 4039TL006, 4039TL007, 4045DL001, 4045DL002, 4045DL002, 4045TL001, 4045TL002, 4045TL003, 4045TL003, 4045TL004, 6059TL001, 6068DL001, 6068TL001, 6068TL002, 6100, 6200, 6200, 6300, 6300, 6400, 6400, 6500, 6506, 6600, 6800, 6900, SE6100, SE6200, SE6300, SE6400; **IVECO:** 75-9A, 80-9A, 80-13A, 80-16A, 90-13A, 90-9A, 110-13A, 130-13A, 130-16A; **CASE:** 110, 120, 135 with conditioning air

**ALTERNATOR / ALTERNATOR:**

**JOHN DEERE:** AL78690

**VOLTAGE REGULATOR:**

GA023

**BOSCH**
**GA1717**


**FEATURES / CARACTERÍSTICAS:** 50A, 6x35A, external diameter: 90mm

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 152, 1 127 320 192, 1 127 320 319

**APPLICATION / APLICACIÓN:**

**FIAT:** 128 L4 1.1 1971>1973, 128 L4 1.3 1972>1974, X-1/9 L4 1.3 1974

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 120 300 527, 0 120 300 528, 0 120 300 529, 0 120 300 551, 0 120 300 558, 0 120 300 568, 0 120 300 569, 0 120 300 746;

**ALLIS-CHALMERS:** 4998353; **FIAT:** 4224325, 4224325, 4257063, 4257074, 4257074, 4257771, 4275283, 4275283, 4325179,

4373600, 4373601, 4373601, 4383593, 4474729, 4474752, 4474752, 4474815, 4474816, 4475266, 4998353, 5101645, 5101707, 77175410, 77761410; **SAME:** 294390900; **STEYR:** 30800090021

**BOSCH**
**GA1719**


**FEATURES / CARACTERÍSTICAS:** 65A, 6x35A, B+: M8x34mm, External Diameter: 114mm

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 664, 1 127 320 665, 1 127 320 666, 1 127 320 945; **Cargo:** 132667; **As-Poland:** ARC0005; **Transpo:** IBR311;

**Mobiletron:** RB-04H; **Regitar:** RB-04

**APPLICATION / APLICACIÓN:**

**AUDI EUROPE CAR:** 100 Avant 2.0 1988>1990

**VOLKSWAGEN:** Derby 1.0/1.3 1983>1984, Golf Cabriolet 1.3 1983>1985, Golf II 1.6 Turbo 1989>1992, Golf II 1.3 1985>1988, Jetta 1.6 Turbo 1989>1992, Polo 1.3 1989>1992

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 120 488 134, 0 120 488 233

**AUDI / VOLKSWAGEN:** 025903017X, 025903023A, 025903023B, 026903015A, 026903017A, 026903017AX

**BOSCH**
**GA1923**


**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 6x35A, B+ Post M6x50

**REPLACES / REEMPLAZA:**

**Bosch:** 9 122 080 923; **Magneti Marelli:** PR520550

**APPLICATION / APLICACIÓN:**

**RENAULT:** Clio, Clio 1.6, 1595 R11, 1593 R9

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 9 120 080 215, 9 120 080 222, 9 120 080 231, F010 LD0 001

**VOLTAGE REGULATOR:**

GA306



**GA1990**

**FEATURES / CARACTERÍSTICAS:** 90A, Diodos 14x40A, with triode, B+ M8, D+ M5, Diameter 120mm  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1127320172, 1127320359, 1127320360, 1127320531, 1127320542; **Regitar:** RB-45; **Cargo:** 132127; **WAI/Transpo:** IBR331  
**APPLICATION / APLICACIÓN:**  
**VW:** Golf, Passat Alemão;  
**AUDI, BMW, PORSCHE, MERCEDES BENZ**  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0120469500, 0120469501, 0120469502, 0120469503, 0120469504, 0120469505, 0120469524, 0120469525, 0120469528, 0120469533, 0120469538, 0120469539, 0120469551, 0120469552, 0120469553, 0120469554, 0120469555, 0120469556, 0120469557, 0120469558, 0120469560, 0120469561, 0120469593



**GA1506**

**FEATURES / CARACTERÍSTICAS:** 65A, Diodos 6x35A, "W" Terminal, with diode trio  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 127 320 506, 1 127 011 116, 1 127 320 614, 1 127 320 648; **Regitar:** RB-03; **Cargo:** 131559; **WAI/Transpo:** IBR302  
**APPLICATION / APLICACIÓN:**  
**AUDI:** Série 4000;  
**VW:** Dasher, Jetta, Quantum, Rabbit, Scirocco, Diesel, Audi  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0 120 489 080, 0 120 489 081, 0 120 489 082, 0 120 489 083, 0 120 489 186, 0 120 489 208, 0 120 489 210, 0 120 489 248, 0 120 489 249, 0 120 489 250, 0 120 489 282, 0 120 489 283, 0 120 489 470, 0 120 489 960, 0 120 489 961, 0 120 489 966, 0 120 489 967, 0 120 489 968, 0 120 489 996, 0 120 489 971, 0 120 489 972, 0 120 489 973, 0 120 489 974, 0 120 489 975, 0 120 489 976, 0 120 489 977, 0 120 489 978, 0 120 489 979, 0 120 489 980, 0 120 489 981, 0 886 031 501, 0 986 031 470, 0 986 031 480, 0 986 031 481, 0 986 031 500, 0 986 031 510, 0 986 033 340, 0 986 033 350, 0 986 034 190




**GA1953**

**FEATURES / CARACTERÍSTICAS:** 90A, Diodos 8x50, with diode trio, W Post M5, D+ M5, B+ M6  
**REPLACES / REEMPLAZA:**  
**Bosch:** 9 128 040 953, 9 128 040 953J; **Regitar:** RB-85H; **WAI/Transpo:** IBR668  
**APPLICATION / APLICACIÓN:**  
**MERCEDES BENZ:** Truck 94, alternator Bosch 9 120 180 020, 12V;  
**FORD:** Bronco, Pegaso  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 9 120 180 020J




**GA1336**

**FEATURES / CARACTERÍSTICAS:** 35A, Diodos 6x35A, B+ Post M6x50, D+ Post M4x50, W Post M5x45, with diode trio  
**REPLACES / REEMPLAZA:**  
**Bosch:** 9 122 080 336  
**APPLICATION / APLICACIÓN:**  
**MF:** Tractor MF3640; (Perkins 6358A) (01.73) Trucks, Chassi for Bus OF e OH e Platform for Bus R, RS, RSD K1 35 28 Trucks, MicroBus, Engines Stationarys, Industrials, Generator and Marine OM.  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 9 120 080 148, 9 120 080 147, 9 120 080 502  
**VOLTAGE REGULATOR:**  
 GA018 / GA018R / GA034 / GA034R / GA040



**GA1366**

**FEATURES / CARACTERÍSTICAS:** 95A, Diodos 6x35A, B+ Post M6x50, D+ Post M4x50, W Post M4x45, with diode trio  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 127 320 366, 1 127 320 545, 1 127 320 344, 1 127 320 363, 1 127 320 367, 1 127 320 546, 1 127 320 599, 1 127 011 098, 1 127 011 101; **Regitar:** RB-08; **Cargo:** 133138; **WAI/Transpo:** IBR313; **Magneti Marelli:** PR520444  
**APPLICATION / APLICACIÓN:**  
**MERCEDES BENZ:** Trucks 1113, 1313, 1316, 1513, 1516, 2013, 2213, 2216 (OM 352) with Power Steering, 1214, 1414, 1614, 1218, 1418, 1618, 1935, 1941 (OM 366, 366A, 447LA, 449A), 2220, 1524, 1525, L709, 712, 1520, 1621, 2020, Bus 364, 365, O365, Chassi for Bus LO812, OF and OH1113, 1313, OH1318;  
**KOMATSU:** Tractors D30E, D50A, D50P;  
**MF:** Tractors MF1630, 3640, 5650;  
**MAXION:** Backhoe series 750 e Tractors 9150/ 9170;  
**TOYOTA:** Utilitários Bandeirante;  
**DAF;**  
**RENAULT;**  
**STEYER;**  
**SAAB;**  
**SCANIA**  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0 120 489 027, 0 120 489 224, 0 120 489 053, 0 120 489 192, 0 120 489 230, 0 120 489 387, 0 120 489 388, 0 120 489 684, 0 120 489 702, 0 120 489 707, 0 120 489 710, 0 120 489 723, 0 120 489 726, 0 120 489 727, 0 120 489 733, 0 120 489 757, 0 986 030 660, 0 986 031 190, 0 986 031 230, 0 986 031 250, 0 986 031 251, 0 986 031 260, 0 986 031 290, 0 986 031 310, 0 986 031 330, 0 986 033 510, 0 986 033 570, 0 986 034 210, 0 986 034 350, 9 120 144 122, 9 120 144 123, 9 120 144 125, 9 120 144 127, 9 120 144 130, 9 120 144 131, 9 120 144 132, 9 120 144 133, 9 120 144 137  
**VOLTAGE REGULATOR:**  
 GA018 / GA018R



**BOSCH**
**GA1508**


**FEATURES / CARACTERÍSTICAS:** 45A, Diode 6x35A. PS: with trio diode

**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 102, 1 127 320 114, 1 127 320 122, 1 127 320 124, 1 127 320 151, 1 127 320 327, 9 121 140 549; **Transpo:** IBR306; **Mobiletron:** RB11H; **Cargo:** 130596

**APPLICATION / APLICACIÓN:**
**FIAT:** 128 1.1 1971>1973, 128 1.3 1972>1974, X-1/9 1.3 1974

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 300 518, 0 120 300 519, 0 120 300 522, 0 120 300 523, 0 120 300 527, 0 120 300 528, 0 120 300 529, 0 120 300 532, 0 120 300 533, 0 120 300 540, 0 120 300 544, 0 120 300 545, 0 120 300 546, 0 120 300 547, 0 120 300 548, 0 120 300 549, 0 120 300 550, 0 120 300 551, 0 120 300 558, 0 120 300 559, 0 120 300 560, 0 120 300 563, 0 120 300 564, 0 120 300 568, 0 120 300 569, 0 120 300 587, 0 120 300 588, 0 120 300 591, 0 120 300 746, 0 120 339 502, 0 120 339 502, 0 120 339 503, 0 120 339 504, 0 120 339 505, 0 120 339 506, 0 120 339 509, 0 120 339 510, 0 120 339 517, 0 120 339 518, 0 120 339 519, 0 120 339 520, 0 120 339 522, 9 120 143 020, 9 120 143 207, 9 120 143 214, 9 120 143 215, 9 120 143 224;

**FORD:** 5003896, 71BB-10300-CA, 71BB-10300-CB, 71BB-10346-CA, 81AB-10300-SA, R78FB-10346-AC

**BOSCH**
**GA1509**

**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 6x35A, B+ Post M6x50, D+ Post M4x50, W Post M5x45, with diode trio

**REPLACES / REEMPLAZA:**
**Bosch:** 9 122 080 509

**APPLICATION / APLICACIÓN:**
**JI CASE:** Tractors W18D e W20D (OM 366A) (93 / 94);

**KOMATSU:** Tractors D30E (OM 352), D50A, D50P (OM 352A) (05.75);

**MASSEY-FERGUSON:** Tractor MF3640 (Perkins 6358A);


**MERCEDES BENZ:** Truck 1620 (06.96) Trucks 1113, 1114, 1117, 1118, 1313, 1314, 1514, 1520, 2014, 2020, 2214 (OM 352) Trucks 1214, 1218, 1414, 1418, 1614, 1618, 1924, 1929, 1932, 1933, 1934, 1935;

**TOYOTA:** Utilitário Bandeirante.

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 9 120 080 181, 9 120 080 183, 9 120 080 219

**VOLTAGE REGULATOR:**

GA018 / GA018R / GA034 / GA034R

**BOSCH**
**GA1541**

**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 6x35A, B+ Post M6x50, D+ Post M4x50, W Post M5x45, with diode trio

**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 541, 1 127 011 095; **Regitar:** RB-07; **Cargo:** 131468; **WAI/Transpo:** IBR314; **Magneti Marelli:** PR520494

**APPLICATION / APLICACIÓN:**
**SCANIA:** Trucks T112 e 142, R112, 113 e 142, DN 11, Ds11 e 14, Marine Engine Geradores Ind;

**MERCEDES BENZ:** Trucks O365, 812, 1621, 2020, L1625, LG1825,1114, 1214, 1418;

**MAXION:** Backhoe series 1175, MF86, Tractors 9070, 9075, 9090, 9110, 9130 w/ engine Perkins;

**MF:** Tractors MF1630, 3640, 5650, 5650 Turbo, 6845, 6855 e 6865, 235, 265, 272, 275, 283, 290, 292, 297, 299;

**KOMATSU:** Tractors D30E after 11/78;

**JI CASE:** Tractors W36B (after 01/88)

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 489 728, 0 120 489 730, 0 120 489 827, 0 120 489 886, 0 120 489 944, 9 120 080 114, 9 120 080 130, 9 120 080 136, 9 120 080 137, 9 120 080 144, 9 120 080 157, 9 120 080 159, 9 120 080 160, 9 120 080 162, 9 120 080 166, 9 120 080 182, 9 120 080 184, 9 120 080 187, 9 120 080 188, 9 120 080 202, 9 120 080 207

**VOLTAGE REGULATOR:**

GA018 / GA018R / GA034 / GA034R

**BOSCH**
**GA1909**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, B+ Post M8x30, L Post M4x19, W Post M5x19, with diode trio

**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 909, 1 127 320 992, 9 127 041 132, 9 127 041 133; **Mercedes Benz:** 000 154 7016; **Cargo:** 133995; **Regitar:** RB-14; **WAI/Transpo:** IBR315

**APPLICATION / APLICACIÓN:**
**MERCEDES BENZ:** Trucks

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 489 316

**BOSCH**
**GA1320**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, with diode trio

**REPLACES / REEMPLAZA:**
**Bosch:** 9 121 067 300, 9 121 067 303, 9 121 067 304, 9 121 067 317, 9 121 067 319, 9 121 067 320, 9 121 067 324, 9 121 067 325, 9 121 067 328, 9 121 067 329, 9 121 067 330, 9 121 067 331; **WAI/Transpo:** IBR310

**APPLICATION / APLICACIÓN:**
**GM:** Chevy Luv 2.2 98>

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 9 120 060 910

**VOLTAGE REGULATOR:**

GA375






**GA1321**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodos 6x35A  
**REPLACES / REEMPLAZA:**  
**Bosch:** 9 121 067 301, 9 121 067 316; **Lucas:** UBB 416  
**APPLICATION / APLICACIÓN:**  
**DODGE:** Omni;  
 Chrysler with engine Peugeot  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 9 120 060 684; **LESTER:** 13187, 14787; **PIC:** 220125, 220184



**GA1701**



**FEATURES / CARACTERÍSTICAS:** 115A, Diodos 8x50A, B+ Post M8x50, W Terminal, with diode trio  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 127 320 701, 1 127 320 708, 1 127 320 731; **Audi:** 075 903 359; **Lucas:** UBB432; **Cargo:** 134003;  
**Magneti Marelli:** 940 038 206; **Regitar:** RB-56H; **WAI/Transpo:** IBR357  
**APPLICATION / APLICACIÓN:**  
**VW:** alternators Bosch série 469 IR/EF 115A.  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0 120 469 601, 0 120 469 602, 0 120 469 604, 0 120 469 605, 0 120 469 637, 0 120 469 638, 0 120 469 654, 0 120 469 674, 0 120 469 675, 0 120 469 701, 0 120 469 702, 0 120 469 703, 0 120 469 704, 0 120 469 705, 0 120 469 706, 0 120 469 707, 0 120 469 711, 0 120 469 714, 0 120 469 717, 0 120 469 718, 0 120 469 719



**GA1702**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x50A, with diode trio  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 127 320 702, 1 127 320 709, 1 127 320 722, 1 127 320 733; **Regitar:** RB-55; **Cargo:** 133261; **WAI/Transpo:** IBR355  
**APPLICATION / APLICACIÓN:**  
**BMW:** 525i, 528i, 533, 535, 628, 635, 728, 732, 733, 735, 745, 316, 318, 320, 323, 325e, 518, 520, 525, 535, 628, 635, 728, 732, 735, 745, 528, Z1;  
**SAAB:** 900, 9000;  
**MERCEDES BENZ:** 500 SL, 300 SD;  
**SL LAMBORGHINI:** Countach 5 S, Diablo 5.7, LM i29 5.2;  
**FERRARI:** 328GTB, Mondial 8 85-87  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0 120 469 644, 0 120 469 645, 0 120 469 682, 0 120 469 683, 0 120 469 684, 0 120 469 685, 0 120 469 880, 0 120 469 881



**GA1703**

**FEATURES / CARACTERÍSTICAS:** 100A, Diodos 8x35, with diode trio, B+ M8 + M6, trio M5, OD 120mm  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1127320716; **Volvo:** 3515707  
**APPLICATION / APLICACIÓN:**  
**VOLVO:** Serie 740 2.4 diesel 1984-1992, Serie 760 /780 Diesel 1987-1992, Serie 940 /960 2.4 diesel  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0120469788, 0120469789, 0120469015, 0120469020, 0120469021, 0120469610, 0120469722, 0120469723, 0120469724, 0120469734, 0120469735, 0120469736, 0120469737, 0120469738, 0120469739, 0120469740, 0120469741, 0120469774, 0120469788, 0120469789, 0120469813, 0120469814, 0120469831, 0120469856, 0120469857, 0120469863, 0120469884, 0120469903, 0120469904, 0120469908, 0120469931, 0120469932, 0120469933, 0120469934, 0120469953, 0120469975, 0120469976, 0120469977, 0120469991, 0120469996



**GA1704**

**FEATURES / CARACTERÍSTICAS:** 100A, Diodos 8x35, with diode trio, B+ M8, trio M5, OD 120mm  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 127 320 720, 1 127 320 741, 1 127 320 911 ; **Cargo:** 136372  
**APPLICATION / APLICACIÓN:**  
**BMW:** 525i /530i /535i 1988-1991, 730 /735i 1986-1994  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0120469176, 0120469775, 0120469776, 0120469989, 0120469990



**GA1705**

**FEATURES / CARACTERÍSTICAS:** 75A, Diodos 6x35 B+ M6, trio M4, W-M5, with terminal aux. with diode trio, OD 114mm  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 127 320 667; **Ford:** 86AB10304AA; **Regitar:** RB-38H; **Cargo:** 135890; **WAI/Transpo:** IBR667  
**APPLICATION / APLICACIÓN:**  
**FORD:** Fiesta 1.4 1998>2000; **CATERPILLAR:** Industrial Engine/Generator: 3054, 3054B, 3056, Telehandler: TH62, TH63, TH82, TH83, TH103  
**ALTERNATOR / ALTERNATOR:**  
**CATERPILLAR:** 1008223; **PERKINS:** 2871C105; **BOSCH:** 0120488286, 0120489347, 0120489389, 0120489390, 0120489391, 0120489392, 0120489408


**BOSCH**
**GA1706**

**FEATURES / CARACTERÍSTICAS:** 130A, Diodes 8x50A, with diode trio

**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 706; **Cargo:** 134002; **Ford:** 6153350, 85GB10304CA, 86GB10304CA; **Lucas:** 2131044, UBB405; **Regitar:** RB-53; **Cargo:** 134002; **WAI/Transpo:** IBR353

**APPLICATION / APLICACIÓN:**
**FORD:** Granada, Scorpio, Sierra, Transit, Merkur

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 469 009, 0 120 469 032, 0 120 469 659, 0 120 469 660, 0 120 469 661, 0 120 469 662, 0 120 469 713, 0 120 469 747, 0 120 469 748, 0 120 469 871, 0 120 469 874, 0 120 469 899, 0 120 469 958, 0 986 034 140, 0 986 036 000; **FORD:** 85GX10300LA, E7RY10346A; **LESTER:** 14944; **MOTORCRAFT:** GLE245; **PIC:** 220197


**BOSCH**
**GA1708**

**FEATURES / CARACTERÍSTICAS:** 115A, Diodes 8x50A, B+ Post M8x50, D+ Post M5x45, W Terminal, with diode trio

**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 708, 1 127 320 731; **Regitar:** RB-56H; **Cargo:** 134003; **WAI/Transpo:** IBR357

**APPLICATION / APLICACIÓN:**
**MERCEDES BENZ; SAAB; VOLVO; BMW; VOLKSWAGEN; AUDI;**
**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 469 603, 0 120 469 610, 0 120 469 015, 0 120 469 020, 0 120 469 021, 0 120 469 663, 0 120 469 722, 0 120 469 723, 0 120 469 724, 0 120 469 734, 0 120 469 735, 0 120 469 736, 0 120 469 737, 0 120 469 738, 0 120 469 739, 0 120 469 740, 0 120 469 741, 0 120 469 768, 0 120 469 774, 0 120 469 813, 0 120 469 814, 0 120 469 856, 0 120 469 857, 0 120 469 863, 0 120 469 884, 0 120 469 903, 0 120 469 904, 0 120 469 908, 0 120 469 929, 0 120 469 930, 0 120 469 931, 0 120 469 932, 0 120 469 933, 0 120 469 934, 0 120 469 953, 0 120 469 975, 0 120 469 976, 0 120 469 977, 0 120 469 991

**VOLTAGE REGULATOR:**

GA025 / GA026

**BOSCH**
**GA1710**

**FEATURES / CARACTERÍSTICAS:** 115A, Diodes 8x50A, with diode trio, B+ Post M8x50, D+ Post M5x45, D+ Post M5x45,

**With triodiode**
**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 710, 1 127 320 565, 1 127 320 732, 1 127 320 681, 1 127 320 737, 1 127 320 705, 1 127 320 723, 1 127 320 739; **Regitar:** RB-54; **Cargo:** 233778; **WAI/Transpo:** IBR354

**APPLICATION / APLICACIÓN:**
**VW:** Santana;

**FORD:** Royale and Versailles with AC (AP) after 03/92;

**ALFA ROMEO; AUDI; BMW; MERCEDES BENZ; VOLVO; PORSCHE; SAAB;**
**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 427 988, 0 120 468 018, 0 120 468 020, 0 120 468 022, 0 120 468 024, 0 120 468 025, 0 120 468 026, 0 120 468 027, 0 120 468 029, 0 120 468 044, 0 120 468 052, 0 120 468 056, 0 120 468 068, 0 120 468 069, 0 120 468 070, 0 120 468 079, 0 120 468 101, 0 120 468 106, 0 120 468 108, 0 120 468 109, 0 120 468 121, 0 120 468 123, 0 120 468 125, 0 120 468 126, 0 120 469 002, 0 120 469 003, 0 120 469 011, 0 120 469 012, 0 120 469 016, 0 120 469 017, 0 120 469 589, 0 120 469 590, 0 120 469 591, 0 120 469 642, 0 120 469 648, 0 120 469 649, 0 120 469 676, 0 120 469 677, 0 120 469 690, 0 120 469 709, 0 120 469 725, 0 120 469 726, 0 120 469 729

**VOLTAGE REGULATOR:**

GA021 / GA029

**BOSCH**
**GA1713**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with diode trio

**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 713; **Cargo:** 138620; **Valeo:** 1398640

**APPLICATION / APLICACIÓN:**
**VOLVO:** 740, 760, 780, 940, 960

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 468 009, 0 120 468 010, 0 120 468 011, 0 120 468 012, 0 120 468 015, 0 120 468 016

**BOSCH**
**GA1718**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A

**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 718, 1 127 320 719, 1 127 320 729, 1 127 320 748; **Cargo:**138987; **Chrysler:** 5 226 600; **Regitar:** RB-75H; **WAI/Transpo:** IBR329


**APPLICATION / APLICACIÓN:**
**CHRYSLER:** ES 2.2i turbo, ES 2.5i turbo, GSII turbo, GTS 2.2i T, Lancer 2.2, 2.5, LeBaron 2.2i T, 2.5i T, Saratoga 3.0i, Voyager 3.3 V6, 3.8 V6 Dodge

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 450 011, 0 120 450 012, 0 120 450 013, 0 120 450 014, 0 120 450 016, 0 120 450 017, 0 120 450 019, 0 120 450 020;

**LESTER:** 13315, 14789; **PIC:** 220123, 220124, 220270, 220270A

**BOSCH**

**GA1730**



**FEATURES / CARACTERÍSTICAS:** 115A, Diodes 8x50A, B+ Post M8x50, with diode trio

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 700, 1 127 320 730; **Regitar:** RB-51; **Cargo:** 132103; **WAI/Transpo:** IBR351

**APPLICATION / APLICACIÓN:**

**FIAT:** Tipo, Tempra Argentino, Tempra Turbo 2.0i with AC after 04/94;

**AUDI; FORD**

**ALTERNATOR / ALTERNATOR:**


**BOSCH:** 0 120 469 028, 0 120 469 029, 0 120 469 034, 0 120 469 035, 0 120 469 631, 0 120 469 632, 0 120 469 633, 0 120 469 635, 0 120 469 636, 0 120 469 637, 0 120 469 671, 0 120 469 672, 0 120 469 696, 0 120 469 697, 0 120 469 698, 0 120 469 699, 0 120 469 700, 0 120 469 708, 0 120 469 712, 0 120 469 715, 0 120 469 716, 0 120 469 720, 0 120 469 847, 0 120 469 848, 0 120 469 859, 0 120 469 860, 0 120 469 861, 0 120 469 875, 0 120 469 892, 0 120 469 893, 0 120 469 937, 0 120 469 939, 0 120 469 940, 0 120 469 979, 0 120 469 980, 0 120 469 981

**VOLTAGE REGULATOR:**

GA026

**BOSCH**

**GA1735**



**FEATURES / CARACTERÍSTICAS:** 115A, Diodes 8x50, B+ Post M8/M6x50, D+ Post M5x45, with diode trio

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 712, 1 127 320 713, 1 127 320 735; **Regitar:** RB-58; **Cargo:** 138164; **WAI/Transpo:** IBR712

**APPLICATION / APLICACIÓN:**

**GM:** Ómega, Suprema 2.0i, 2.2i, 3.0i with AC (after 03.93).

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 120 469 784, 0 120 469 785, 0 120 469 786, 0 120 469 787, 0 120 469 793, 0 120 469 882, 0 120 469 883, 0 120 469 909, 0 120 469 910, 0 120 469 915, 0 120 469 916, 0 120 469 923, 0 120 469 924, 0 120 469 935, 0 120 469 988

**VOLTAGE REGULATOR:**

GA029

**BOSCH**

**GA1736**



**FEATURES / CARACTERÍSTICAS:** 130A, Diodes 8x50A, B+ Post M6/M8x50, D+ Post M5x45, W Terminal, with diode trio

**REPLACES / REEMPLAZA:**

**Bosch:** 9 128 041 566

**APPLICATION / APLICACIÓN:**

**CUMMINS;**


NAVISTAR 100A

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 6 004 LA9

**BOSCH**

**GA1753**



**FEATURES / CARACTERÍSTICAS:** 80A, Diodes 8x35A Avalanche (Zener), B+ Post M8/M6x50, D+ Post M5/M4x45, W Post M5x45,

With triodiode

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 753; **Regitar:** RB-93H; **Cargo:** 231451, 137724; **WAI/Transpo:** IBR753; **Magneti Marelli:** PR520528

**APPLICATION / APLICACIÓN:**

**MERCEDES BENZ:** Bus OF1417, 915, Equipment with OM 904 LA 4 cylinders.

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 120 468 143, 0 120 468 145, 0 120 469 101, 0 120 469 115, 0 120 469 116, 0 120 469 117, 0 120 469 118, 6033G004BY, 6033G3B022, 6033GB3010, 6033GB3019, 6033GB3022, 6033GB3023, 6033GB3027

**BOSCH**

**GA1412**



**FEATURES / CARACTERÍSTICAS:** 130A, Avalanche Diodes 6x50A, B+ Bolt M8x22mm (L), B+ Bolt M6x32mm (R), Ø 120mm

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 113 212

**APPLICATION / APLICACIÓN:**

**FORD:** Ka, Fiesta 1.0, Courier

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 225 038

**VOLTAGE REGULATOR:**

GA235

**BOSCH**
**GA1216**

**FEATURES / CARACTERÍSTICAS:** 6x35A, Avalanche Diodes

**REPLACES / REEMPLAZA:**
**Bosch:** F 000 BL1 9N2; **VW:** 2P0903339; **Mercedes-Benz:** A0011544216

**APPLICATION / APLICACIÓN:**
**FORD:** Cargo C 1317 2011, Cargo C 1319 2012>, Cargo C 1517 2011, Cargo C 1519 2012>, Cargo C 1717 2011, Cargo C 1719 2012>, Cargo C 1722 2011, Cargo C 1723 2012>, Cargo C 1832 E 2010>2011, Cargo C 1932 R 2011>, Cargo C 1932 Tractor 2011>, Cargo C 1933 2012>, Cargo C 1933 Tractor 2012>, Cargo C 2422 2011, Cargo C 2423 2012>, Cargo C 2428 2011, Cargo C 2429 2012>, Cargo C 2622 2011, Cargo C 2623 2012>, Cargo C 2628 2011, Cargo C 2629 2012>, Cargo C 2632 2011, Cargo C 2632 E 2006>2011, Cargo C 2633 2012, Cargo C 2932 E 2006>2011, Cargo C 3132 2011, Cargo C 3133 2012>, Cargo C 4432 E MaxTon 2006>2007, Cargo C 4532 E MaxTon 2007>2011, Cargo C 5032 E 2006>2011, Cargo C 6332 E 2008>2011 IVECO: EuroCargo 170E21 2005>2006 MAN: TGX 28.440 2011>, TGX 29.440 2010>, TGX 33.440 2010>;

**MERCEDES BENZ:** 1016 Accelo 2012>, 1315 Atego 2004>2011, 1318 2006>2011, 1319 Atron 2012>, 1418 Atego 2004>2011, 1419 Atego 2012>, 1518 Atego 2004>2011, 1519 R 2012>, 1618 M 1998>2006, 1718 Atego 2004>2011, 1719 Atego 2012>, 1719 Atron 2013>, 1726 Atego 2012>, 1728 2003>2006, 1728 Atego 2007>2011, EuroCargo 170E21 2005>2006, 17.210 EOD Electronic 2004>2007, 18.310 2001>2005, 18.310 OT 2003>2005, 8.150 E Electronic 2003>2011, 8.150 EOD Electronic 2004>2012, 9.150 EOD Electronic 2004>2012, Constellation 17.250 2005>2011, Constellation 19.320 Titan 2005>2011, Constellation 24.250 2005>2011, Constellation 25.320 2008>2011, Constellation 31.320 2007>2011, Worker 13.170 E Electronic 2004>2006, Worker 13.180 E Electronic 2005>2011, Worker 15.170 E Electronic 2004>2006, Worker 15.180 E Electronic 2005>2011, Worker 15.190 E Electronic 2004>2011, Worker 17.250 E Electronic 2003>2011, Worker 23.250 E Electronic 2004>2006, Worker 24.250 E Electronic 2003>2011, Worker 26.260 E Electronic 2006>2011, Worker 31.260 E Electronic 2006>2011, Worker 9.150 E Electronic 2003>2011, 1729 Atego 2012>, 1729 Atego 2012>, 1933 Axor 2005>, 1938 S 2000>2005, 1944 S 2001>2005, 2036 Axor 2012>, 2041 Axor 2012>, 2324 Atron 2012>, 2423 1999>2009, 2425 Atego 2004>2011, 2426 Atego 2012>, 2428 2001>2006, 2428 Atego 2007>2011, 2429 Atego 2012>2015, 2533 Axor 2005>, 2536 Axor 2012>, 2541 Axor 2012>2016, 2544 Axor 2012>, 2638 1998>2005, 2641 Axor 2012>2016, 2644 Axor 2012>, 2726 2008>2011, 2729 Atron 2012>, 2729 Atron 2012>, 2826 Axor 2006>2011, 2831 Axor 2005>2015, 3341 Axor 2012>2016, 3344 Axor 2012>, 4141 Axor 2012>2016, 4144 Axor 2012>, 815 Accelo 2012>, 914 C/LO 1998>2006, 915 C Accelo 2006>2011, 915 E 1998>2011, L 1620 2006>2011, LO 915 2004>2011, LO 916 2012>, LS 1938 1998>2005, O 500 M 2012>, O 500 R 2006>, O 500 U 2001>, OF 1219 2012>2015, OF 1417 1998>2006, OF 1418 2004>2011, OF 1519 2012>, OF 1721 2012>, OF 1722 2004>2011, OF 1724 2012>, OH 1418 2003>2007, OH 1519 2012>, OH 1621 L 2012>;

**VW:** 15.190 EOD Electronic 2006>2012, 15.190 OD 2012>, 17.210 EOD Electronic 2004>2007, 17.230 EOD Electronic 2006>2012, 17.230 OD 2012>, 17.280 OT 2012>, 18.310 2001>2005, 18.310 OT 2003>2005, 18.330 OT 2012>, 26.330 OTA 2012>, 8.150 E Electronic 2003>2011, 8.150 EOD Electronic 2004>2012, 8.150 EOD Electronic 2008>2012, 9.150 EOD Electronic 2004>2012, Constellation 13.180 2006>2011, Constellation 13.190 2012>, Constellation 15.180 2006>2011, Constellation 15.190 2012>, Constellation 17.190 2012>, Constellation 17.250 2005>2011, Constellation 17.280 2012>, Constellation 17.330 2012>, 1729 Atego 2012>, 1729 Atego 2012>, 1933 Axor 2005>, 1938 S 2000>2005, 1944 S 2001>2005, 2036 Axor 2012>, 2041 Axor 2012>, 2324 Atron 2012>, 2423 1999>2009, 2425 Atego 2004>2011, 2426 Atego 2012>, 2428 2001>2006, 2428 Atego 2007>2011, 2429 Atego 2012>2015, 2533 Axor 2005>, 2536 Axor 2012>, 2541 Axor 2012>2016, 2544 Axor 2012>, 2638 1998>2005, 2641 Axor 2012>2016, 2644 Axor 2012>, 2726 2008>2011, 2729 Atron 2012>, 2729 Atron 2012>, 2826 Axor 2006>2011, 2831 Axor 2005>2015, 3341 Axor 2012>2016, 3344 Axor 2012>, 4141 Axor 2012>2016, 4144 Axor 2012>, 815 Accelo 2012>, 914 C/LO 1998>2006, 915 C Accelo 2006>2011, 915 E 1998>2011, L 1620 2006>2011, LO 915 2004>2011, LO 916 2012>, LS 1938 1998>2005, O 500 M 2012>, O 500 R 2006>, O 500 U 2001>, OF 1219 2012>2015, OF 1417 1998>2006, OF 1418 2004>2011, OF 1519 2012>, OF 1721 2012>, OF 1722 2004>2011, OF 1724 2012>, OH 1418 2003>2007, OH 1519 2012>, OH 1621 L 2012>, Cargo C 1317 2011, Cargo C 1319 2012>, Cargo C 1517 2011, Cargo C 1519 2012>, Cargo C 1717 2011, Cargo C 1719 2012>, Cargo C 1722 2011, Cargo C 1723 2012>, Cargo C 1832 E 2010>2011, Cargo C 1932 R 2011>, Cargo C 1932 Tractor 2011>, Cargo C 1933 2012>, Cargo C 1933 Tractor 2012>, Cargo C 2422 2011, Cargo C 2423 2012>, Cargo C 2428 2011, Cargo C 2429 2012>, Cargo C 2622 2011, Cargo C 2623 2012>, Cargo C 2628 2011, Cargo C 2629 2012>, Cargo C 2632 2011, Cargo C 2632 E 2006>2011, Cargo C 2633 2012, Cargo C 2932 E 2006>2011, Cargo C 3132 2011, Cargo C 3133 2012>, Cargo C 4432 E MaxTon 2006>2007, Cargo C 4532 E MaxTon 2007>2011, Cargo C 5032 E 2006>2011, Cargo C 6332 E 2008>2011, TGX 28.440 2011>, TGX 29.440 2010>, TGX 33.440 2010>, Constellation 19.320 Titan 2005>2011, Constellation 19.330 2012>, Constellation 19.370 2007>2011, Constellation 19.390 2012>, Constellation 24.250 2005>2011, Constellation 24.280 2012>, Constellation 24.330 2012>, Constellation 25.320 2008>2011, Constellation 25.370 2007>2011, Constellation 25.390 2012>, Constellation 26.260 2007>2011, Constellation 26.280 2012>, Constellation 26.390 2012>, Constellation 31.260 2008>2011, Constellation 31.280 2012>, Constellation 31.320 2007>2011, Constellation 31.330 2012>, Constellation 31.370 2007>2011, Constellation 31.390 2012>, Worker 13.170 E Electronic 2004>2006, Worker 13.180 E Electronic 2005>2011, Worker 13.190 2012>, Worker 15.170 E Electronic 2004>2006, Worker 15.180 E Electronic 2005>2011, Worker 15.190 2012>, Worker 15.190 E Electronic 2004>2011, Worker 17.190 2012>, Worker 17.250 E Electronic 2003>2011, Worker 23.250 E Electronic 2004>2006, Worker 24.250 E Electronic 2003>2011, Worker 26.260 E Electronic 2006>2011, Worker 31.260 E Electronic 2006>2011, Worker 9.150 E Electronic 2003>2011

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** F 000 BL0 739, F 000 BL0 755, F 000 BL0 769, F 000 BL0 771, F 000 BL0 7B9, F 000 BL0 7C7, F 000 BL0 7R6, F 000 BL0 786;

**MERCEDES BENZ:** A0001508550; **FORD:** EC4510300AB; **MAN:** 2P0903015E; **VW:** 2P0903015E

**VOLTAGE REGULATOR:**

GA283

**BOSCH**
**GA1413**

**FEATURES / CARACTERÍSTICAS:** 120A, 6x50A, Avalanche Diodes, B+ M8X30mm

**REPLACES / REEMPLAZA:**
**Bosch:** F 000 BL2 106

**APPLICATION / APLICACIÓN:**
**FIAT:** Ducato, Iveco Daily;

**PEUGEOT:** Boxer

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** F000 BL0 706, F 000 BL0 7R9

**VOLTAGE REGULATOR:**

GA343



**GA1414**

**FEATURES / CARACTERÍSTICAS:** 110A, 6X50A Avalanche Diodes  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**Ford:** Ranger 2012, EcoSport 1.5 TDCi/ 1.5 Ti, EcoBoost 1.0 2013>, Ranger 2.5 16V 2012>  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** F000 BL0 606; **FOMOCO:** AB39 10300 BE, L566-18300-A; **SEG:** F 000 BL0 6E2  
**VOLTAGE REGULATOR:**  
 GA668




**GA1415**

**FEATURES / CARACTERÍSTICAS:**  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**Ford:** Nova Eco Sport 2.0, Ranger 2013  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** F 000 BL0 643  
**Ford:** CN15-10300-AB



**GA1416**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A Avalanche, 103mm  
**SUBSTITUI:**  
**Bosch:** F 000 BL1 002  
**APLICAÇÃO:**  
**VW:** CrossFox (Fase I) 1.6 Total Flex 2008>2009, CrossFox (Fase II) 1.6 Total Flex >2009, Fox (Fase I) 1.0 Total Flex 2008>2009, Fox 1.6 Total Flex 2008>2009, Fox (Fase II) 1.0 Total Flex 2009>2014, Fox 1.6 I Motion Total Flex >2009, Fox 1.6 Total Flex >2009, Gol II 1.0Mi 8V 1996>1999, Gol II Special 1.0Mi 8V 1999>2005, Gol III 1.0Mi 1999>2005, Gol III 1.0Mi 16V 1999>2005, Gol III 1.0Mi 16V Turbo 2000>2003, Gol III 1.0Mi Total Flex 2005>2006, Gol IV 1.0 2005>2008, Gol IV 1.0 Total Flex 2005>2013, Gol IV 1.0 Ecomotion 2010>2013, Gol V 1.0 Total Flex 2008>2012, Gol V 1.6 Total Flex 2008>2012, Gol VI 1.0 Total Flex >2012, Gol VI 1.6 I-Motion Total Flex >2012, Gol VI 1.6 Total Flex >2012, Golf III 2.0Mi 1994>1998, Parati II 1.0Mi 16V 1997>1999, Parati III 1.0Mi 16V 1999>2003, Parati III 1.0Mi 16V Turbo 2000>2004, Polo 1.6 Total Flex >2008, Polo Sedan 1.6 Total Flex >2008, Saveiro V 1.6 Total Flex >2009, Space Cross 1.6 Total Flex >2011, SpaceFox (Fase I) 1.6 Total Flex 02008>2010, SpaceFox (Fase II) 1.6 Total Flex >2010, Voyage (Fase I) 1.6 1989>1993, Voyage (Fase II) 1.0 Flex >2012, Voyage 1.0 Total Flex 2008>2012, Voyage 1.6 Flex >2012, Voyage 1.6 I Motion Flex >2012, Voyage 1.6 Total Flex 2008>2012  
**ALTERNADOR:**  
**BOSCH:** F000BL0300, F000BL0418, F000BL0400, F000BL0301, F000BL04C0; **VW:** 5U0903025E, 5U0903025D  
**CONJUNTO REGULADOR:**  
 GA343 / GA363



**GA1417**

**FEATURES / CARACTERÍSTICAS:**  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**Fiat:** Punto, Linea, Bravo, Doblò, Siena, Strada Trekking, Idea, Palio Hatch, Palio Adventure, Palio Weekend (All 1.6 and 1.8 16V E-Tork 2010>).  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** F 000 BL0 609, F 000 BL0 700



**GA1418**

**FEATURES / CARACTERÍSTICAS:** 110A, 6X50A Avalanche Diodes  
**REPLACES / REEMPLAZA:**  
**Bosch:** F 000 BL1 069  
**APPLICATION / APLICACIÓN:**  
**Fiat:** Uno, Palio, Siena, Strada, Fiorino  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** F 000 BL0 600



**GA1419**

**FEATURES / CARACTERÍSTICAS:** 120A, 6x50A Avalanche Diodes  
**REPLACES / REEMPLAZA:**  
 -  
**APPLICATION / APLICACIÓN:**  
**Mercedes:** Sprinter 310, 311, 315, 415, 515 (CDI).  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** F 000 BL0 732;  
**MERCEDES BENZ:** 000 906 04 22

**BOSCH**
**GA1449**

**FEATURES / CARACTERÍSTICAS:** 130A, 6x50A, Avalanche Diode, B+: M8x20mm

**REPLACES / REEMPLAZA:** -

**APPLICATION / APLICACIÓN:**
**GM:** Prisma e Onix 1.0/1.4, Cobalt 1.8 LTZ, S10 2.5 Flex

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** F 000 BLO 7T1

**GM:** 52076121

**VOLTAGE REGULATOR:**

GA352

**BOSCH**
**GA1483**

**FEATURES / CARACTERÍSTICAS:** 110A, 6x50A, B+: M8 x 1.25 x 15 mm

**REPLACES / REEMPLAZA:** -

**APPLICATION / APLICACIÓN:**
**FORD:** Ka 1.0 12V 2014>, Ka 1.5 16V 2014>2018, Ka Sedan 1.0 12V 2014>, Ka Sedan 1.5 16V 2014>2018

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** F 000 BL0 670; **FORD:** E4B5-10300-DB

**VOLTAGE REGULATOR:**

GA321

**BOSCH**
**GA1420**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x50A Avalanche (Zener), Ø: 120mm

**REPLACES / REEMPLAZA:**
**Bosch:** F 00M 133 200; **Cargo:** 231714; **WAI/Transpo:** IBR200

**APPLICATION / APLICACIÓN:**
**PORSCHE:** 911 3.6 GT3, Boxter 2.5, Carrera 3.4, GT3 3.6;

**OPEL:** Astra G 2.0, Zafira 2.0 DTH 16V

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 124 515 001, 0 124 515 008, 0 124 515 015, 0 124 515 016, 0 124 515 043, 0 124 515 058, 0 124 525 016, B 120 516 147;

**VW:** 038 903 018F

**BOSCH**
**GA1421**

**FEATURES / CARACTERÍSTICAS:** 90A, Diodos 6x35A Avalanche (Zener), Ø: 120mm

**REPLACES / REEMPLAZA:**
**Bosch:** F 00M 123 228; **Magneti Marelli:** PR520463

**APPLICATION / APLICACIÓN:**
**ROVER:** 25 1.4, 1.6, 1.8, 45, 1.6, 1.8; **VW:** Beetle 1.9 TDI, Bora, Golf, Lupo, Polo Classic, Caravelle; **AUDI:** A3 1.6, 1.9 TDI quattro;

**SEAT:** Arosa 1.4 TDI, Cordoba, Leon, Toledo; **MERCEDES BENZ:** vehicles, Kompressor, Sprinter 2.7, 715C (ACCELLO);

**VOLVO:** vehicles

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 124 315 003, 0 124 325 003, 0 124 225 010, 0 124 225 012, 0 124 415 010

**VOLTAGE REGULATOR:**

GA225 / GA261 / GA282

**BOSCH**
**GA1422**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x50A Avalanche (Zener)

**REPLACES / REEMPLAZA:**
**Bosch:** F 00M 133 201, F 00M 133 205, F 00M 133 228, F 00M 133 241, F 00M 133 246, F 00M 123 201, F 00M 123 212, F 00M 123 227;

**Regitar:** RB-119H; **Mobiletron:** RB-119H; **Cargo:** 333557; **WAI/Transpo:** IBR201; **AS Poland:** ARC0043

**APPLICATION / APLICACIÓN:**
**AUDI:** A2 1.4, A3 1.6, TT Coupe 1.8, A4, A6;

**FORD:** Galaxy 1.9;

**SEAT:** Alhambra 1.8, 1.9, 2.0, Arosa 1.4, Córdoba 1.9, Ibiza 1.9, Leon 1.9, Toledo;

**SKODA:** Fabia 1.9, Octavia;

**VW:** Beetle 1.9, 2.0, Bora, Golf, Lupo, Polo, Polo Classic, Sharan, Caravelle, Passat;

**VOLVO:** vehicles;

**MERCEDES BENZ:** vehicles

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 124 225 010, 0 124 315 010, 0 124 315 014, 0 124 320 001, 0 124 325 017, 0 124 325 019, 0 124 325 020, 0 124 325 036,

0 124 325 037, 0 124 325 039, 0 124 325 040, 0 124 325 043, 0 124 325 045, 0 124 325 055

**BOSCH**

**GA1423**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodos Avalanche (Zener) 6x50A

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 133 286, F 00M 133 353

**APPLICATION / APLICACIÓN:**

**MERCEDES-BENZ:** L-Serie 1938 S 2000>2005, L-Serie 1944 S 2001>2005, L-Serie 1938 LS 1998>2005, L-Serie 2638 1998>2005, Atron 1635 2012>;

**SCANIA:** P 114 322 1999>2005, P 250 2012>, P 310 2004>, P 320 2013>, P 340 2005>2011, P 360 2012>, P 380 2005>2011, P 400 2007>, R 380 2005>2011, R 440 2012>, R 450 2016>, R 580 2004>, G 360 2016>, G 380 2007>2011, G 420 2007>2011, G 480 2007>;

**VW:** 17.210 EOD Eletronic 2004>2007, 8.150 EOD Eletronic 2004>2011, Constellation 17.250 2005>2011, Constellation 19.320 Titan 2005>2011, Constellation 24.250 2005>2011, Constellation 25.320 2008>2011, Constellation 31.320 2007>2011, Delivery 8.150 E Eletronic 2003>2011, VolksBus 9.150 EOD Eletronic 2004>2012, Worker 13.170 E Eletronic 2004>2006, Worker 13.180 E Eletronic 2005>2011, Worker 15.170 E Eletronic 2004>2006, Worker 15.180 E Eletronic 2005>2011, Worker 15.190 E Eletronic 2012>, Worker 17.250 E Eletronic 2003>2011, Worker 23.250 E Eletronic 2004>2006, Worker 24.250 E Eletronic 2003>2011, Worker 26.260 E Eletronic 2006>2011, Worker 31.260 E Eletronic 2006>2011, Worker 9.150 E Eletronic 2003>2011;

**AGRALE:** MT 12.0 LE 2005>2009, MT 12.0 SB E-tronic 2005>2009; **IVECO:** EuroCargo 170 E 21 2005>2006; **CASE:** 845 2002>, 865 2008>, 885 2008> **NEW HOLLAND:** W170B 2007>, W190B 2007>

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 555 001, 0 124 555 007, 0 124 555 008, 0 124 555 011, 0 124 555 012, 0 124 555 023, 0 124 555 034,

0 124 655 007, 0 124 655 026, 0 124 655 205, 0 986 047 820; **MERCEDES BENZ:** A0111548602, A0131542802;

**DELCO:** DRB2360; **SCANIA:** 1475569, 1442788, 1475570, 0518064; **IVECO:** 503120569; **VW:** Z20903015;

**DAF:** 1524011R; **MWM-DIESEL:** 905710100056; **CASE:** 75261185; **CUMMINS:** 3357747

**VOLTAGE REGULATOR:**

GA231 / GA298 / GA300

**BOSCH**

**GA1424**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x50A Avalanche (Zener)

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 113 202; **Magneti Marelli:** PR520466

**APPLICATION / APLICACIÓN:**

**FIAT:** Palio, Palio Weekend, Siena 1.0, 1.5 MPI 8V, Strada;

**MERCEDES BENZ:** Classe A 160;

**IVECO:** City Class, Daily, Scudato;

**GM:** Safira

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 4315002, 0 124 215 006, 0 124 315 003, 0 124 315 004, 0 124 315 005, 0 124 315 006, 0 124 315 007, 0 124 315 008,

0 124 315 010, 0 124 315 011, 0 124 315 012, 0 124 315 013, 0 124 315 014, 0 124 315 018, 0 124 315 020, 0 124 315 021, 0 124 315 022,

0 124 320 001, 0 124 325 001, 0 124 325 002, 0 124 325 003, 0 124 325 004, 0 124 325 011, 0 124 325 012, 0 124 325 013, 0 124 325 014,

0 124 325 015, 0 124 325 016, 0 124 325 017, 0 124 325 018, 0 124 325 019, 0 124 325 020, 0 124 325 021, 0 124 325 022, 0 124 325 023,

0 124 325 032, 0 124 325 033, 0 124 325 034, 0 124 325 035, 0 124 325 036, 0 124 325 037, 0 124 325 039, 0 124 325 040, 0 124 325 041,

0 124 325 042, 0 124 325 043, 0 124 325 045, 0 124 325 049, 0 124 415 001, 0 124 415 002, 0 124 415 005, 0 124 415 006, 0 124 415 008,

0 124 415 009, 0 124 415 010, F 000 LDO 700

**VOLTAGE REGULATOR:**

GA225 / GA234 / GA261 / GA282

**BOSCH**

**GA1425**



**FEATURES / CARACTERÍSTICAS:** 90A, Diodos 6x35A Avalanche (Zener)

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 123 207; **Magneti Marelli:** PR520467

**APPLICATION / APLICACIÓN:**

**FIAT:** Palio, Siena, Uno, Palio Weekend and Weekend 1.7TD, Strada

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 215 001, 0 124 215 002, 0 124 215 003, 0 124 215 007, 0 124 225 010, 0 124 225 049, 0 124 225 050, 0 124 315 001,

0 124 315 002, 0 124 315 003, 0 124 315 004, 0 124 315 005, 0 124 315 006, 0 124 315 007, 0 124 315 008, 0 124 315 010, 0 124 315 011,

0 124 315 013, 0 124 315 014, 0 124 315 016, 0 124 315 024, 0 124 315 025, 0 124 315 029, 0 124 315 031, 0 124 315 032, 0 124 315 033,

0 124 315 034, 0 124 315 036, 0 124 315 037, 0 124 320 001, 0 124 325 001, 0 124 325 002, 0 124 325 003, 0 124 325 004, 0 124 325 006,

0 124 325 007, 0 124 325 011, 0 124 325 012, 0 124 325 013, 0 124 325 014, 0 124 325 015, 0 124 325 016, 0 124 325 017, 0 124 325 018,

0 124 325 020, 0 124 325 024, 0 124 325 028, 0 124 325 032, 0 124 325 033, 0 124 325 036, 0 124 325 039, 0 124 325 040, 0 124 325 043,

0 124 325 045, 0 124 325 046, 0 124 325 048, 0 124 325 049, 0 124 325 055, 0 124 325 073, 0 124 325 074, 0 124 325 075, 0 124 325 077,

0 124 325 079, 0 124 325 087, 0 124 325 088, 0 124 325 093, 0 124 325 101, 0 124 325 105, 0 124 325 137, 0 124 325 140, 0 124 325 111,

0 124 325 141, 0 124 325 165, 0 124 325 170, 0 124 325 177

**VOLTAGE REGULATOR:**

GA220 / GA225 / GA239 / GA240 / GA261 / GA265 / GA281 / GA282 / GA391

**BOSCH**
**GA1426**


**FEATURES / CARACTERÍSTICAS:** 120A, Diodos Avalanche (Zener) 6x50A

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 123 211, F 00M 123 331; **Cargo:** 235053; **WAI/Transpo:** IBR2304; **Magneti Marelli:** PR520468

**APPLICATION / APLICACIÓN:**

**FIAT:** Brava, Marea, Stilo, Strada 1.6 16V

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 415 011, 0 124 415 012, 0 124 415 037

**VOLTAGE REGULATOR:**

GA220 / GA281 / GA391

**BOSCH**
**GA1427**


**FEATURES / CARACTERÍSTICAS:** 120A, Diodos Avalanche (Zener) 6x50A

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 133 211; **Cargo:** 331001; **WAI/Transpo:** IBR211

**APPLICATION / APLICACIÓN:**

**GM:** Astra, Safira, Vectra

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 515 043, 0 124 515 081, 0 124 525 015

**VOLTAGE REGULATOR:**

GA281

**BOSCH**
**GA1428**


**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x50A Avalanche (Zener), B+ Post M8

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 123 328; **Magneti Marelli:** PR520564

**APPLICATION / APLICACIÓN:**

**VW:** Light Trucks

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 325 067

**VOLTAGE REGULATOR:**

GA261

**BOSCH**
**GA1430**


**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x50A Avalanche (Zener), B+ Post M6

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 123 252, F 00M 123 309; **Magneti Marelli:** PR520562

**APPLICATION / APLICACIÓN:**

**FORD:** F250 Cummins, MWM, F350 Cummins, F4000 Cummins, F12000, 14000, 16000 98>

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 325 064, 0 124 325 063, 0 124 325 161

**VOLTAGE REGULATOR:**

GA234 / GA235

**BOSCH**
**GA1431**


**FEATURES / CARACTERÍSTICAS:** 105A, 6x35A

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 123 310

**APPLICATION / APLICACIÓN:**

**FORD:** F12000, F14000, F16000, MTR, 6BTAA, 6CTAA, 4BTAA

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0124325124, 0124325115, 0124325109

**VOLTAGE REGULATOR:**

GA231

**BOSCH**
**GA1432**


**FEATURES / CARACTERÍSTICAS:** 150A, 6x50A

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 123 214, F 00M 123 255; **Transpo:** IBR208, IBR209

**APPLICATION / APLICACIÓN:**

**MERCEDES:** MB170, 712E, L0812, L1114, L1214

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 325 098

**VOLTAGE REGULATOR:**

GA261



**BOSCH**

**GA1433**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A Avalanche (Zener), B+ Post M8  
**REPLACES / REEMPLAZA:**  
**Bosch:** F 00M 133 223, F 00M 133 291, F 00M 133 346; **Cargo:** 231524; **WAI/Transpo:** IBR223; **Magneti Marelli:** PR520563  
**APPLICATION / APLICACIÓN:**  
**VOLVO:** FH 01-06, NH 12, B12 B 01>, B10 M, B12M <06, FM12 02-05;  
**RENAULT:** Magnum 440 / 480 04-06;  
**FORD:** Cargo C, 2632/ 2932/ 4432 /4532 /5032 /6332;  
**MAN:** 06>  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0 124 555 005, 0 124 555 017, 0 124 555 020, 0 124 555 027, 0 124 555 028, 0 124 555 029, 0 124 555 030, 0 124 555 056, 0 124 555 053, 0 124 655 066, 0 124 655 008, 0 124 655 009, 0 124 655 011, 0 124 655 012, 0 124 655 013, 0 124 655 019, 0 124 655 030, 0 124 655 036, 0 124 655 037, 0 124 655 039  
**VOLTAGE REGULATOR:**  
 GA297 / GA300

**BOSCH**

**GA1434**



**FEATURES / CARACTERÍSTICAS:** 200A, 6x80A Avalanche Diodes  
**REPLACES / REEMPLAZA:**  
**Bosch:** F 00M 133 282  
**APPLICATION / APLICACIÓN:**  
**John Deere:** 9570, 9670, 9770, 9870 (2007-2009)  
**ALTERNATOR / ALTERNATOR:**  
**Bosch:** 0 124 625 030

**BOSCH**

**GA1436**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A Avalanche (Zener), B+ Post M8  
**REPLACES / REEMPLAZA:**  
**Bosch:** F 00M 133 360; **Cargo:** 331001; **WAI/Transpo:** IBR211; **Magneti Marelli:** PR520569  
**APPLICATION / APLICACIÓN:**  
**GM:** Astra 1.8, 2.0, 2.0 16V 05>, Corsa 1.0, 1.0 16V, 1.6, 1.6 16V 00>, Vectra A 2.0 16V 00>, Celta 1.0 08>  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0 124 515 082, 0 124 515 089  
**VOLTAGE REGULATOR:**  
 GA281

**BOSCH**

**GA1437**



**FEATURES / CARACTERÍSTICAS:** 14V, 6x50A Press-fit Avalanche Diodes  
**REPLACES / REEMPLAZA:**  
**Bosch:** F 00M 133 267; **Mobiletron:** RB-174HD  
**APPLICATION / APLICACIÓN:**  
**BMW:** 118i 2007>2011, 120i 2004>2013, 130i 2005>2009, 320i 2005>2011, 325i 2005>2011, 330i 2005>2011, 525i 2005>2010, 530i 2005>2010, X1 sDrive 18i 2010>, Z4 3.0 si 2006>2008  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0 124 525 059, 0 124 525 045, 0 124 525 561, 0 124 525 524  
**VOLTAGE REGULATOR:**  
 GA266

**BOSCH**

**GA1438**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A Avalanche (Zener), B+ Post M8  
**REPLACES / REEMPLAZA:**  
**Bosch:** F 00M 123 238, F 00M 123 323, F 00M 123 218, F 00M 123 308; **Cargo:** 235694; **WAI/Transpo:** IBR238  
**APPLICATION / APLICACIÓN:**  
**TOYOTA:** Avenis00-03, Corolla, Fielder 99-08, Hilux, SW4 05>  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0 124 315 015, 0 124 315 016, 0 124 315 024, 0 124 315 025, 0 124 315 029, 0 124 315 034, 0 124 315 036, 0 124 325 165, 0 124 315 040  
**VOLTAGE REGULATOR:**  
 GA265

**BOSCH**

**GA1439**



**FEATURES / CARACTERÍSTICAS:** 90A, 6x35A Avalanche diodes  
**REPLACES / REEMPLAZA:**  
**Bosch:** F 00M 123 224  
**APPLICATION / APLICACIÓN:**  
**VW:** 13.180 Mot 6.10 TCA  
**ALTERNADOR:**  
**BOSCH:** 0 124 325 118

**BOSCH**
**GA1440**

**FEATURES / CARACTERÍSTICAS:** 90A, 6x35A Avalanche diodes

**REPLACES / REEMPLAZA:**
**Bosch:** F 00M 123 267, F 00M 123 296

**APPLICATION / APLICACIÓN:**
**FORD:** Cargo C 815 E Eletronic Interact 4 150, Cargo C 1317 E Eletronic Interact 4 170, Cargo C 1517 E Eletronic Interact 4 170, Cargo C 1717 E Eletronic Interact 4 170, Cargo C 1722 E Eletronic Interact 6, Cargo C 2422 E Eletronic Interact 6, Cargo C 2428 E Eletronic Interact 6, Cargo C 2622 E Eletronic Interact 6, Cargo C 2628 E Eletronic Interact 6, 1722 - 422, Cummins Interact 6, 5.9 ltrs, F 250 3.9 mot. Cummins Max Power

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 124 325 136, 0 124 325 211

**BOSCH**
**GA1442**

**FEATURES / CARACTERÍSTICAS:** 150A, 6x50A Avalanche diodes, M8x20mm, Diameter: 133mm

**REPLACES / REEMPLAZA:**
**Bosch:** F 00M 133 401


**APPLICATION / APLICACIÓN:**
**FIAT:** Iveco Daily, Ducato Cargo 2.3 04>12, Ducato Combinato 2.3 04>12, Ducato Maxi Cargo 2.3 04>12, Ducato Minibus 2.3 04>12, Ducato Multi 2.3 04>12;

**IVECO:** CityClass 08>11, Scudato 60.13 10>11

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 124 525 196

**VOLTAGE REGULATOR:**

GA343

**BOSCH**
**GA1446**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A Avalanche (Zener), B+ Post M8

**REPLACES / REEMPLAZA:**
**Bosch:** F 00M 113 246, F 00M 113 251; **Regitar:** RB-115H; **Cargo:** 230360; **WAI/Transpo:** IBR202

**APPLICATION / APLICACIÓN:**
**GM:** Corsa, Pick up, Sedan, Wagon 1.0, 1.6 06>, S10, Astra 01>, Celta 08-00, Vectra 2.0 96-97, 2.2 00>, Zafira 2.0 01>

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 124 225 029

**VOLTAGE REGULATOR:**

GA281

**BOSCH**
**GA1447**

**FEATURES / CARACTERÍSTICAS:** 140A, 6x50A, B+: M8x14/ M8x19mm, Avalanche Diode, Diameter: 130mm

**REPLACES / REEMPLAZA:**
**Bosch:** F 00M 133 259

**APPLICATION / APLICACIÓN:**
**AUDI:** A3 MK 2 HATCH 3-Door/5-Door 1.8 TFSI 06>13/ 1.8 TFSI Quattro 08>13/ 2.0 TFSI 04>13/ 1.8 TFSI Quattro 04>13, A4 MK 2 Saloon/ Avant/ Estate 1.6 00>04/ 1.8 T Quattro 00>04/ 2.0 00>04/ 2.0 FSI 02>04, A4 Convertible 1.8 T 02>09/ 1.8 T Quattro 03>09/ 2.0 04>05/ 2.0 TFSI 16V 06>09/ A4 MK 3 Saloon/ Avant/ Estate 1.6 04>08/ 1.8 T 04>08/ 1.8 T Quattro 04>08/ 2.0 04>08/ 2.0 TFSI 04>08/ 2.0 TFSI Quattro 04>08, A6 MK 2 Saloon/ Avant/ Estate 2.0 01>05, TT Coupe MK 2/ TT Roadster Cabrio MK 2 1.8 TFSI 08>14/ 2.0 TFSI 06>10/ 2.0 TFSI Quattro 08>10;

**SEAT:** Alhambra 1.8 TSI 12>/ 2.0 TSI 10>, Altea MPV 1.8 TFSI 07>, Altea XL MPV 1.8 TFSI 07>/ 2.0 TFSI 4x4 09>, Exeo/ Exeo ST 1.6 09>10/ 1.8 T 08>10/ 2.0 TFSI 09>, Leon MK 2 Hatch 1.8 TSI 07>12/ 2.0 TFSI 09>12, Toledo MK 3 MPV 1.8 TFSI 07>09;

**SKODA:** Octavia MK 2 Hatch 1.8 TSI 07>13/ 2.0 RS 05>13, Octavia MK 2 Estate 1.8 TSI 07>13/ 1.8 TSI 4x4 08>13/ 2.0 RS 05>13, Superb MK 2/ Estate 1.8 TSI 08>15/ 1.8 TSI 4x4 08>15/ 2.0 TSI 10>15, Yeti 1.8 TSI 4x4 09>;

**VW:** Beetle/ Convertible 2.0 TSI 11>, EOS Convertible 2.0 TFSI 06>15/ 2.0 TSI 09>15, GOLF VI 1.8 TSI 09>11/ 2.0 GTI 09>12, Golf VI Variant 2.0 TSI 09>13, Golf VI Convertible 2.0 GTI 11>, Jetta MK 3 Saloon 2.0 TFSI 05>10, Jetta IV 2.0 TSI 10>, Passat MK 6 Saloon/Estate 1.8 TSI 07>11 / 2.0 FSI 05>10, Passat Alltrack 1.8 TSI 12>14, Passat CC Saloon 1.8 TSI 08>12/ 2.0 TSI 08>12, CC 1.8/ 2.0 TSI 11>, Passat/ Passat Variant 1.8 TSI 10>14, Scirocco MK 3 Coupe 2.0 TSI 08>, Sharan 2.0 TSI 10>, Tiguan TFSI 4Motion 07>, Tiguan TSI 4Motion 11>

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 124 525 088; **VW:** 06B 903 016 AB

**VOLTAGE REGULATOR:**

GA222

**BOSCH**
**GA1448**

**FEATURES / CARACTERÍSTICAS:** 150A, 6x50A Avalanche Diode, B+: M8x20mm M8x25mm, Diameter: 130mm

**REPLACES / REEMPLAZA:**
**Bosch:** F 00M 147 623

**APPLICATION / APLICACIÓN:**
**VOLVO:** 9700/9900 09>

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0124655052, 0124655057, 0124655075

**VOLTAGE REGULATOR:**

GA297

**BOSCH**

**GA1466**



**FEATURES / CARACTERÍSTICAS:** 105A, 6x50A, B+: M8X21.2mm / M8X7.1mm, External Diameter: 120mm

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 123 318; **Transpo:** IBR2237, IBR202; **Cargo:** 231592; **As-Poland:** ARC0066; **Mobiletron:** RB-115H; **Regitar:** RB-115H

**APPLICATION / APLICACIÓN:**

**ALFA ROMEO:** 159 1.8 MPI 2008>2010

**FIAT:** Croma 1.8 16V 2005

**OPEL:** Astra G Box 1.6 2004>2005, Astra H 1600 16V 2007>2009, Zafira B 1600 16V 2006>2010, Zafira B 1800 16V 2005>2010, Astra van H 1600 2007>2009

**RENAULT:** Espace III 2000 16V 1999>2002, Laguna 1600 16V 1998>2005, Laguna 1800 16V 1998>2001, Laguna 2000 16V 1999>2001, Megane 1400/1600 16V 1999>2002, Megane 1800/2000 16V 2000>2002, Megane Classic 1400/1600/1800/2000 16V 1999>2002, Megane Scenic 1400/1600/1800/2000 16V 1999>2002

**SAAB:** 9-3 L4 2.0 2003>2011, 9-3X L4 2.0 2010>2011

**VAUXHALL:** Corsa D 2009>2018, Meriva B 2010>2018

**ALTERNATOR / ALTERNATOR:**

**ALFA ROMEO:** 51754152, 60694260;

**FIAT:** 46843097, 468430970, 51734824, 51754153, 60694260, 73503235

**CHEVROLET:** 13229987, 13308508, 6204123, 93188158, 93190829

**HOLDEN:** 93-177-834

**OPEL:** 93183436, 09119309, 1202199, 1204054, 1204137, 12762730

**RENAULT:** 6001548061, 7700101274, 7700421477, 7700421477, 7700429217, 7700429310

**SAAB:** 12-75-5484, 12-75-7363, 12762730, 93-17-6035, 93-19-0828, 93-190-829, 93191922, 93191922

**VAUXHALL:** 13266810, 93189237, 93190894

**BOSCH**

**GA1467**



**FEATURES / CARACTERÍSTICAS:** 200A, 6x80A, Avalanche Diode B+: M8x7.9mm / M8x20.2mm, External Diameter: 130mm

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 133 276; **Transpo:** IBR216; **Cargo:** 236821; **AS-Poland:** ARC0151; **Mobiletron:** RB-166H; **Regitar:** RB-166H

**APPLICATION / APLICACIÓN:**

**VOLVO:** XC90 L6 2.9 2003>2005, S60 I T5 2.0 2000>2004, S80 2900 2002>2004, V70 II T5 2.0 T 2001>2004

**MERCEDES-BENZ:** Vaneo 2100 2004>2010, Sprinter 209/ 211/ 213/ 215/ 309/ 311/ 313/ 315/ 415 2006>2010, Vito 109D/ 111D/ 115D 2003>2010

**VOLKSWAGEN VAN:** Transporter L4 2.0 2010>2014

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 625 001, 0 124 625 006, 0 124 625 010, 0 124 625 020, 0 124 625 022, 0 124 625 024, 0 124 625 025, 0 124 625 026, 0 124 625 028, 0 124 625 032

**VOLKSWAGEN:** 021903026G, 021903026GX, 022903028B, 022903028BX, 059903015Q

**MERCEDES-BENZ:** 0121548902, 0131541002, 0131541102, 0131542102, 0131548502, 0131548902

**VOLVO:** 30658086, 30667893, 8602713, 86027130, 86027133, 8603264, 86032650, 8637849

**BOSCH**

**GA1468**



**FEATURES / CARACTERÍSTICAS:** 200A, 6x80A, B+: M8x10.2mm / M8x7.4mm, External diameter: 130mm

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 133 331; **Transpo:** IBR240; **Cargo:** 331002; **AS-Poland:** ARC0064

**APPLICATION / APLICACIÓN:**

**MERCEDES-BENZ:** E220D 2200 2002>2010, E270D 2700 2002>2005

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 625 002

**MERCEDES-BENZ:** 0121545902, 012159802, 0131540002, 0131545902, A0131545902, A0121545902, A0121549802, A0131540002, A0141540702

**BOSCH**

**GA1469**



**FEATURES / CARACTERÍSTICAS:** 87A, 6x50A, Diodo Avalanche B+: M8x20.5mm, External Diameter: 120mm

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 123 313; **Cargo:** 235567; **Transpo:** IBR230

**APPLICATION / APLICACIÓN:**

**RENAULT:** Clio II 1400 8v 1998>2000, Kangoo 1400 8v 1998>2000, Megane 1400/1600 16v 1999>2002, Megane Classic 1400/1600 16v 1999>2002, Megane Scenic 1400/1600 16v 1999>2002

**TOYOTA:** Avensis Mk1 hatch/saloon/estate 1.6/1.8 2000>2003, Avensis Mk2 hatch/saloon/estate 1.6/1.8 2003>2008, Corolla hatch 1.4/1.6 2000>2002, Corolla estate 1.4/1.6 2002>2007

**ALTERNATOR / ALTERNATOR:**

**RENAULT:** 7700427932, 7700434899, 7701473637, 7701713149, 8200692863, 8200692866

**TOYOTA:** 27060-165FL

**BOSCH**
**GA1470**


**FEATURES / CARACTERÍSTICAS:** 150A, 6x60A, Avalanche Diode B+: M8x23.5mm, External Diameter: 130mm

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 133 289, F 00M 133 243; **Transpo:** IBR243; **Cargo:** 237356; **As-Poland:** ARC0183

**APPLICATION / APLICACIÓN:**

**NISSAN:** Primastar Box 2.0 2003>2006, Primastar 2000 2003>2010

**RENAULT:** Laguna 2000 16v turbo 2002>2007, Laguna 2200 2003>2007, Vel Satis 2000/2200 16v turbo 2002>2010, Traffic 2000 2006>2010

**ALTERNATOR / ALTERNATOR:**

**NISSAN/INFINITI:** 23100-00Q0H, 23100-00Q2E, 23100-00QBB, 23100-BN701

**RENAULT:** 7701474326, 7711135519, 7711135812, 7711135942, 7711497098, 82 00 327 183

**BOSCH:** 0 124 525 028, 0 124 525 043, 0 124 525 044, 0 124 525 047, 0 124 525 049, 0 124 525 053, 0 124 525 069, 0 124 525 070, 0 124 525 076, 0 124 525 081, 0 124 525 082, 0 124 525 084, 0 124 525 096, 0 124 525 108, 0 124 525 132, 0 124 525 135, 0 124 525 137, 0 124 525 141, 0 124 525 151, 0 124 525 528, 0 124 525 532, 0 124 525 533, 0 124 525 534, 0 124 525 535, 0 124 525 536, 0 124 525 537, 0 124 525 538, 0 124 525 541

**BOSCH**
**GA1473**


**FEATURES / CARACTERÍSTICAS:** 150A, 6x60A Avalanche Diode, B +: M8x1.25x38mm. Outside diameter 130mm

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 133 372, F 00M 133 226, F 00M 133 258, F 00M 133 281; **Transpo:** IBR226

**APPLICATION / APLICACIÓN:**

**BMW:** 320i 2001>2005, 325Ci 2001>2006, 325xi L6 2.5 2001>2005, 330Ci 2001>2006, 330xi 2001>2006, 525i 2001>2003, 530i 2001>2003, Z3 2001>2002

**ALTERNATOR / ALTERNATOR:**

...

**BOSCH**
**GA1478**


**FEATURES / CARACTERÍSTICAS:** 150A, 6x60A Avalanche Diode, B +: M8x1.25x38mm. Outside diameter 130mm

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 133 257, F 00M 133 293; **Valeo:** A641669A; **VW:** 038903359F; **Transpo:** IBR257

**APPLICATION / APLICACIÓN:**

**MERCEDES BENZ:** CLS 350 2004>2010, E 280 2005>2008, E 350 2005>2008, ML 350 4-matic 2005>2011

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 625 023; **MERCEDES BENZ:** A2721540102; **CHRYSLER:** 68011841AA

**BOSCH**
**GA1480**


**FEATURES / CARACTERÍSTICAS:** 160A, 6x60A Avalanche Diode, B+: M6x1.0x31.3mm

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 133 279, F 00M 133 357; **Transpo:** IBR279

**APPLICATION / APLICACIÓN:**

**CASE - Tractors Case MX220 MX220 MX230 MX240 MX270 Cummins New Holland**

**ALTERNATOR / ALTERNATOR:**

...

**BOSCH**
**GA1488**


**FEATURES / CARACTERÍSTICAS:** 120A, 6x50A Avalanche Diode, B+: M8x1.25x30.7mm

**REPLACES / REEMPLAZA:**

**AS-Poland:** ARC0191

**APPLICATION / APLICACIÓN:**

**CATERPILLAR:** Excavator 320B, Excavator 320D, Excavator 323DI, Excavator 924K, Excavator 930, Excavator 938, Excavator 950K, Excavator 966H

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 655 297, 0 124 655 120, 0 124 655 076

**CATERPILLAR:** 344 5081

**VOLTAGE REGULATOR:**

GA308

**BOSCH**

**GA1490**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A Avalanche (Zener), B+ Post M8

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 133 290; **Cargo:** 333527; **WAI/Transpo:** IBR257; **Magneti Marelli:** PR520567

**APPLICATION / APLICACIÓN:**

**MERCEDES BENZ:** 1318, 1618M, 1728, 2423, 2428, 712C, 914C, LO, 915, L1620, LO915, Atego 1315, 1318, 1518, 1718, 2425, 2428, Axor 1933, 2533, 2826, 2831, Acelo 915C

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 124 555 032, 0 124 555 044, 0 124 555 045, 0 124 555 046, 0 124 655 023, 0 124 655 069

**VOLTAGE REGULATOR:**

GA298

**BOSCH**

**GA1532**



**FEATURES / CARACTERÍSTICAS:** 155A, 6x60A Avalanche Diode, B+: M8 x 1.25 x 10.0 mm / M8 x 1.25 x 5.5 mm

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 133 208, F 00M 133 266, F 00M 133 347; **Fiat:** 77362555; **Peugeot:** 5744 F9; **Transpo:** IBR266

**APPLICATION / APLICACIÓN:**

**CITROËN:** C4 Grand Picasso 2.0 16V 2006>2013, C4 2.0 16V 2004>2013, C4 Lounge 2.0 2013>2016, C4 Pallas 2.0 16V 2007>2013, C4 Picasso 2.0 2007>2013, C5 2.0 16V 2004>; **PEUGEOT:** 307 2.0 2004>2012, 307 2.0 Rallye 16V 2000>2005, 407 2.0 16V 2005>2010, 407 SW 2.0 16V 2005>2011

**ALTERNATOR / ALTERNATOR:**

**CITROËN:** 5705CA, 9646452480, 9649846780; **PEUGEOT:** 96464524; **BOSCH:** 0 124 525 063, 0 124 615 002, 0 124 525 035, 0 124 525 034, 0 124 525 206, 0 124 615 024, 0 124 515 100; **TRANSPO:** 20005N

**VOLTAGE REGULATOR:**

GA532

**BOSCH**

**GA1411**



**FEATURES / CARACTERÍSTICAS:** 150A, Avalanche Diode 6x60A, B+: M8X12mm, External diameter 130mm

**REPLACES / REEMPLAZA:**

**Transpo:** IBR40011; **AS-Poland:** ARC0057

**APPLICATION / APLICACIÓN:**

**BMW:** Mini One 1400 16V 2007>2010, Mini One 1600 16V 2006>2010

**MINI:** Cooper L4 1.6L 1598cc 2007>2010

**CITROËN:** Berlingo 1.6 VTI 2009>2010, C4 Grand Picasso 1.6 2008>2013, C5 III 1.6 THP 2009>2010, DS3 Convertible 1.6 THP 2013>2015, DS4 1.6 VTI 2011>2015, DS5 1.5 THP 2011>2015

**PEUGEOT:** 207 1600 16V 2006>2010, 308 1400/1600 16V 2007>2012

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 121 615 027, 0 121 615 127, F 00M 314 001, F 00M 314 004, F 00M 314 029, F 00M 349 922

**BMW:** 12317575650, 12317575872, 12317575873, 12317576550

**CITROËN/ PEUGEOT:** 5702L3, 5705KF

**BOSCH**

**GA1435**



**FEATURES / CARACTERÍSTICAS:** 180A, 6x70A Avalanche Diode

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 314 001, F 00M 314 029

**APPLICATION / APLICACIÓN:**

**LAND ROVER:** LR2 L6 3.2L 3192cc 2008-2010; Freelander II 3200, SI6 2006-2010

**VOLVO:** S60 L5 2.5L 2521cc 2012; S60 L6 3.0L 2953cc 2011-2013; S60 L6 3.0L 2953cc 180cid 2011-2013; S80 L6 3.0L 2953cc 2008-2013; S80 L6 3.0L 2953cc 180cid 2010-2011; S80 L6 3.2L 3192cc 2007-2010; V70 L6 3.2L 3192cc 2008-2010; XC70 L6 3.0L 2953cc 2009-2010; XC70 L6 3.2L 3192cc 2008-2010; XC60 L6 3.0L 2953cc 2010; XC60 L6 3.0L 2953cc 180cid 2010; XC60 L6 3.2L 3192cc 2010; XC60 L6 3.2L 3192cc 195cid 2010; XC90 L6 3.2L 3192cc 2007-2013; XC90 L6 3.2L 3192cc 195cid 2010; S80 Mk2 3200, B6324S 2006-2010; V70 Mk3 3000, B6304T2 2007-2012; V70 Mk3 3200, B6324S 2007-2012; XC70 Mk2 3200, B6324S 2007-2012; XC90 3200, B6324S 2006-2010

**ALTERNATOR / ALTERNATOR:**

0.121.715.009

**BOSCH**

**GA1441**



**FEATURES / CARACTERÍSTICAS:** 150A, 6x50A Avalanche Diode (high efficiency), B+: M8x18mm, Diameter: 127mm

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**MERCEDES:** C-KLASSE Kombi, Coupe, C 180, C220C C230, C300, C630, E-KLASSE Cabriolet, E 200

**ALTERNATOR / ALTERNATOR:**

**Mercedes:** A 000 906 20 03 Q1, A 000 906 20 03 0080, A 000 906 20 03 80, 000 906 20 03, 000 906 20 03 0080, 000 906 20 03 80; **Bosch:** 0 125 711 032, 0 986 081 730

**VOLTAGE REGULATOR:**

GA345

**BOSCH**
**GA1443**


**FEATURES / CARACTERÍSTICAS:** 150A, 6x50A Avalanche Diode (high efficiency), B+: M8x18mm, Diameter 127mm  
**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**MERCEDES:** B200, Sprinter, GLA180M 1.6L, GLA200M 1.6L, GLA250M 2.0L

**AUDI:** Q5 1.8, 2.0 TFSI


**ALTERNATOR / ALTERNATOR:**

**Mercedes:** A 000 906 00 22, A 000 906 19 03, A 000 906 19 03 0080;

**Bosch:** 0 125 711 030, 0 986 082 160

**VOLTAGE REGULATOR:**

GA345

**BOSCH**
**GA1444**


**FEATURES / CARACTERÍSTICAS:** 75A, 6x35A Avalanche Diode, B+: M8x16mm, with diode trio

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 324 060

**APPLICATION / APLICACIÓN:**

**BMW:** 128i L6 3.0L 2996cc 2008-2013, 323i L6 2.5L 2497cc 2007-2009, 328i L6 3.0L 2996cc 2007-2013, 328i xDrive L6 3.0L 2996cc 2009-2013, 328xi L6 3.0L 2996cc 2007-2008, 330i L6 3.0L 2996cc N52 2006, 330xi L6 3.0L 2996cc N52 2006

**ALTERNATOR / ALTERNATOR:**

**Bosch:** 0 121 715 012; **BMW:** 12317550968, 12317551254, 12317551256, 12317555926, 57550968-05, 7551256-05

**VOLTAGE REGULATOR:**

GA348

**BOSCH**
**GA1445**


**FEATURES / CARACTERÍSTICAS:** 150A, 6X50A Avalanche Diode, B+: M8X11mm, Diameter: 127mm

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 573 933, F 00M 599 415; **Transpo:** IBR415

**APPLICATION / APLICACIÓN:**

**BMW:** Mini One 1400, 16V, N12B14A 2010>2012, Mini One 1600, 16V, N12B16 2010>2012, Cooper L4 1.6L 1598cc 2011>2016, Cooper L4 1.6L 1598cc 98cid 2011>2014, Cooper Countryman L4 1.6L 1598cc 2011>2016, Cooper Countryman L4 1.6L 1598cc 98cid 2011>2014, Cooper Paceman L4 1.6L 1598cc 2013>2016, Countryman L4 1.6L 1598cc 98cid 2011>2013

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 125 711 011, 0 125 711 078; **BMW:** 12-31-7-604-782, 12-31-7-613-445

**VOLTAGE REGULATOR:**

GA349

**BOSCH**
**GA1481**


**FEATURES / CARACTERÍSTICAS:** 150A, 6X60A Avalanche Diode, B+: M8x1.25x23.6mm

**REPLACES / REEMPLAZA:**

**Bosch:** F 00M 599 451; **AS-Poland:** ARC0203; **Mobiletron:** RB-195H; **Transpo:** IBR4051

**APPLICATION / APLICACIÓN:**

**FORD:** Ranger TDCi 4x4 2.2 4cc Diesel 2011>, Ranger TDCi 4x4 3.2 5cc Diesel 2011>, Transit MK 7 Minibus 2.2 4cc Diesel 2011>2014, Transit MK 7 Van 2.2 4cc Diesel 2011>2014, Transit MK 7 Flatbed 2.2 4cc Diesel 2011>2014, Transit V363 Bus 2.2 4cc Diesel 2013>, Transit V363 Box 2.2 4cc Diesel 2013>, Transit V363 Platform 2.2 4cc Diesel 2013>

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 125 711 046, 0 125 711 103, 0 125 711 133, 0 986 082 330

**BOSCH**
**GA1491**


**FEATURES / CARACTERÍSTICAS:** 105A, 6x35A Avalanche Diodes

**REPLACES / REEMPLAZA:**

-


**APPLICATION / APLICACIÓN:**

**Renault:** Clio, Sandero, Logan, Kangoo, Duster, Dokker, Lodgy, Tondar (1.6).

**ALTERNATOR / ALTERNATOR:**

**Bosch:** F 000 BLO 408, F 000 BLO 4F0;

**Renault:** 23 10 076 33R

**BOSCH**
**GA1492**


**FEATURES / CARACTERÍSTICAS:** 6x50A, Avalanche

**REPLACES / REEMPLAZA:**

-

**APPLICATION / APLICACIÓN:**

**FIAT:** Uno Evolution 1.4 Fire Flex 8V 5p 2015>

**ALTERNATOR / ALTERNATOR:**

**Bosch:** F 000 BLO 7E4

**VOLTAGE REGULATOR:**

GA343

**BOSCH**

**GA1493**



**FEATURES / CARACTERÍSTICAS:** 150A | 6x50A, High efficient avalanche Diode, B+: M8x15mm. Triangle plate closure.  
**REPLACES / REEMPLAZA:**

**APPLICATION / APLICACIÓN:**  
**FIAT:** Argo 1.8 2017>, Cronos 1.8 2018>, Toro 1.8 2016>2021;  
**JEEP:** Renegade 1.8 2015>  
**ALTERNATOR / ALTERNATOR:**  
**Bosch:** F 000 BL0 7P3  
**VOLTAGE REGULATOR:**  
GA338

**BOSCH**

**GA1494**



**FEATURES / CARACTERÍSTICAS:** 90A, 6x35A, Avalanche Diode, B+: M8x17mm  
**REPLACES / REEMPLAZA:**

**APPLICATION / APLICACIÓN:**  
**NISSAN:** Kicks 1.6 XTRONIC CVT 2017  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** F 000 BL0 4M0  
**NISSAN:** 23100 5RA0A  
**VOLTAGE REGULATOR:**  
GA351

**BOSCH**

**GA1495**



**FEATURES / CARACTERÍSTICAS:** 140A, 6x50A Avalanche Diode, B+: M8X13mm  
**REPLACES / REEMPLAZA:**

**Bosch:** F 000 BL2 114  
**APPLICATION / APLICACIÓN:**  
**AUDI:** A1 1.8 TFSI 2015>, A1 Sportback TFSI 2015>, A3/Sportback/Limousine/Convertible 1.8 TFSI / 1.8 TFSI quattro / S3 quattro 2012>, Q3 2.0 TFSI quattro 2014>, TT / TT Roadster 2.0 TFSI / 2.0 TFSI quattro 2014>;  
**SEAT:** Leon/Leon SC 1.8 TSI / 2.0 Cupra 2013>;  
**SKODA:** Octavia III 1.8 TSI / 2.0 TSI RS 2012>;  
**VOLKSWAGEM:** Golf 2.0 GTI 2013>  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** F 000 BL0 803;  
**VW:** 06J 903 023G  
**VOLTAGE REGULATOR:**  
GA364

**BOSCH**

**GA1498**



**FEATURES / CARACTERÍSTICAS:** 90A, 6x50A Avalanche Diode, B+: M8x1.25x12.6mm  
**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 319 694; **Transpo:** IBR694; **Mobiletron:** RB-36H  
**APPLICATION / APLICACIÓN:**  
**CITROËN:** BERLINGO (MF) Eng.D9B (XUD9A/L), DJY (XUD9A) 1.9 D (MFDJY) 50kw "D9B (XUD9A/L), DJY (XUD9A)" 1996-2003, BERLINGO (MF) Eng.D9B (XUD9A/L), DJY (XUD9A) 1.9 D (MFDJY) 50kw D9B (XUD9A/L), DJY (XUD9A) 1996, BERLINGO Box (M\_) Eng. A9A (XUD7) 1.8 D (MBA9A, MCA9A) 43kw A9A (XUD7) 1996-2001, BERLINGO Box (M\_) Eng.DJY (XUD9A) 1.9 D (MBDJY) 51kw DJY (XUD9A) 1996-2003, EVASION (22, U6) Eng.D8B (XUD9TF) 1.9 TD 68kw D8B (XUD9TF) 1995-1998, EVASION (22, U6) Eng.D8B (XUD9TF), DHX (XUD9TF/BTF) 1.9 TD 66kw "D8B (XUD9TF), DHX (XUD9TF/BTF)" 1999-2000, EVASION (22, U6) Eng.D8B (XUD9TF), DHX (XUD9TF/BTF) 1.9 TD 66kw D8B (XUD9TF), DHX (XUD9TF/BTF) 1999-2000, JUMPY Box (BS\_, BT\_, BY\_, BZ\_) Eng.D9B (XUD9A/U) 1.9 D 51kw D9B (XUD9A/U) 1996-1998, JUMPY Box (BS\_, BT\_, BY\_, BZ\_) Eng.DHX (XUD9TF/BTF) 1.9 TD 66kw DHX (XUD9TF/BTF) 1996-2000, XANTIA (X1) Eng.P8C (XUD11BTE) 2.1 Turbo D 12V 80kw P8C (XUD11BTE) 1997-1998, XANTIA (X2) Eng.DHX (XUD9TF/BTF), DHY (XUD9TE/Y) 1.9 Turbo D 66kw "DHX (XUD9TF/BTF), DHY (XUD9TE/Y)" 1999-2000, XANTIA (X2) Eng.DHX (XUD9TF/BTF), DHY (XUD9TE/Y) 1.9 Turbo D 66kw DHX (XUD9TF/BTF); DHY (XUD9TE/Y) 1999-2000, XANTIA (X2) Eng.P8C (XUD11BTE) 2.1 Turbo D 12V 80kw P8C (XUD11BTE) 1998-1999, XANTIA Break (X1) Eng.P8C (XUD11BTE) 2.1 Turbo D 12V 80kw P8C (XUD11BTE) 1997-1998, XANTIA Break (X2) Eng.D8B (XUD9TF), DHX (XUD9TF/BTF) 1.9 Turbo D 66kw "D8B (XUD9TF), DHX (XUD9TF/BTF)" 1999-2000, XANTIA Break (X2) Eng.D8B (XUD9TF), DHX (XUD9TF/BTF) 1.9 Turbo D 66kw D8B (XUD9TF); DHX (XUD9TF/BTF) 1999-2000, XANTIA Break (X2) Eng.P8C (XUD11BTE) 2.1 Turbo D 12V 80kw P8C (XUD11BTE) 1998-1999, XSARA (N1) Eng.DHY (XUD9TE/Y) 1.9 TD 66kw DHY (XUD9TE/Y) 1997-1999, XSARA (N1) Eng. DJY (XUD9A) 1.9 D 50kw DJY (XUD9A) 1997-1999, XSARA Break (N2) Eng.DHY (XUD9TE/Y) 1.9 TD 66kw DHY (XUD9TE/Y) 1998-1999, XSARA Break (N2) Eng.DJY (XUD9A) 1.9 D 50kw DJY (XUD9A) 1998-1999, ZX (N2) Eng.D9B (XUD9A/U), DJY (XUD9A) 1.9 D 50kw "D9B (XUD9A/U), DJY (XUD9A)" 1995-1997, ZX (N2) Eng.D9B (XUD9A/U), DJY (XUD9A) 1.9 D 50kw D9B (XUD9A/U), DJY (XUD9A) 1995-1997, ZX (N2) Eng.DHY (XUD9TE/Y) 1.9 TD 66kw DHY (XUD9TE/Y) 1995-1997, ZX Break (N2) Eng.D9B (XUD9A/U) 1.9 D 50kw D9B (XUD9A/U) 1994-1997, ZX Break (N2) Eng.DHY (XUD9TE/Y) 1.9 TD 66kw DHY (XUD9TE/Y) 1994-1997;  
**FIAT:** SCUDO Box (220\_) Eng.D8B 1.9 TD 68kw D8B 1998-2006, SCUDO Box (220\_) Eng.D9B 1.9 D 51kw D9B 1996-2006, SCUDO Box (220\_) Eng.DHX (XUD9TF/L) 1.9 TD 66kw DHX (XUD9TF/L) 1996-2006, ULYSSE (220\_) Eng.DHX (XUD9TF/L) 1.9 TD (220AH5) 66kw DHX (XUD9TF/L) 1995-2002  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0 123 310 010, 0 123 310 011, 0 123 310 012, 0 123 310 013;  
**MAHLE:** AAK5329, AAK5332;  
**MAGNETI MARELLI:** 943356577010, 944390393000

**BOSCH**
**GA1517**

**FEATURES / CARACTERÍSTICAS:** 180A, Avalanche Diodes 10x50A

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**
**BMW:** Serie 1 3.0 2016>2020, Serie 5 2.0 2017>2019, Serie 5 3.0 2017>2020, X3 2.0 2018>, X3 3.0 2018>, X4 2.0 2019>

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 125 812 026

**VOLTAGE REGULATOR:**

GA317

**BOSCH**
**GA1471**

**FEATURES / CARACTERÍSTICAS:** 120A, diodes 6x50A, B+: M8X24.2mm, External diameter 122mm, with triodiode and capacitor

**REPLACES / REEMPLAZA:**
**Cargo:** 138080; **AS-Poland:** ARC0040; **Mobiletron:** RB-110H; **Regitar:** RB-110H

**APPLICATION / APLICACIÓN:**
**AUDI:** A4 L4 1.8 1997>1998, Passat L4 1.9 Diesel 1996>1997

**VOLKSWAGEN:** LT 28-35 II Bus 2.3 1996>2006, LT 28-46 II Box 2.3 1996>2006

**MERCEDES-BENZ:** C240 2400 1997>2000, C280 2800 V6 1997>2001, CLK320 3200 V6 1997>2003, E240 2400 V6 1997>2002, E280 2800 1996>2003, E320 3200 1997>2002, SL280 2800 1998>2001, SL320 3200 1998>2001, Sprinter 214/314 2300 2000>2006, Sprinter 414 2300 2000>2006

**SAAB:** 9-5 V6 3.0 1999>2003, 9-5 Estate 3.0 V6 1998>2001

**ALTERNATOR / ALTERNATOR:**
**AUDI / VOLKSWAGEN:** 028-903-025F, 028-903-027G, 028-903-028, 028-903-028A, 028-903-028F, 046-903-015F, 046-903-015FX, 054-903-015K, 054-903-015KX, 058-903-016C, 058-903-016CX, 058-903-016D, 058-903-018C, 058-903-018CX, 059-903-015, 059-903-015X, 071-903-016H, 078-903-015F, 078-903-015FX

**MB:** 010-154-07-02, 010-154-32-02, 011-154-07-02, A0101543202

**SAAB:** 46-14-475, 49-29-451, 52-46-905

**BOSCH**
**GA1472**

**FEATURES / CARACTERÍSTICAS:** 90A, 8x50A, B+: M8x34mm, External diameter: 122mm

**REPLACES / REEMPLAZA:**
**Cargo:** 234357; **AS-Poland:** ARC0106

**APPLICATION / APLICACIÓN:**
**IVECO:** Stralis 2002>2013

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 123 525 001, 0 123 525 500, 0 123 525 502

**IVECO:** 500331736, 99477271

**BOSCH**
**GA1510**

**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 6x50A Avalanche (Zener) B+ M8 with diode trio, OD 112mm

**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 319 510, 1 127 319 593, 1 127 319 730, 1 127 320 807, 1 127 320 844, 1 127 320 864, 1 127 326 010; **Regitar:** RB-121H;

**Cargo:** 137333; **WAI/Transpo:** IBR844

**APPLICATION / APLICACIÓN:**
**DIVERSOS:** (2000-91) Mercedes 350 450 Saab

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0113320040, 0120485011, 0120485012, 0120485022, 0123310005, 0123310008, 0123310041, 0123315005, 0123315501, 0123320010, 0123320011, 0123320029, 0123320039, 0123320040, 0123320042, 0123320043, 0123320044, 0123320045, 0123320046, 0123320047, 0123320049, 0123320051, 0123320057, 0123320060, 0123320061, 0123320062, 0123320065, 0123325007, 0123335002, 0123335003, 0123335004, 0123335005, 0123335006, 0123340006, 0123340007

**VOLTAGE REGULATOR:**

GA211

**BOSCH**
**GA1537**

**FEATURES / CARACTERÍSTICAS:** 80A, 6x35A Diode Avalanche

**REPLACES / REEMPLAZA:**

1127319554

**APPLICATION / APLICACIÓN:**
**Volvo:** S40, V40

**ALTERNATOR / ALTERNATOR:**
**Bosch:** 123315021; **Volvo:** 9164940





**GA1560**

**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 6x35A Avalanche (Zener), B+ Post M8, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 319 560, 1 127 319 011, 1 127 319 746; **Cargo:** 136861

**APPLICATION / APLICACIÓN:**

**IVECO:** Trucks Daily Turbo 35.10, 49.10 (after 09.97), Trucks Daily Turbo 35.10, 49.10 (after 09.97);

**VW:** Saveiro 1.6Mi (AP) without AC (after 06.99), Passat, Variant, Gol II;

**AUDI:** A80, A100, A4;

**PEUGEOT:** 306D 1.8i/ 1.8i 16V, 405D 2.0/ 1.8i (after 03.97).

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 123 315 500, 0 123 315 020, F 010 LDO 201, 0 123 310 042, 0 123 320 030, F 010 LDO 202

**VOLTAGE REGULATOR:**

GA214 / GA223



**GA1561**

**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 6x35A Avalanche (Zener) B+ M8 with diode trio, OD 112mm

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 319 766, 1 127 319 726, 1 127 319 530, 1 127 319 599, 1 127 319 725; **Cargo:** 136838; **WAI/Transpo:** IBR570

**APPLICATION / APLICACIÓN:**

**GM:** Corsa Wind 96-2000

**ALTERNATOR:**

**BOSCH:** 0 123 100 001, 0 123 100 002

**VOLTAGE REGULATOR:**

GA212



**GA1562**

**FEATURES / CARACTERÍSTICAS:** 120A, 8x50A, Avalanche Diodes, B+ M8X23mm Bolt L M5X17 / with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Bosch:** 1127319766, 1127319765, 1127319601

**APPLICATION / APLICACIÓN:**

**OPEL:** Astra Mk3 1400/ 1600/ 1800/ 2000, Calibra A2000, Corsa B 1200/ 1400/ 1600, Omega B 2000/ 2200, Tigra 1400/ 1600, Vectra B 1600/ 1800/ 2000;

**VAUXHALL:** Vectra

**ALTERNATOR:**

**Bosch:** 0 123 120 001

**VOLTAGE REGULATOR:**

GA214



**GA1563**

**FEATURES / CARACTERÍSTICAS:** 90A, 6x35A Avalanche Diode, B+: M6x12mm M5x8mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 319 033, 1 127 319 580, 1 127 319 715

**APPLICATION / APLICACIÓN:**

**FORD:** Mondeo Mk1 Hatch/Saloon/Estate 1.6i 16V/1.8i 16V/2.0i 16V 93>96, Mondeo Mk2 Hatch/Saloon/Estate 1.6i/1.8i/2.0i 96>00

**ALTERNATOR:**

**Bosch:** 0 123 212 001

**VOLTAGE REGULATOR:**

GA212, GA214, GA223



**GA1570**

**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 6x35A Avalanche (Zener), B+ Post M6, with diode trio and capacitor | Doesn't come with Lamp Terminal

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 319 570; **Regitar:** RB-105H; **Cargo:** 137507; **WAI/Transpo:** IBR570; **Magneti Marelli:** PR520498

**APPLICATION / APLICACIÓN:**

**FORD:** Ka 1.0/ 1.3i, Courier 1.0, 1.3i, Fiesta 1.0, 1.3

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 123 320 050, 0 123 310 023, 0 123 310 048, 0 123 310 054, 0 123 310 055, 0 123 310 067

**VOLTAGE REGULATOR:**

GA523



**GA1584**

**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 6x35A Avalanche (Zener), B+ Post M6, with diode trio and capacitor | Doesn't come with Lamp Terminal

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 319 584, 1 127 320 870; **Cargo:** 135444; **Magneti Marelli:** PR520500

**APPLICATION / APLICACIÓN:**

**FORD:** Escort Zetec 16v 1.8i, Fiesta, Orion, Scorpio II

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 120 485 029, 0 123 310 014, 0 123 310 015, 0 123 310 029, 0 123 310 053, 0 123 320 014

**BOSCH**
**GA1667**


**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 8x35A Avalanche (Zener), B+ Post M8, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 319 667, 1 127 320 850; **Regitar:** RB-24H; **Cargo:** 135439; **WAI/Transpo:** IBR850

**APPLICATION / APLICACIÓN:**

**VW:** Cabrio, Corrado, Eurovan, Golf, Jetta, Passat;

**BMW;**

**MERCEDES BENZ**

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 120 485 036, 0 120 485 038, 1 120 485 039, 0 123 320 001, 0 123 320 002, 0 123 320 005, 0 123 340 002, 0 123 340 003, 0 123 340 005

**VOLTAGE REGULATOR:**

GA212 / GA223

**BOSCH**
**GA1671**


**FEATURES / CARACTERÍSTICAS:** 75A, Diodes 6x35A Avalanche (Zener), B+ Post M6, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 319 671; **Cargo:** 139571

**APPLICATION / APLICACIÓN:**

**HONDA:** Civic 1.4i 95-01; Civic 1.5i 94-01, 1.4, 1.5, 1.6 de 95>01

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 123 315 020

**BOSCH**
**GA1852**


**FEATURES / CARACTERÍSTICAS:** 90A, Diodes : 6x35A Avalanche (Zener), B+ Post M8, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 319 552 , 1 127 320 852, 1 127 319 728, 1 127 319 727; **Regitar:** RB-122H; **Cargo:** 138077; **WAI/Transpo:** IBR852

**APPLICATION / APLICACIÓN:**

**VW:** Golf GL 2.0/ GLX (after 03.96). Polo Classic 1.6 Mi, 1.8 Mi (AP) Van 1.6 Mi with AC (after 02.97) Gol/ Parati 1.0 Mi/ 1.0 Mi 16V without AC (after 09.97), Polo, Classic 1.6 Mi, 1.8 Mi (AP), Van 1.6 Mi without AC (after 02.97), Bora, New Beetle 2.0, Caravelle, Eurovan, Jetta, Passat;

**SEAT:** Cordoba, Ibiza, Inca, Toledo;

**AUDI:** A3 1.6, 1.8/ Diesel;

**BMW; MERCEDES BENZ;**

**ALTERNATOR / ALTERNATOR:**

**AUDI / VW:** 023 903 023, 028 903 018, 023 903 025G, 023 903 025P, 023 903 025Q, 030 903 023B **BOSCH:** 0 120 335 007, 0 120 340 003, 0 120 485 034, 0 120 485 043, 0 120 485 044, 0 123 310 001, 0 123 310 002, 0 123 310 018, 0 123 310 019, 0 123 310 020, 0 123 310 024, 0 123 310 025, 0 123 310 032, 0 123 310 034, 0 123 310 035, 0 123 310 037, 0 123 310 038, 0 123 310 039, 0 123 310 040, 0 123 310 046, 0 123 310 049, 0 123 315 001, 0 123 315 002, 0 123 315 006, 0 123 315 021, 0 123 315 501, 0 123 320 006, 0 123 320 007, 0 123 320 008, 0 123 320 017, 0 123 320 018, 0 123 320 019, 0 123 320 024, 0 123 320 034; **VW:** 037903025C

**VOLTAGE REGULATOR:**

GA223

**BOSCH**
**GA1734**


**FEATURES / CARACTERÍSTICAS:** 120A, Diodes Avalanche (Zener) 6x50A, B+ Post M8, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 319 734, 1 127 319 540, 1 127 319 572; **Regitar:** RB-107H; **Cargo:** 230093; **WAI/Transpo:** IBR856

**APPLICATION / APLICACIÓN:**

**AUDI:** A3 1.6, 1.8, 1.8T;

**SEAT:** Alhambra 2.7 V8;

**SKODA:** Octavia 1.6;

**VW:** Golf, Corrado, Eurovan, Caravelle, Multivan, Transports, California

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 123 510 053, 0 123 510 054, 0 123 510 065, 0 123 515 016

**VOLTAGE REGULATOR:**

GA223

**BOSCH**
**GA1737**


**FEATURES / CARACTERÍSTICAS:** 130A, Diodes 8x60A Avalanche (Zener), B+ M8, with diode trio, OD 122mm

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 319 501, 1 127 319 578, 1 127 319 752; **Cargo:** 230173; **WAI/Transpo:** IBR501

**APPLICATION / APLICACIÓN:**

**VW:** Golf Tdi 1.9 1993-1997, Jetta 1.9 Tdi 1993-1998, Caddy 1.9 Tdi 1995-2000, Derby 1.7 /1.9 1996-2001, Polo Tdi 1.7 /1.9 1997-2001

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0123505011, 0123505012, 0123505013, 0123515017; **VW/ AUDI:** 028903025S, 028903026G, 028903027D, 028903028B

**BOSCH**

**GA1738**



**FEATURES / CARACTERÍSTICAS:** 130A, Diodes Avalanche (Zener) 8x50A, B+ Post M8, with diode trio and capacitor  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 127 319 738; **Regitar:** RB-178H; **Cargo:** 230092; **WAI/Transpo:** IBR738  
**APPLICATION / APLICACIÓN:**  
**VW:** Golf 1.6, 1.8, 1.9, 2.0, Passat 2.0, 2.0 16V, Sharan 2.0;  
 Vento 1.6, 1.8, 1.9 TDI, Transporter 1.9, 2.0, 2.5, Conrado 2.8 V6, 2.9 VR6;  
**SEAT:** Alhambra 2.0, Ibiza 1.8 16V;  
**FORD:** Galaxy 2.8 VR6 UP 1995;  
**VOLVO:** 260 série, 760 2.8 V6  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0 123 510 005, 0 123 510 006, 0 123 510 007, 0 123 515 032

**BOSCH**

**GA1739**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes Avalanche (Zener) 8x35A, B+ Post M8, with diode trio and capacitor  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 127 319 708  
**APPLICATION / APLICACIÓN:**  
**MERCEDES BENZ:**  
 ECOPOWER 90  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 6 004 LA9, 0 123 512 501, 0 123 512 502

**BOSCH**

**GA1740**



**FEATURES / CARACTERÍSTICAS:** 700A, Diodes Avalanche (Zener) 6x35A, B+ Post M8, with diode trio and resistor  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 127 319 013, 1 127 319 597, 1 127 319 778; **Cargo:** 136831; **Magneti Marelli:** PR520527  
**APPLICATION / APLICACIÓN:**  
**GM:** Calibra, Corsa, Omega, Vectra, Astra, Frontera;  
**SAAB:** 900 2.5 V6 SE  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0 123 505 001, 0 123 505 004, 0 123 510 003, 0 123 510 020  
**VOLTAGE REGULATOR:**  
 GA214

**BOSCH**

**GA1741**



**FEATURES / CARACTERÍSTICAS:** 140A, Diodes 14x50A Avalanche (Zener), B+ M8, with diode trio, OD 122mm  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 127 319 712  
**APPLICATION / APLICACIÓN:**  
**BMW:** 316i /316Ci /318i Z3 1.9, M5 V8 5.0L 4941cc 2000-2003, Z8 V8 5.0L 4941cc 2000-2003  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0 123 325 010

**BOSCH**

**GA1742**



**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 6x 35A Avalanche, Parafuso B+ M6, with diode trio, OD 112mm  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 127 319 583, 1 127 319 584; **Cargo:** 135444  
**APPLICATION / APLICACIÓN:**  
**FORD:** Escort Zetec 16V 1.8i, Fiesta, Orion, Scorpion II  
**ALTERNATOR / ALTERNATOR:**  
**BOSCH:** 0120485029, 0123310014, 0123310015, 0123310053, 0123310029, 0123320014

**BOSCH**

**GA1743**



**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 6x 50A Avalanche, B+ M8, with diode trio, Diameter 112mm  
**REPLACES / REEMPLAZA:**  
**Bosch:** 1 127 319 009, 1 127 319 617, 1 127 319 623, 1 127 319 816, 1 127 320 862, 1 127 320 882; **Cargo:** 137257  
**APPLICATION / APLICACIÓN:**  
**BMW:** 318i 1994-1995, 316 europe 1600 /1800 /1900 1993-2000  
**ALTERNATOR / ALTERNATOR:**  
**BMW:** 12311247287, 12311247311, 12314353353; **BOSCH:** 0 123 310 0064

**BOSCH**
**GA1543**

**FEATURES / CARACTERÍSTICAS:** 105A, Diodes 14x35A, 3x35A diode trio, Terminal B+ M8, Terminal B- M6, Terminal D+M4

**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 319 560, 1 127 320 543, 1 127 320 361, 1 127 320 379, 1 127 320 388, 1 127 320 395, 1 127 320 653, 1 127 320 655, 1 127 320 959; **Audi:** 049 903 359D; **Ford:** 613319, 83DB10304AA; **Magneti Marelli:** 940 038 360; **Mercedes Benz:** 1543316, 1544716, 1546616, 1546916, 11541216, 11541516; **Scania:** 1314207, 1342386, 424968;

**Regitar:** RB-72H; **WAI/Transpo:** IBR340; **Cargo:** 139581

**APPLICATION / APLICACIÓN:**
**MERCEDES BENZ;**
**SCANIA;**
**VOLVO:** Trucks and Bus. alternators Bosch 28V.

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 469 518, 0 120 469 521, 0 120 469 532, 0 120 469 569 alternators 28 V

**VOLTAGE REGULATOR:**

GA301

**BOSCH**
**GA1920**

**FEATURES / CARACTERÍSTICAS:** 135A, Diodes 14x50A, 3x35A diode trio, Terminal B+ 7/16" (11mm), Terminal B- M6, Terminal D+ M4, W Terminal M5

**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 920; **Regitar:** RB-67H; **Cargo:** 136737; **WAI/Transpo:** IBR954

**APPLICATION / APLICACIÓN:**
**JI CASE:** Tractors. Alternators Bosch 28V - 135A.

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 468 028, 0 120 468 055

**VOLTAGE REGULATOR:**

GA025

**BOSCH**
**GA1954**

**FEATURES / CARACTERÍSTICAS:** 140A, Diodes 8x50A Avalanche (Zener), 3x35A diode trio, Term. B+ 7/16" (11mm), Terminal B- M6, Terminal D+ M4, W Terminal M5.


**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 954; **Regitar:** RB-67H; **Cargo:** 136737; **WAI/Transpo:** IBR954A

**APPLICATION / APLICACIÓN:**
**JI CASE:** Harvesters 2155, 2166, 2188, 2366, 2388, 2555. (Cummins 6T 8.3L) (05.97.) Tractors 8910, 8920, 8930, 8940, 8950, (Cummins 6T 8.3L) (05.97). **JOHN DEERE:** Alternators Bosch 14V.

**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 468 028, 0 120 468 055 can not be used with alternators 28V

**VOLTAGE REGULATOR:**

GA025

**BOSCH**
**GA1955**

**FEATURES / CARACTERÍSTICAS:** 105A, Diodes 8x35A, 3x35A diode trio, Terminal B+ M8, Terminal B- M6, Terminal D+ M4, W Terminal M5


**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 955, 1 127 320 951, 1 127 320 980, 1 127 320 981, 1 127 320 602, 1 127 320 924; **Cargo:** 136832; **WAI/Transpo:** IBR955

**APPLICATION / APLICACIÓN:**
**SCANIA:** Trucks and Bus;

**DAF;**
**KHD;**
**MAN**
**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 468 037, 0 120 468 053, 0 120 468 115, 0 120 468 118, 0 120 469 686, 0 120 469 687, 0 120 469 895. Bosch 28V - 80A

**VOLTAGE REGULATOR:**

GA301


**BOSCH**
**GA1959**

**FEATURES / CARACTERÍSTICAS:** 140A, Diodes 14x35A, 3x35A diode trio, Terminal B+ M8, Terminal B- M6, Terminal D+ M4, W Terminal M5.

**REPLACES / REEMPLAZA:**
**Bosch:** 1 127 320 961, 1 127 320 959; **Cargo:** 139581; **WAI/Transpo:** IBR341; **Mobiletron:** RB-62H, **Regitar:** RB-62H

**APPLICATION / APLICACIÓN:**
**SCANIA;**
**VOLVO;**
**MERCEDES BENZ;**
**DAF;**
**ALTERNATOR / ALTERNATOR:**
**BOSCH:** 0 120 469 522, 0 120 469 749. Bosch 28V - 90A

**BOSCH**

**GA1968**



**FEATURES / CARACTERÍSTICAS:** 105A, Diodes 8x35A, 3x35A diode trio, Terminal B+ M8, Terminal B- M6, Terminal D+ M4, W Terminal M5

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 968, 1 127 320 904; **Scania:** 1318551, 1345630; **DAF:** 068092; **Regitar:** RB-64H; **Cargo:** 230729;

**WAI/Transpo:** IBR904

**APPLICATION / APLICACIÓN:**

**SCANIA:** Trucks and Bus;

**DAF;**

**KHD;**

**MAN (USA);**

**ALTERNATOR / ALTERNATOR:**


**BOSCH:** 0 120 469 041, 0 120 469 796, 0 120 469 963, 0 120 469 983. Bosch 28V - 50A

**VOLTAGE REGULATOR:**

GA365

**BOSCH**

**GA1977**



**FEATURES / CARACTERÍSTICAS:** 105A, Diodes 8x35A, 3x35A diode trio, Terminal B+ M8/M6, Terminal B - M6, Terminal D+ M4, W Terminal M5

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 989, 1 127 320 590; **Scania:** 102644, 1344240, 362644; **Regitar:** RB-63H; **Cargo:** 134609; **WAI/Transpo:** IBR590

**APPLICATION / APLICACIÓN:**

**SCANIA:** Trucks and Bus

**ALTERNATOR / ALTERNATOR:**


**BOSCH:** 0 120 468 037, 0 120 468 053, 0 120 468 115, 0 120 468 118, 0 120 469 686, 0 120 469 687, 0 120 469 895. Bosch 28V - 50A

**VOLTAGE REGULATOR:**

GA301

**BOSCH**

**GA1989**



**FEATURES / CARACTERÍSTICAS:** 105A, Diodes 8x35A Avalanche (Zener), 3x35A diode trio, Terminal B+ M8, Terminal B- M6, Terminal D+ M4, W Terminal M5

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 989, 1 127 320 928, 1 127 320 946, 1 127 320 956, 1 127 320 969, IBR 989; **Scania:** 102644, 1344240, 36264; **Regitar:** RB-71H; **Cargo:** 136832; **WAI/Transpo:** IBR989

**APPLICATION / APLICACIÓN:**

**MERCEDES BENZ:** Trucks 609, 611, 614, 709, 711, 714, 809, 811, 814, 914, 917, 1114, 1320, 15140;

**SCANIA:** Chassis for Bus OF1315, OF1318, OH1418/ 1635 OF1113 (OM352), Trucks L1117 (USA), LPS1525/ Bus O390D. Chassis for Bus OH1318. Trucks MT-DS 11.94, 95, 96, 97, DS14.52, DSC 11.56, 57, 58, 14.57, 61, 62, 63 and others;

**VOLVO:** Trucks and Bus; IVECO; KHD

**ALTERNATOR / ALTERNATOR:**


**BOSCH:** 0 120 468 037, 0 120 468 053, 0 120 468 107, 0 120 468 113, 0 120 468 114, 0 120 468 115, 0 120 468 118, 0 120 468 131, 0 120 468 137, 0 120 468 149, 0 120 469 013, 0 120 469 895, 0 986 037 770, 6033 GB3 006, 6033 GB3 008, 6033 GB3 033, 6033 GB3 034, 6033 GB3 054. Bosch 28V - 80A

**VOLTAGE REGULATOR:**

GA301 / GA304

**BOSCH**

**GA1995**



**FEATURES / CARACTERÍSTICAS:** 90A, 8x35 Diodes Avalanche (Zener) 35A, diode trio, B+ Post M8, B+ Post M8

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 995, 1 127 320 928, 1 127 320 946, 1 127 320 969, 1 127 320 989; **Magneti Marelli:** 940 038 364;

**Mercedes Benz:** 11542116; **Scania:** 1387615; **Regitar:** RB-71H; **Cargo:** 136832, 139581; **WAI/Transpo:** IBR989

**APPLICATION / APLICACIÓN:**

**IVECO:** Trucks 190-36, 190-36P, 190-36T, 190-38, 190-38PT, 190-36, 220-36, 240-36, 240-36P, 260-36;

**MERCEDES BENZ:** Bus OF 1113, Oh 1113, 917;

**VOLVO:** Trucks NL 10, NL 12, Chassi for Bus B12.

**ALTERNATOR / ALTERNATOR:**


**BOSCH:** 0 120 468 094, 0 120 469 025, 0 120 469 014, 0 120 469 749, 0 120 469 026, 0 120 469 526, 0 120 469 532

**VOLTAGE REGULATOR:**

GA304

**BOSCH**

**GA1065**



**FEATURES / CARACTERÍSTICAS:** 95A, 12x35A diode 12x35A, B+ Post1/4x45, D+ Post 3/16x30, W Post 3/16x40

**REPLACES / REEMPLAZA:**

**Bosch:** 9 121 456 065

**APPLICATION / APLICACIÓN:**


**CARGO:** Trucks 1113 / 1114 / 1117 / 1215 / 1218 / 1313 / 1314 / 1317 / 1415 / 1418 / 1514 todos 1419 / 1619 / 2319 / 35300 (after 10.90). F6000 / 7000 (after 06.87).

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 9 120 456 004, 9 120 456 005, 9 120 456 013, 9 120 456 024, 9 120 456 025. Bosch 28V - 70A

**VOLTAGE REGULATOR:**

GA008 / GA008N

**BOSCH**
**GA1547**


**FEATURES / CARACTERÍSTICAS:** 140A, 14x50A Diodes Avalanche (Zener), 3x35A diode trio, B+ Post M8, Post B- M8, with Resistor

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 547, 1 127 320 550, 1 127 320 571; **Cargo:** 136581; **Mercedes Benz:** 1545116, 1545416; **Regitar:** RB-78HA; **WAI/Transpo:** IBR547

**APPLICATION / APLICACIÓN:**


**MERCEDES BENZ:** Bus e Trucks;  
**SCANIA:** Bus and Chassi F112HL, 113, K113CL, K113TL, L113CL, S113AL, S113CL;  
**VALMET:** Tractors with alternator 90A;  
**VME:** Trucks off road;  
**VW:** Trucks 16.180 e 16.210 w/ engine MWM 6.10 (83 a 86);  
**RECROSUL:** Chassi for Bus;  
**RANDOM:** Trucks off road;  
**MAFERSA:** Bus M210 e M240 (after 91), Trolebus;  
**MAXION:** Engine 4236;  
**VOLVO:** Bus B58 and B10M.

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 0 120 488 158, 0 120 488 159, 9 120 456 001, 9 120 456 003, 9 120 456 008, 9 120 456 010, 9 120 456 011, 9 120 456 012, 9 120 456 014, 9 120 456 028, 9 120 456 031, 9 120 456 032, 9 120 456 033, 9 120 456 034, 9 120 456 036, 9 120 456 037, 9 120 456 038, 9 120 456 039, 9 120 456 040, 9 120 456 041, 9 120 456 042, 9 120 456 043, 9 120 456 044, 9 120 456 046, 9 120 456 047, 9 120 456 048, 9 120 456 050, F006 LD0-800

**VOLTAGE REGULATOR:**

GA041 / GA041R / GA042 / GA42R / GA043

**BOSCH**
**GA1973**


**FEATURES / CARACTERÍSTICAS:** 140A, 12x50A Diodes, 3x35A trio Diode, B+ Post M8, with resistor

**REPLACES / REEMPLAZA:**

**Bosch:** 1 127 320 973, 9 121 456 212; **Mercedes Benz:** 11540816; **Scania:** 1347012; **Regitar:** RB-78H; **Cargo:** 136581;

**WAI/Transpo:** IBR973

**APPLICATION / APLICACIÓN:**


**MERCEDES BENZ:** Trucks and Bus;  
**IVECO:** 3801029;  
**RENAULT:** Agora, Ares, Iliade, Tracer, R332 Line1;  
**SCANIA:** K113, L113, N113, F94, K124EB Bus, K124IB Bus;  
**VOLVO:** B10M, B7L

**ALTERNATOR / ALTERNATOR:**

**BOSCH série T1 (140A):** 0 120 689 535, 0 120 689 562, 9 120 456 049, 9 120 456 052

**VOLTAGE REGULATOR:**

GA041 / GA041R

**BOSCH**
**GA1374**


**FEATURES / CARACTERÍSTICAS:** 55A, 3x35A Diodes

**REPLACES / REEMPLAZA:**

**Bosch:** 9 121 080 374

**APPLICATION / APLICACIÓN:**

**MWM;**  
**VALMET;**  
**CATERPILLAR**

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 9 120 080 045, 9 120 080 049, 9 120 080 057, 9 120 080 085, 9 120 080 094, 9 120 080 107, 9 120 080 138, 9 120 080 146

**VOLTAGE REGULATOR:**

GA001 / GA011 / GA012 / GA013

**BOSCH**
**GA1595**


**FEATURES / CARACTERÍSTICAS:** 55A, 6x35A Diodes, B+ Post M6, with diode trio

**REPLACES / REEMPLAZA:**

**Bosch:** 9 121 080 595; **Regitar:** RB-137HV; **WAI/Transpo:** IBR595; **Magneti Marelli:** PR520501

**APPLICATION / APLICACIÓN:**

**VW:** Kombi, Brasília alcohol 1300, Brasília 1600, Volks Sedan.

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 9 120 080 041, 9 120 080 061, 9 120 080 072, 9 120 080 090, F000 LD0108

**VOLTAGE REGULATOR:**

GA003 / GA999

**BOSCH / WAPSA**

**GA1004**



**FEATURES / CARACTERÍSTICAS:** 55A, 3x35A Diodes

**REPLACES / REEMPLAZA:**

**Bosch:** 9 121 450 310, 9 121 450 311, 9 121 450 533; **Wapsa:** 415-1, 415-26, 415-36, 415-38, 415-39

**APPLICATION / APLICACIÓN:**

**FORD:** Del Rey, Scala, Corcel II, Belina, Pampa (after 10/82);

**VW:** Truck E-11, E-13, alcohol 8 cil., Truck 6.80, 6.90, 7.90, 7.110, 12.140, 11.130, 11.160, 13.130, 13.160 with enginer MWM;

**AGRALE:** Tractor T-4100, T4200, T4300;

**CLARK:** Tractor Bob Cat M-711-MS;

**MF:** Tractor MF after 07/78.

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 9 190 450 042, 9 190 450 044, 9 190 450 052, 9 190 450 071, 9 190 450 100, 9 190 450 101, 9 190 450 102, 9 190 450 113, 9 190 450 118, 9 190 450 119

**BOSCH / WAPSA**

**GA1006**



**FEATURES / CARACTERÍSTICAS:** 55A, 3x35A Diodes, with diode trio

**REPLACES / REEMPLAZA:**

**Bosch:** 9 121 450 310, 9 121 450 311, 9 121 450 533; **Wapsa:** 415-1, 415-26, 415-36, 415-38, 415-39; **Magneti Marelli:** PR520404

**APPLICATION / APLICACIÓN:**

**FORD:** Del Rey, Scala, Corcel II, Belina, Pampa (after 10.82), Truck with enginer MWM 4/6 e Tractors;

**VW:** Truck E-11, E-13, with enginer álcool 8cil., Micro Bus, Truck 6.80 with enginer Perkins, Truck 6.90, 7.90, 7.110, 12.140, 11.130, 11.160, 13.130, 13.160 with enginer MWM.

**ALTERNATOR / ALTERNATOR:**


**WAPSA:** ARA13037, ARA14020, ARA15024, ARC13029, ARC13030, ARC14028, ARC14056, ARC15077, ARC15151, ART13035, ART13036, ART13041, ART13063, ART13136, ART15168; **BOSCH:** 9 120 450 042, 9 120 450 044, 9 120 450 052, 9 120 450 053, 9 120 450 058, 9 120 450 071, 9 120 450 085, 9 120 450 090, 9 120 450 092, 9 120 450 093, 9 120 450 100, 9 120 450 102, 9 120 450 113, 9 120 450 130, 9 120 450 132, 9 120 450 132

**VOLTAGE REGULATOR:**

GA001 / GA011 / GA058

**BOSCH / WAPSA**

**GA1522**



**FEATURES / CARACTERÍSTICAS:** 85A, 3x35A Diodes, with diode trio

**REPLACES / REEMPLAZA:**

**Bosch:** 9 121 450 587; **Wapsa:** 415-22

**APPLICATION / APLICACIÓN:**

**VW:** Kombi diesel, Gol gas/alcohol, Passat, Voyage, Santana.

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 9 120 450 110

**VOLTAGE REGULATOR:**

GA007

**BOSCH / WAPSA**

**GA1529**



**FEATURES / CARACTERÍSTICAS:** 60A, 3x35A Diodes

**REPLACES / REEMPLAZA:**

**Bosch:** 9 121 450 313; **Wapsa:** 415-29

**APPLICATION / APLICACIÓN:**

**FORD:** Truck Cargo 1218 / 1415 / 1418 / 1519 / 1521 / 1618 / 1621 / 2218 / 2319 / 2321 / 3021 / 3223 w/ engine FORD 6.6 / 7L.

**ALTERNATOR / ALTERNATOR:**

**WAPSA:** ARC14096, ARC16097; **BOSCH:** 9 120 450 080, 9 120 450 083, 9 120 450 128, 9 120 450 006

**VOLTAGE REGULATOR:**

GA008 / GA008N

**BOSCH / WAPSA**

**GA1574**



**FEATURES / CARACTERÍSTICAS:** 60A, 3x35A Diodes

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**FORD:** Cargo 1218/ 1415/ 1418/ 1618/ 2218 w/ engine FORD 6.6L;

**NEW HOLLAND:** Combine 8040/ 8055;

**VW:** Truck 16.170/ 14.170/ 14.210/ 16.210 with enginer Cummins Série (original reference 9 120 450 013). Truck 13.210/ 15.210/ 22.210 with Cummins C series.

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** 9 120 450 073, 9 120 450 129, 9 120 450 133, 9 120 450 134, 9 120 450 014, 9 120 450 137; **WAPSA:** AKC16123, AKC14122

**VOLTAGE REGULATOR:**

GA059

**CHERY**

**GA1602**



**FEATURES / CARACTERÍSTICAS:** 105A, 6x35A avalanche diodes, with diode trio

**REPLACES / REEMPLAZA:**

**Chery:** JFZ1756-1

**APPLICATION / APLICACIÓN:**

**Chery:** QQ/Face 1.1 16V

**ALTERNATOR / ALTERNATOR:**

**Chery:** S11-3701110BA; JFZ1753; 3701AAJ

**VOLTAGE REGULATOR:**

GA602

**CHERY**
**GA1603**


**FEATURES / CARACTERÍSTICAS:** 105A, 6x35A avalanche diodes, with diode trio  
**REPLACES / REEMPLAZA:**  
**Chery:** JFZ1756-1  
**APPLICATION / APLICACIÓN:**  
**Chery:** QQ/Face 1.1 16V  
**ALTERNATOR / ALTERNATOR:**  
**Chery:** S11-3701110BA, JFZ1753, 3701AAJ  
**VOLTAGE REGULATOR:**  
 GA603

**CHERY**
**GA1605**


**FEATURES / CARACTERÍSTICAS:** 110A, 6x50A Avalanche Diode, B+: M8x12mm, with triodiode  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**CHERY:** Fora, M11, Tiggo  
**ALTERNATOR / ALTERNATOR:**  
**Chery:** JFZ1992, B11-3701110BB, 3701AAG  
**VOLTAGE REGULATOR:**  
 GA601

**CHERY**
**GA1608**


**FEATURES / CARACTERÍSTICAS:** 110A, 6x50A, B+: M8x14mm, Avalanche Diode, with diode trio, Diameter: 114mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**JAC:** J6 Diamont 2.0 16V, Refine  
**ALTERNATOR / ALTERNATOR:**  
**Chery:** JFZ1929D  
**VOLTAGE REGULATOR:**  
 GA608

**DAEWOO**
**GA1871**


**FEATURES / CARACTERÍSTICAS:** 105A, Press-Fit Diodes 6x50A Avalanche Diode(Zener) With Diode Trio  
**REPLACES / REEMPLAZA:**  
**Daewoo:** 96206871; **GM:** 96206871  
**APPLICATION / APLICACIÓN:**  
**DAEWOO:** 1999>2001 11SI Series Leganza 2.2L Delphi  
**ALTERNATOR / ALTERNATOR:**  
 Delco Korea / Daewoo 11SI Series 105A IR/IF Alternators

**DAEWOO**
**GA1938**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 8x35A, External Diameter 103mm, with trio diode  
**REPLACES / REEMPLAZA:**  
**Cargo:** 138389; **AS-Poland:** ARC1020; **Transpo:** DR5166  
**APPLICATION / APLICACIÓN:**  
**CHEVROLET:** Lacetti 1.8 2005, Rezzo 2.0 2005>2008  
**DAEWOO:** Leganza 2.0 16V 1997>2002, Nubira 1800/2000 1997>2005, Nubira saloon 1.8/2.0 1997>2005, Tacuma 2000 2000>2005  
**ALTERNATOR / ALTERNATOR:**  
**DAEWOO:** 96221945, 96252115; **CHEVROLET:** 96221945  
**VOLTAGE REGULATOR:**  
 GA416

**DAEWOO**
**GA1940**


**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with diode trio  
**REPLACES / REEMPLAZA:**  
**Daewoo:** 266000; **Regitar:** RD-32; **Mobiletron:** RD-32; **Cargo:** 235027; **WAI/Transpo:** DR9410; **AS Poland:** ARC1034  
**APPLICATION / APLICACIÓN:**  
**GM:** Mercury Marine V8;  
**DAEWOO:** Matiz;  
**MERCURUISER:** (1998-2002)  
**ALTERNATOR / ALTERNATOR:**  
**DELCO:** 19020601, 19020612; **DAEWOO:** 219170, 96314258, 219232; **MERCMARINE:** 862031, 862031T, 862031T1, 863077T;  
**PRESTOLITE:** 20115018TBA



**DELCO**



**GA1828**



**FEATURES / CARACTERÍSTICAS:** 85A, 3x35A Diodes  
**REPLACES / REEMPLAZA:**  
**Delco:** 1.959.828; **Cargo:** 233234; **WAI/Transpo:** 31-100  
**APPLICATION / APLICACIÓN:**  
**GM:** Opala, Veraneo, Pick up, Truck  
**ALTERNATOR / ALTERNATOR:**  
**DELCO:** A124N, A12M, A19326-1, ALB40N68, ALB40N86, 1100074, 1100748, 7111, 7113, 7122, 7140, 7142, 7143, 7146, 7149, 7156, 7167, 7208, 7212, 7214, 7218, 7219.

**DELCO**



**GA1311**



**FEATURES / CARACTERÍSTICAS:** 65A, 6x35A Diodes, Heavy Duty  
**REPLACES / REEMPLAZA:**  
**Delco:** 3472311, 7982716, 7982718; **Cargo:** 130667; **Lucas:** 21226106, 21226109, UBB 701; **Magneti Marelli:** 940 038 216, PR520437; **Regitar:** RD-10; **WAI/Transpo:** DER1000  
**APPLICATION / APLICACIÓN:**  
**GM:** Monza all with alternator Arno 82 to 90, Kadett all with alternator Arno 91  
**ALTERNATOR / ALTERNATOR:**  
**DELCO:** 3720002, 3720004, 3720008, 3720014, 3720018, 3720022, 3720023, 3720024, 3720026, 3720027, 3720028, 3720032, 3720037, 3720038  
**VOLTAGE REGULATOR:**  
 GA201 / GA203

**DELCO**


**GA1312**



**FEATURES / CARACTERÍSTICAS:** 120A, 6x55A Diodes, Heavy Duty  
**REPLACES / REEMPLAZA:**  
**Delco:** 7332312; **Magneti Marelli:** PR520438  
**APPLICATION / APLICACIÓN:**  
**GM:** Chevette all 73>, Opala all 75-91, Pick up all with alternator Arno  
**ALTERNATOR / ALTERNATOR:**  
**DELCO:** 3720002, 3720004, 3720008, 3720014, 3720018, 3720022, 3720023, 3720024, 3720026, 3720027, 3720028, 3720032, 3720037, 3720038  
**VOLTAGE REGULATOR:**  
 GA200 / GA202

**DELCO**

**GA1627**




**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, Heavy Duty  
**REPLACES / REEMPLAZA:**  
**Delco:** 1852209, 1875627, 1891055, 1984638, 1971987, DR5042, DR5000, D3915; **Regitar:** RD-09; **Cargo:** 130673; **WAI/Transpo:** DR5040  
**APPLICATION / APLICACIÓN:**  
**AMC;**  
**CHEVROLET;**  
**GMC;**  
**JEEP;**  
**OLDSMOBILE;**  
**PONTIAC;**  
**ALTERNATOR / ALTERNATOR:**  
**DELCO:** 1100 series, 1102 series, 1103 series, 1105 series, 321 series, 1100109, 1100110, 1100111, 1100113, 1100115, 1100116, 1100117, 1100119, 1100120, 1100121, 1100122, 1100124

**DELCO**

**GA1628**



**FEATURES / CARACTERÍSTICAS:** 105A, Diodes 6x35A button  
**REPLACES / REEMPLAZA:**  
**Delco:** 1875645, 1892914, 801816, D3982, D3983;  
**Caterpillar:** 9L6776  
**Transpo:** DR5080, DR5082-2, DR5082HD  
**APPLICATION / APLICACIÓN:**  
**GM:** Passenger Car, Heavy Truck  
**ALTERNATOR / ALTERNATOR:**  
**DELCO:** 10456313, 10459001, 10459002, 10459008, 10459009, 10459057, 10459058, 10459079, 10459097, 10459116, 10459120, 10459138, 10459234, 10459237, 10459238, 10459244, 10459259, 10459260, 10459368, 10459369, 10459452, 10463072, 10463073, 10463100, 10463160, 10463307, 10463308, 10497177, 1100072, 1100073, 1100077, 1100078, 1100080, 1100081, 1100084, 1100086, 100087, 1100089, 1100090, 1100091, 1100093, 1100094, 1100095, 1100096, 1100177, 1100185, 1100188, 1100189, 1100210, 1100211, 100212, 1100213, 1100216, 100274, 1101015, 1101016, 1101017, 1101018, 1101019, 1101020, 1101021, 1101022, 1101023, 1101024, 101025

**DELCO**
**GA1400**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodos Avalanche (Zener) 6x50A

**REPLACES / REEMPLAZA:**
**Delco:** 10494503; **Regitar:** RD-26HD; **Cargo:** 232668; **WAI/Transpo:** DR4402HD

**APPLICATION / APLICACIÓN:**
**Chevrolet;**  
**GMC;**
**ALTERNATOR / ALTERNATOR:**
**DELCO:** 10464439, 10464455, 10464459, 10464478, 10464481, 10464483, 10464484, 10464490, 10464491, 10480229, 10480241, 10480271, 10480285, 10480326, 10480388, 10480411, 10480476, 10480479, 10480497, 15087020, 15087021, 15087023, 15755616W, 15768829, 25744164W, 321-1748, 321-1784, 321-1798, 321-1799, 321-1811, 321-1815, 321-1819, 321-1847, 321-1850, 321-1852, 321-1853, 321-1857

**DELCO**
**GA1401**

**FEATURES / CARACTERÍSTICAS:** 70A, 6x35A Avalanche Diodes, B+: 5/16" x 41mm

**REPLACES / REEMPLAZA:**
**Delco:** 10510456

**APPLICATION / APLICACIÓN:**
**CATERPILLAR; CASE; CUMMINS; NEW HOLLAND:** Tractors

**ALTERNATOR / ALTERNATOR:**
**DELCO:** 8600016, 8600017, 8600020, 8600154, 8600360;

**CUMMINS:** 3972735, 4936879

**VOLTAGE REGULATOR:**

GA714

**DELCO**
**GA1403**

**FEATURES / CARACTERÍSTICAS:** 190A, 12x50A, B+: M8x15.8mm

**REPLACES / REEMPLAZA:**
**Cargo:** 235655; **AS-Poland:** ARC1024; **Transpo:** DER1650

**APPLICATION / APLICACIÓN:**
**MERCEDES-BENZ:** E200 / E220 2.2 2000>2002, E270 / E320 2.7 2001>2002, S320 3.2 1999>2002

**ALTERNATOR / ALTERNATOR:**
**DELCO:** 10480403, 10480404, 10480407, 10480408;

**MB:** A0001500850, A0001501650, A0001501750, A0001502450, A0001502550


**DELCO**
**GA1405**

**FEATURES / CARACTERÍSTICAS:** 90A, Diode Avalanche, 6x50A, PS: External diameter 98.5mm, With trio diode

**REPLACES / REEMPLAZA:**
**Cargo:** 233447; **AS-Poland:** ARC1021

**APPLICATION / APLICACIÓN:**
**DAEWOO:** Lanos L4 1.5L/1.6L 1999>2002, Lanos 1.3/1.6 1997>2002, Lanos saloon 1.3/1.6 1997>2002, Leganza 2.0 16V 1997>2002, Rezzo 1.8/2.0 2000>2005

**ALTERNATOR / ALTERNATOR:**
**DELCO:** 219137, 219138, 219139, 219199, 219202, 96252115

**DELCO**
**GA1658**

**FEATURES / CARACTERÍSTICAS:** 105A, Diodos 6x35A Avalanche (Zener), 35A Bosch type Press-fit, with capacitor

**REPLACES / REEMPLAZA:**
**Delco:** 1989658, 10456401, 10472597, DR5162; **Regitar:** RD-95A; **Cargo:** 131880; **WAI/Transpo:** DR4000;

**Magneti Marelli:** PR520507

**APPLICATION / APLICACIÓN:**
**GM:** Corsa 1.6, Ómega CD 4.1, 20i, Ómega Suprema 2.0i, 2.2i, Kadett 1.6, 1.8, 2.0, S10, Astra 1.8i, 2.0i, Vectra 1.8i, 2.0i, Calibra 2.0i, Cavalier III 2.0i;

**DAEWOO:** Espero 1.8, 2.0, 2.2

**ALTERNATOR / ALTERNATOR:**
**DELCO:** Séries CS 121 / CS 130, 10430484, 10456300, 10456301, 10456302, 10456303, 10456312, 10463001, 10463002, 10463003

**VOLTAGE REGULATOR:**

GA411 / GA432

**DELCO**
**GA1707**

**FEATURES / CARACTERÍSTICAS:** 120A, 6x50A Avalanche Diode, B+: M8X1.25X33mm, Outside diameter 115mm

**REPLACES / REEMPLAZA:**
**Transpo:** DR2206

**APPLICATION / APLICACIÓN:**
**Case Skid Steer Loader:** 410 Case 422T/M3 Diesel 2005>2012, 420 Case 422T/M2 Diesel 2005>2012, 420 Case 432T/M3 Diesel 2008>2012; **Cummins Engines Engine Medium Duty:** B Series 2004-2009; **Case Agricultural Tractor:** 430 Case 432T/M3 Diesel 2005>2012, 440 Case 445T/M3 Diesel 2005>2012; **Case Skid Steer Loader:** 435 Case 432T/M3 Diesel 2004>2012, 445 Case 432T/M3 Diesel 2006>2012, 450 Case 445T/M3 Diesel 2005>2012, 465 Case 445T/M3 Diesel 2005>2012; **Case Track Loader:** 420CT Case 432T/M3 Diesel 2008>2012, 440CT Case 445T/M2 Diesel 2006>2012, 440CT Case 445T/M3 Diesel 2008>2012, 445CT Case 432T/M3 Diesel 2005>2012, 450CT Case 445T/M3 Diesel 2005>2012; **New Holland Industrial Loader:** C185 3.4L 3cyl 78HP Diesel, C190 4.5L 4cyl 80HP Diesel; **New Holland Industrial Skid Steer Loader:** L180 334M2 3.4L 63HP Diesel, L185 334TM2 3.4L 78HP Turbo Dsl, L190 445M2 4.5L 80HP Diesel, LS180, LS185 334T Diesel

DELCO

**GA1726**



**FEATURES / CARACTERÍSTICAS:** 160A, 6x60A Avalanche Diode, B+: M6x1.0x40.5mm

**REPLACES / REEMPLAZA:**

**Transpo:** DR3583

**APPLICATION / APLICACIÓN:**

**CADILLAC:** Escalade V8 6.0L 5967cc 364cid 2009, Escalade V8 6.2L 6162cc 376cid 2007>2010, Escalade V8 6.2L 6162cc 376cid VIN F 2011>2014, Escalade ESV V8 6.2L 6162cc 376cid 2007>2014, Escalade EXT V8 6.2L 6162cc 376cid 2007>2013 GM: Avalanche V8 5.3L 5328cc 325cid 2007>2013, Avalanche V8 6.0L 5967cc 364cid 2007>2009, Silverado 1500 V6 4.3L 262cid VIN X 2007>2013, Silverado 1500 V8 4.8L 294cid VIN A 2010>2013, Silverado 1500 V8 4.8L 294cid VIN C 2007>2009, Silverado 1500 V8 5.3L 5328cc 325cid 2012>2013, Silverado 1500 V8 5.3L 5328cc 325cid VIN 0 2007>2011, Silverado 1500 V8 5.3L 5328cc 325cid VIN 3 2007>2011, Silverado 1500 V8 5.3L 5328cc 325cid VIN J 2007>2009, Silverado 1500 V8 5.3L 5328cc 325cid VIN M 2007>2009, Silverado 1500 V8 5.3L 5328cc 325cid VIN Y 2008>2009, Silverado 1500 V8 6.0L 5967cc 364cid VIN Y 2007>2009, Silverado 1500 V8 6.2L 6162cc 376cid VIN 2 2009>2013, Silverado 2500 V8 5.3L 5328cc 325cid 2012, Silverado 2500 HD V8 6.0L 5967cc 364cid 2008>2009, Silverado 2500 HD V8 6.0L 5967cc 364cid 2011>2014, Silverado 2500 HD V8 6.0L 5967cc 364cid VIN G 2010, Silverado 2500 HD V8 6.0L 5967cc 364cid VIN K 2010, Silverado 2500 HD V8 6.0L 5967cc 364cid VIN K 2007, Silverado 2500 HD V8 6.0L 5967cc 364cid VIN K 2010, Silverado 2500 HD V8 6.6L 6599cc 403ci 2008>2009, Silverado 2500 HD V8 6.6L 6599cc 403ci VIN 6 2007, Silverado 3500 HD V8 6.0L 5967cc 364cid 2007>2009, Silverado 3500 HD V8 6.0L 5967cc 364cid 2011>2014, Silverado 3500 HD V8 6.0L 5967cc 364cid VIN G 2010, Silverado 3500 HD V8 6.0L 5967cc 364cid VIN K 2010, Silverado 3500 HD V8 6.6L 6599cc 403ci 2008>2009, Silverado 3500 HD V8 6.6L 6599cc 403ci VIN 6 2007, Suburban 1500 V8 5.3L 5328cc 325cid 2012>2014, Suburban 1500 V8 5.3L 5328cc 325cid VIN 0 2007>2011, Suburban 1500 V8 5.3L 5328cc 325cid VIN 3 2007>2011, Suburban 1500 V8 5.3L 5328cc 325cid VIN J 2007>2009, Suburban 1500 V8 6.0L 5967cc 364cid 2007>2009, Suburban 2500 V8 6.0L 5967cc 364cid 2007>2013, Tahoe V8 4.8L 294cid 2007>2009, Tahoe V8 5.3L 5328cc 325cid 2012>2014, Tahoe V8 5.3L 5328cc 325cid VIN 0 2007>2011, Tahoe V8 5.3L 5328cc 325cid VIN 3 2009>2011, Tahoe V8 5.3L 5328cc 325cid VIN J 2007>2009, Tahoe V8 6.0L 5967cc 364cid 2009, Tahoe V8 6.2L 6162cc 376cid 2009 GMC: Sierra V8 5.3L 5328cc 325cid 2009>2012, Sierra 1500 V6 4.3L 262cid 2007, Sierra 1500 V6 4.3L 262cid VIN X 2008>2013, Sierra 1500 V8 4.8L 294cid VIN A 2010>2013, Sierra 1500 V8 4.8L 294cid VIN C 2007>2009, Sierra 1500 V8 5.3L 5328cc 325cid 2007>2008, Sierra 1500 V8 5.3L 5328cc 325cid 2012>2013, Sierra 1500 V8 5.3L 5328cc 325cid VIN 0; VIN 3 2010>2011, Sierra 1500 V8 5.3L 5328cc 325cid VIN 3; VIN 0; VIN J; VIN M 2009, Sierra 1500 V8 6.0L 5967cc 364cid VIN Y 2007>2009, Sierra 1500 V8 6.2L 6162cc 376cid VIN 2 2009>2013, Sierra 1500 V8 6.2L 6162cc 376cid VIN 8 2007>2008, Sierra 2500 HD V8 6.0L 5967cc 364cid 2008>2009, Sierra 2500 HD V8 6.0L 5967cc 364cid 2011>2014, Sierra 2500 HD V8 6.0L 5967cc 364cid VIN G 2010, Sierra 2500 HD V8 6.0L 5967cc 364cid VIN K 2007, Sierra 2500 HD V8 6.0L 5967cc 364cid VIN K 2010, Sierra 2500 HD V8 6.6L 6599cc 403ci 2008>2009, Sierra 2500 HD V8 6.6L 6599cc 403ci VIN 6 2007, Sierra 3500 HD V8 6.0L 5967cc 364cid 2007>2008, Sierra 3500 HD V8 6.0L 5967cc 364cid VIN G 2010, Sierra 3500 HD V8 6.6L 6599cc 403ci 2007>2008, Sierra 3500 HD V8 6.6L 6599cc 403ci VIN 6 2009, Yukon V8 4.8L 294cid 2007>2009, Yukon V8 5.3L 5328cc 325cid 2012>2014, Yukon V8 5.3L 5328cc 325cid VIN 0 2007>2011, Yukon V8 5.3L 5328cc 325cid VIN 3 2009>2011, Yukon V8 5.3L 5328cc 325cid VIN J 2007>2009, Yukon V8 6.0L 5967cc 364cid 2009>2010, Yukon V8 6.2L 6162cc 376cid 2009>2014, Yukon V8 6.2L 6162cc 376cid VIN 2 2009, Yukon V8 6.2L 6162cc 376cid VIN 8 2007>2008, Yukon XL 1500 V8 5.3L 5328cc 325cid 2012>2014, Yukon XL 1500 V8 5.3L 5328cc 325cid VIN 0 2007>2011, Yukon XL 1500 V8 5.3L 5328cc 325cid VIN J 2007>2009, Yukon XL 1500 V8 6.0L 5967cc 364cid 2007>2009, Yukon XL 1500 V8 6.2L 6162cc 376cid 2009>2010, Yukon XL 1500 V8 6.2L 6162cc 376cid 2012, Yukon XL 1500 V8 6.2L 6162cc 376cid VIN 2 2010>2011, Yukon XL 1500 V8 6.2L 6162cc 376cid VIN 2 2013, Yukon XL 1500 V8 6.2L 6162cc 376cid VIN 8 2007>2008, Yukon XL 1500 V8 6.2L 6162cc 376cid VIN F 2010>2011, Yukon XL 1500 V8 6.2L 6162cc 376cid VIN F 2013>2014, Yukon XL 2500 V8 6.0L 5967cc 364cid 2007>2013 HUMMER: H2 V8 6.2L 6162cc 376cid 2008>2009

**ALTERNATOR / ALTERNATOR:**

**DELCO:** 15093928, 15857608, 15905871, 25877026

**VOLTAGE REGULATOR:**

GA723

DELCO

**GA1731**



**FEATURES / CARACTERÍSTICAS:** 95A, Avalanche Diode, 3x35A

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**CUMMINS:** Equipment (Generator Group and Stationary Engine); **CASE:** Skid Steer Loaders 430 Case 423T/M3 Diesel 2005>, 435 Case 432T/M3 Diesel 2004>, 440 Case 445T/M3 Diesel 2005>, 445 Case 432T/M3 Diesel 2004>, 450 Case 445T/M3 Diesel 2005>, 465 Case 445T/M3 Diesel 2005>, Crawler Loader 420CT Case 432T/M3 Diesel 2008>, 440CT Case 445T/M2 Diesel 2006>, 440CT Case 445T/M3 Diesel 2008>, 445CT Case 432T/M3 Diesel 2005>, 450CT Case 445T/M3 Diesel 2005>; **NEW HOLLAND:** Loader - Compact C185 3.4 3cyl 78HP Diesel 2006>, C190 4.5 4cyl 80HP Diesel 2006>, Skid Steer Loaders LS180 2005>, LS185 334T Diesel 2005>, L180 334M2 3.4 63HP Diesel 2006>, L185 3 34TM2 3.4 78HP Turbo DSL 2006, L190 445M2 4.5 80HP Diesel 2006; Dynapac: CC422, CC432, CC522 and CC622, with Cummins engine.

**ALTERNATOR / ALTERNATOR:**

**DELCO:** 8600712, C21MY20B

DELCO

**GA1733**



**FEATURES / CARACTERÍSTICAS:** 120A, Avalanche Diode, 6x60A, B+ M8X11.8mm, External Diameter 85mm

**REPLACES / REEMPLAZA:**

**Mobiletron:** RD-29; **Regitar:** RD-29; **Era:** 215141; **Cargo:** 231762; **Transpo:** DER2010; **AS-Poland:** ARC1003

**APPLICATION / APLICACIÓN:**

**OPEL:** Astra G box 1.6 1999>2000, Astra G convertible 1.6/1.8 2001>2005, Astra G coupe 1.8 16V 2000>2005, Astra G estate 1.4 16V 1998>2004, Astra G estate 1.6/1.8 2000>2004, Astra G hatchback 1.4/1.6/1.8/2.0 1998>2005, Astra G saloon 1.4/1.6/1.8 1998>2005, Corsa C 1.4/1.8 2000>2009, Zafira A 1.6/1.8/2.0 1999>2005

**ALTERNATOR / ALTERNATOR:**

**DELCO:** 10480225

**CHEVROLET:** 93175796, 93175943

**OPEL:** 6204073, 6204098, 6204138, 9117851, 9512784

**DELCO**
**GA1749**


**FEATURES / CARACTERÍSTICAS:** 90A, Avalanche Diode, 6x35A, B+: M8 X 1.25 X 14.5 mm

**REPLACES / REEMPLAZA:**

**Hitachi:** 139449

**APPLICATION / APLICACIÓN:**

**CITROËN:** Berlingo 1.8 1996>2002, Berlingo 1.8 1996>2003, Evasion 1.9 1996>2003, Jumpy 1.9 1995>1998, Xsara 1.8 1997>2000, Xsara 1.9 1997>2000, ZX 1.8 1993>1997, ZX 1.9 1993>1997;

**PEUGEOT:** 306 1.8 1993>2001, 306 1.9 1994>2001, 406 1.9 1996>2004, 806 1.9 1995>2002, 806 2.1 1996>1999, Expert 1.9 1996>2000, Partner 1.9 1996>2002, Partner 1.8 1996>2002;

**FIAT:** Scudo Bus 1.9 D 1996>2006, Ulysse 1.9 TD 1995>2002, Ulysse 2.1 TD 1996>1999;

**SUZUKI:** Baleno Hatch/Estate 1.9 Diesel 1998>2002, Baleno 1.9 Diesel 1998>2002;

**LANCIA:** Zeta 2.1 Diesel 1996>1999

**ALTERNATOR / ALTERNATOR:**

**CITROËN:** 5705FN, 5705FP, 5705JA, 5705L5, 5705L7, 5705W4, 5705W5, 5705W7, 57052P, 57052Q, 570552, 570553;

**FIAT:** 9617842880, 9617842980, 9617849180, 9617861280, 9617861380, 9617861480; **LANCIA:** 9617861280, 9617861380,

9617861480; **PEUGEOT:** 5705FN, 5705FP, 5705JA, 5705L5, 5705L7, 5705R4, 5705S8, 5705W3, 5705W4, 5705W5, 5705W6, 5705W7;

**SUZUKI:** 3140065G00

**DELCO**
**GA1755**


**FEATURES / CARACTERÍSTICAS:** 140A, Avalanche Diode 3x50A, B+: M8x37 / M8x27, Ø126mm

**REPLACES / REEMPLAZA:**

**Delco:** 112M03

**APPLICATION / APLICACIÓN:**

**GM:** S10 Flex >2013; S10 Diesel >2013

**ALTERNATOR / ALTERNATOR:**

**DELCO:** 13579677

**VOLTAGE REGULATOR:**

GA712

**DELCO**
**GA1756**


**FEATURES / CARACTERÍSTICAS:** 3X50A Avalanche, M8x35 e M8x27 B+ Parafusos, Ø112mm

**REPLACES / REEMPLAZA:**

**Delco:** A12J04

**APPLICATION / APLICACIÓN:**

**GM:** Onix, Cobalt, Spin, Prisma >2013

**ALTERNATOR / ALTERNATOR:**

**DELCO:** 94751298, 94751297

**VOLTAGE REGULATOR:**

GA941

**DELCO**
**GA1757**


**FEATURES / CARACTERÍSTICAS:** 6X50A Avalanche

**REPLACES / REEMPLAZA:**

**Delco:** 112A06

**APPLICATION / APLICACIÓN:**


**GM:** S10 Flex >2012, S10 Diesel >2013, Sonic >2012, Cruze >2012, Tracker >2013, Trail Blazer >2014

**ALTERNATOR / ALTERNATOR:**

**GM:** 13579666, 13579677, 13579661, 13500577

**VOLTAGE REGULATOR:**

GA712

**DELCO**
**GA1758**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A Avalanche (Zener), 35A Bosch type Press-fit, B+ Post M8, With Capacitor

**REPLACES / REEMPLAZA:**

**Delco:** 10475758; **Regitar:** RD-97B; **Cargo:** 231200; **WAI/Transpo:** DR4204; **Magneti Marelli:** PR520529

**APPLICATION / APLICACIÓN:**

**GM:** Corsa with AC., Ómega, Vectra 2.2.

**ALTERNATOR / ALTERNATOR:**

**DELCO:** Séries CS 130 D, 10463407, 10463443, 10463630, 10463654, 10463966, 10464075, 10464407, 10464409, 10464414

**VOLTAGE REGULATOR:**

GA702 / GA704 / GA707 / GA711

**DELCO**

**GA1759**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes Avalanche (Zener) 6x35A  
**REPLACES / REEMPLAZA:**  
**Delco:** 10492300; **Regitar:** RD-25A; **Cargo:** 232070; **WAI/Transpo:** DR1200  
**APPLICATION / APLICACIÓN:**  
**SATURN:** 1998-2000 Saturn SC1, SL Sedan, SW Wagon 1.9L SOHC, DOHC  
**ALTERNATOR / ALTERNATOR:**  
**DELCO:** 10464477, 21022992, 21023969, 21024485, 21024486, 21024726, 21024727, 21025094, 21025339, 219214, 321-1846

**DELCO**

**GA1941**



**FEATURES / CARACTERÍSTICAS:** 140A, Avalanche Diodes 6x50A, B+ Bolt M6, with triodiode, with Phase terminal  
**REPLACES / REEMPLAZA:**  
**Delco:** 8460, 8465, 8466  
**APPLICATION / APLICACIÓN:**  
**Crusader Marine, Hyster, Indmar Marine, Mercury Marine, Pleasurecraft Marine**  
**ALTERNATOR / ALTERNATOR:**  
**Delco:** 19020604, 19020608, 19020609, 19020614, 19020615; **Mercury Marine:** 862030T

**DELCO**


**GA1948**



**FEATURES / CARACTERÍSTICAS:** 100A, 3x35A Avalanche diodes  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**MERCEDEZ BENZ:** Trucks LS1938, LS1938S, 1944S, LS2638, Trucks and Bus - Plataforma BR450, Trucks Accelo 915C, 712C, 914C/LO, 915E, LO915, 1318, 1618M, Trucks L1620, L1622, 1728, 2423, 2428, 1215C, L1218, 1318, L1418, 1618M, 1718M; Trucks Atego 1315, 1418, 1518, 1718, 1725, 2425; Bus 914LO, 915LO, OF1417, OF1418, OF1722 OH1418, 0500M, 0500U, 0500R; Micro-bus 814LO, Trucks Axor 2826, 2831, 1933, 2533.  
**VOLKSWAGEN:** Constellation 13.180, 15.180, 17.250, 19.320, 24.250, 25.370, 31.320, 31.370; 8T, 9T, 13T, 15T, 16T, 17T, 18T, 23T, 24T, 26T, 31T, Volkbus 9.150 4.10, 18.310 OT  
**ALTERNATOR / ALTERNATOR:**  
 ...

**DELCO**

**GA1714**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A Avalanche (Zener), With triodiode, 50A Lucas type Press-fit, B+ Post M8  
**REPLACES / REEMPLAZA:**  
**Delco:** 10475034, 589714; **Regitar:** RD-04B; **Cargo:** 136595; **WAI/Transpo:** DER2000; **Magneti Marelli:** PR520519  
**APPLICATION / APLICACIÓN:**  
**GM:** Astra, Ómega, Corsa Wind, Vectra (after 95)  
**ALTERNATOR / ALTERNATOR:**  
**DELCO Séries CS 130 D:** 10475039, 10479914, 10479923, 10479947, 10479955, 1217101, QX 24C3A, QX26K2, QX5L2, QX7K2  
**VOLTAGE REGULATOR:**  
 GA432 / GA701

**DELCO**


**GA1794**



**FEATURES / CARACTERÍSTICAS:** 6x35A, Press-fit avalanche diodes  
**REPLACES / REEMPLAZA:**  
**Delco:** 10512368  
**APPLICATION / APLICACIÓN:**  
**VW:** Bus Queops Evolution with engine Cummins ISC 8,3L Diesel 9  
**ALTERNATOR / ALTERNATOR:**  
**DELCO:** 9600J4

**DELCO**

**GA1795**



**FEATURES / CARACTERÍSTICAS:** 130A, 6 X50A Avalanche Diodes  
**REPLACES / REEMPLAZA:**  
**Transpo:** DR2910  
**APPLICATION / APLICACIÓN:**  
**CHEVROLET:** Aveo L4 1.6L 1598cc 98cid 2004>2008, Aveo5 L4 1.6L 1598cc 98cid 2006>2008;  
**PONTIAC:** Wave L4 1.6L 1598cc 98cid 2005>2008;  
**SUZUKI:** Swift+ L4 1.6L 1598cc 98cid 2004>2008  
**ALTERNATOR / ALTERNATOR:**  
**GM:** 96540542, 96838439, 96954113

**DELCO**
**GA1796**

**FEATURES / CARACTERÍSTICAS:** 130A, 6 X50A Avalanche Diodes


**REPLACES / REEMPLAZA:**
**Transpo:** DR2911

**APPLICATION / APLICACIÓN:**
**CHEVROLET:** Optra L4 2.0L 1998cc 122cid 2004>2005, Optra L4 2.0L 2000cc 2006>2007, Optra L4 2.0L 2000cc 122cid 2006;

**SUZUKI:** Forenza L4 2.0L 2000cc 2004>2008, Reno L4 2.0L 1998cc 2005>2007, Reno L4 2.0L 1998cc 122cid 2008

**ALTERNATOR / ALTERNATOR:**
**DELCO:** 96408588;

**SUZUKI:** 31400-85Z00, 31400-85Z01, 31400-85Z02

**DELCO**
**GA1797**

**FEATURES / CARACTERÍSTICAS:** 28V, 6x35A Press-fit avalanche diodes 70A

**REPLACES / REEMPLAZA:**
**Delco:** 1988976, 10512366

**APPLICATION / APLICACIÓN:**
**CATERPILLAR:** 16H Cat 3406 1996>1999, 966F Cat 3306 1997>1999, 980G Cat 3406 1996>2003, 824C Cat 3406 1997>1999;

**JOHN DEERE:** 608L, 608S 6081H Diesel, 753G 6081H Diesel, 753GL, 853G 6081H Diesel, 953G 6081H Diesel, 1058, 850, 950, EC130, EC130LC, EC160, EC160LC, EC215, EC215LC, LW170, LW230

**ALTERNATOR / ALTERNATOR:**
**DELCO:** 19010111, 19010193, 19010185, 19010182, 19010195, 19010200, 19010205, 19020307, 19020382, 19020311, 19020346, 8600277, 19011153, 19011210, 19011168, 19011175, 19011191, 19011197, 19011152, 19011173, 19011218, 19011205, 19011207

**DELCO**
**GA1798**

**FEATURES / CARACTERÍSTICAS:** 120A, 6x50A

**REPLACES / REEMPLAZA:**
**Delco:** 10511353; 10501634; 10469265

**APPLICATION / APLICACIÓN:**
**Caterpillar:** 35, 45 and 55 Challenger; **John Deere:** CHT2500B and CHW2500B Scania engine; **GM:** Trucks 12.170; 14.190; 15.190

**ALTERNATOR / ALTERNATOR:**
**DELCO:** 1117965; 19010112; 19010196; 19010105

**VOLTAGE REGULATOR:**

GA205 / GA209

**DELCO**
**GA1799**

**FEATURES / CARACTERÍSTICAS:** 6X60A Diodes

**REPLACES / REEMPLAZA:**
**Delco:** 10501636, 12367; **WAI/Transpo:** DR5183

**APPLICATION / APLICACIÓN:**
**INTERNATIONAL:** Trucks

**ALTERNATOR / ALTERNATOR:**
**DELCO:** 19011104

**DELCO**
**GA1800**

**FEATURES / CARACTERÍSTICAS:** 140A, Diodes 6x50A Avalanche (Zener)

**REPLACES / REEMPLAZA:**
**Delco:** 10475800, DR5178; **Regitar:** RD-07; **Cargo:** 232068; **WAI/Transpo:** DR5178

**APPLICATION / APLICACIÓN:**
**GM:** Ómega, Vectra.

**ALTERNATOR / ALTERNATOR:**
**DELCO Séries CS &S:** 10463169, 10463190, 10463196, 10463217, 10463295, 10463298, 10463300, 10463338, 10463343

**DELCO**
**GA1801**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A Avalanche (Zener), 3x50A Button

**REPLACES / REEMPLAZA:**
**Delco:** 10467052, D3990, DR5176; **Regitar:** RD-06A; **Cargo:** 131881; **WAI/Transpo:** DR5176; **Magneti Marelli:** PR520536


**APPLICATION / APLICACIÓN:**
**GM:** Monza, Kadett;

**IMPORTS:** Chevy, Corvette, Buick Regal, Cadillac, Chevy Blaze.

**ALTERNATOR / ALTERNATOR:**
**DELCO Séries CS &SI:** 10459036, 10480121, 1101325, 1105656, 1105683, 1117242

**DELCO**

**GA1802**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A Avalanche (Zener)

**REPLACES / REEMPLAZA:**

**Delco:** 10470609, D3992, DR5177; **Regitar:** RD-06; **Cargo:** 231062; **WAI/Transpo:** DR5177

**APPLICATION / APLICACIÓN:**

**GM:** Monza, Kadett, Truck B6 Series, Kodiak.

**ALTERNATOR / ALTERNATOR:**

**DELCO Series CS &SI:** 10456319, 10456336, 10459028, 10459038, 10459040, 10459047, 10459050, 10459052, 10459053, 10459054

**VOLTAGE REGULATOR:**

GA408

**DELCO**

**GA1803**



**FEATURES / CARACTERÍSTICAS:** 140A, Diodes 6x50A Avalanche (Zener)

**REPLACES / REEMPLAZA:**

**Delco:** 10472095, DR5179; **Regitar:** RD-08; **Cargo:** 232069; **WAI/Transpo:** DR5179

**APPLICATION / APLICACIÓN:**

**GM:** Ómega, Vectra, Cadillac Deville, Eldorado, Seville.

**ALTERNATOR / ALTERNATOR:**

**DELCO Series CS &SI:** 10457160, 10463191, 10463216, 10463294, 10463296, 10463377, 10464079, 10464088, 10464403, 104799821

**DELCO**

**GA1804**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A

**REPLACES / REEMPLAZA:**

**Delco:** 3472813, 3493721, 3493714, 3472057, 347205758, 3472059, 3472060, 3472061, 3472062, 3472065, 3472066, 3472067, 3472068, 3472069, 3472070, 6065301; **Regitar:** RD-18; **Cargo:** 131458; **WAI/Transpo:** DER1003

**APPLICATION / APLICACIÓN:**

**OPEL;** VAUXHALL; **GM:** Corsa Wind (after 94), Astra, Vectra, Ómega 2,2 (without AC 93>95), Ómega 2.0.

**ALTERNATOR / ALTERNATOR:**

**DELCO:** 3472057, 3472058, 3472059, 3472060, 3472061, 3472062, 3472065, 3472066, 3472067, 3472068, 3472813, 1204012, 120405, 1204018, 1204020, 1204021, 1204040, 1204042, 1204043, 12041109, 1204112, 1204121, 1204203, 1204217, 1204045, 1204068, 1204014, 3493714, 3493721

**DELCO**

**GA1805**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A

**REPLACES / REEMPLAZA:**

**Delco:** 3493008, 3493716, 3493717, 3472106, 3472121, 3472134, 3473234, 3473244; **Opel:** 1205454; **Regitar:** RD-20; **Cargo:** 132931; **WAI/Transpo:** DER1004

**APPLICATION / APLICACIÓN:**

**OPEL;** VAUXHALL; **GM:** Ómega 3.4

**ALTERNATOR / ALTERNATOR:**

**DELCO:** 3472106, 3472121, 3472130, 3472134, 3472137, 3472144, 3493621, 3493634, 3493641, 3493644, 3493706, 3493716, 3493717, 3493741

**DELCO**

**GA1806**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 6x50A

**REPLACES / REEMPLAZA:**

**Delco:** 1987061, D3986, 1984454, D3924; **Regitar:** RD-13HV; **Cargo:** 131874; **WAI/Transpo:** DR5054

**APPLICATION / APLICACIÓN:**

**GM:** Vehicles;


**JEEP;**

**ALTERNATOR / ALTERNATOR:**

**DELCO:** 310497082, 1105446, 1105541, 1105617, 1101134, 1105447, 1105542, 1105629, 1101240, 1105448, 1105543, 1105630, 1101241, 1105449, 1105544, 1105648, 1101245, 1105480, 1105545, 1105654, 1101280, 1105492, 1105547, 1105444, 1101299, 1105493, 1105562, 1105445, 1101301, 1105495, 1105572, 321267, 1101302, 1105496, 1105581, 321266, 1101304, 1105505, 1105582, 1105425, 1101308, 1105506, 1105592, 1105428, 1101324, 1105507, 1105604, 321269, 1101328, 1105441, 1105606, 321268, 1101484, 1105442, 1105402, 1105443; **PIC:** 240308,240309; **LESTER:** 7294, 729412, 7830

**DELPHI**
**GA1242**


**FEATURES / CARACTERÍSTICAS:** 100A, 6X35A, B+: M6x1.0x31.5mm, D+: M5 x 0.8 x 45.0mm  
**REPLACES / REEMPLAZA:**  
**Lucas:** 3523136  
**APPLICATION / APLICACIÓN:**  
**JOHN DEERE**  
**ALTERNATOR / ALTERNATOR:**  
 ...  
**VOLTAGE REGULATOR:**  
 GA695

**DELPHI**
**GA1402**


**FEATURES / CARACTERÍSTICAS:** 115A, 6X50A Avalanche Diode, B+: M8x33mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**SSANGYONG:** Actyon, Actyon Sports, Kyron, Rexton 2.0, 2.7 XDI 4WD  
**ALTERNATOR / ALTERNATOR:**  
**Delphi:** A 664 154 0102;  
**Lucas Electrical:** LRA03262; **Delco Remy:** DRA0712  
**VOLTAGE REGULATOR:**  
 GA707

**DENSO**
**GA1141**


**FEATURES / CARACTERÍSTICAS:** 130A, 12x35A, Avalanche Diode, B+: M8x18mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**CHEVROLET:** Cruze 1.4 Turbo; **FIAT:** Argo 1.0 2017>, Argo 1.3 2017>, Cronos 1.3 2018>, Novo Uno 1.3 2016>, Toro 1.3  
**ALTERNATOR / ALTERNATOR:**  
**GM:** 13587309; **DENSO:** 104211-3720, 104211-9230  
**VOLTAGE REGULATOR:**  
 GA179

**DENSO**
**GA1142**


**FEATURES / CARACTERÍSTICAS:** 120A, 12x35A, Avalanche Diode, B+: M8x19mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**Jeep:** Renegade  
**ALTERNATOR / ALTERNATOR:**  
**Denso:** 104211-3210  
**VOLTAGE REGULATOR:**  
 GA158

**DENSO**
**GA1143**


**FEATURES / CARACTERÍSTICAS:** 100A, 3x35A Avalanche diodes  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**Ford:** KA 2015-2016  
**ALTERNATOR / ALTERNATOR:**  
**Ford:** E3B5-10300-AB, E3B5-10300-AC;  
**Denso:** BC104210-7001, BC104210-7002

**DENSO**
**GA1144**


**FEATURES / CARACTERÍSTICAS:** 120A, 7x50A Bosch press-fit diode  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**TOYOTA:** Corolla Gli 1.8 16V / Xei 2.0 16V 2014>  
**ALTERNATOR / ALTERNATOR:**  
**DENSO:** 104210-7020; **TOYOTA:** 27060-0T320



**DENSO**

**GA1145**



**FEATURES / CARACTERÍSTICAS:** 130A, 12x35A Avalanche diodes  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**HONDA:** CR-V 2006>, New Civic 2012>  
**ALTERNATOR / ALTERNATOR:**  
**Denso:** 104210-1540, 104210-5370; **Honda:** 31100-R1P-H01

**DENSO**

**GA1146**



**FEATURES / CARACTERÍSTICAS:** 170A, 12x35A Avalanche Diode, B+: M8x12mm, Diameter: 133mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**BMW:** 228i L4 2.0L, 228i xDrive L4, 320i L4 2.0L, 320i xDrive L4, 328i L4 2.0L, 328i GT xDrive L4 2.0L, 428i L4 2.0L, 428i Gran Coupe L4 2.0L, 428i xDrive L4 2.0L, 428i xDrive Gran Coupe L4 2.0L, 528i L4 2.0L, 528i xDrive L4 2.0L, Z4 L4 2.0L  
**ALTERNATOR / ALTERNATOR:**  
**BMW:** 7605 473-05;  
**Denso:** 104210-6390, 104210-6391, 104210-6392, 104210-6393, 104210-6394, 104210-6395;  
**Bosch:** 0 986 UR6 229  
**VOLTAGE REGULATOR:**  
 GA146

**DENSO**

**GA1147**



**FEATURES / CARACTERÍSTICAS:** 120A, 12x35A Avalanche Diode, B+: M8x12mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**LAND ROVER:** Discovery 4x4 3.0 TD 2009>; **RANGE ROVER:** Sport LS 3.0 D 4x4 2013>  
**ALTERNATOR / ALTERNATOR:**  
**Denso:** 104210-2420, DAN1105;  
**Land Rover:** AH22-10300-AB, LR013847; **Delco:** DRA1437  
**VOLTAGE REGULATOR:**  
 GA153

**DENSO**

**GA1148**



**FEATURES / CARACTERÍSTICAS:** 180A, 12x50A, Avalanche diode, B+: M8x12mm, Diameter: 133mm  
**REPLACES / REEMPLAZA:**  
 -  
**APPLICATION / APLICACIÓN:**  
**BMW:** Series 5 / 6 / 7, 320i - 2013>, M5, X5  
**ALTERNATOR / ALTERNATOR:**  
**Denso:** 104210-6441  
**VOLTAGE REGULATOR:**  
 GA146 / GA155

**DENSO**

**GA1149**



**FEATURES / CARACTERÍSTICAS:** 160A, 12x35mm Avalanche Diode, B+: M8x20mm, Diameter: 117mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**CHRYSLER CAR:** 200 V6 3.6L 2014, 200 V6 3.6L VIN G 2011>2013;  
**CHRYSLER VAN:** Town & Country V6 3.6L 2011>2016;  
**DODGE CAR:** Avenger V6 3.6L 2011>2014;  
**DODGE TRUCK:** Journey V6 3.6L 2011>2016;  
**DODGE VAN:** Grand Caravan V6 3.6L 2014>2016, Grand Caravan V6 3.6L VIN G 2011>2013;  
**LANCIA EUROPE VAN:** Voyager MPV 3.6 V6 VVT 2011>2014;  
**RAM VAN:** C/V V6 3.6L 2012>2015;  
**VOLKSWAGEN VAN:** Routan V6 3.6L 2011>2014;  
**BUICK CAR:** Regal L4 2.0L 2014>2015;  
**CHEVROLET CAR:** Impala L4 2.5L 2014, Malibu L4 2.0L 2014>2015;  
**FIAT:** 500  
**ALTERNATOR / ALTERNATOR:**  
**Denso:** TN421000-0770, P04801624AD, TN104210-1902, TN104210-1750, P56029582AB  
**GM:** 13592810  
**VOLTAGE REGULATOR:**  
 GA134 / GA154 / GA159

**DENSO**
**GA1150**


**FEATURES / CARACTERÍSTICAS:** 160A, 12x35A, B+: M8x20mm, Avalanche Diode, Diameter: 132mm

**REPLACES / REEMPLAZA:**

**Mobiletron:** RN-71

**APPLICATION / APLICACIÓN:**

**CHRYSLER:** 300 V6 3.6L 3604cc 220cid 2011>2016;

**DODGE:** Challenger V6 3.6L 3604cc 220cid 2015>2016, Charger V6 3.6L 3604cc 220cid 2011>2016, Durango V6 3.6L 3604cc 220cid 2011>2016;

**JEEP:** Grand Cherokee V6 3.6L 3604cc 220cid 2011>2015

**ALTERNATOR / ALTERNATOR:**

**Denso:** 4210007040; **Dodge:** P04801778AF

**VOLTAGE REGULATOR:**

GA134

**DENSO**
**GA1151**


**FEATURES / CARACTERÍSTICAS:** 150A, 12x35A Avalanche Diode, B+: M8x15mm

**REPLACES / REEMPLAZA:**

**Transpo:** INR437; **Regitar:** RN-39; **Mobiletron:** RN-39

**APPLICATION / APLICACIÓN:**

**FORD:** Focus C-MAX 1.8 2004>2007, Focus MK2 hatch 2.0/2.0 LPG/2.0 CNG 2004>2012, Focus MK2 Saloon 2.0 2005>2011, Focus MK2 Estate 2.0 2004>2012/2.0 LPG 2008>2011, Focus MK2 Convertible 2.0 2006>2011

**ALTERNATOR / ALTERNATOR:**

**DENSO:** 104210-5780

**FORD:** 3M5T-10300-XD

**VOLTAGE REGULATOR:**

GA159

**DENSO**
**GA1152**


**FEATURES / CARACTERÍSTICAS:** 130A, 12x50A, B+: M8x19.1mm, External diameter: 117mm

**REPLACES / REEMPLAZA:**

**Denso:** 021580-5891, 021580-5901; **Transpo:** INR421; **Cargo:** 235842; **Mobiletron:** RN29; **Regitar:** RN-29;

**AS-Poland:** ARC6021

**APPLICATION / APLICACIÓN:**

**HONDA:** Accord 3.0 2003>2007, Accord 3.5 2008>2012

**ALTERNATOR / ALTERNATOR:**

**ACURA:** 31100-RDJ-A01, CSC10; **CHEVROLET:** 22727494, 22731358, 88861823; **HONDA:** 31100-RCB-Y01, CSC50; **LAND**

**ROVER:** LR008862, YLE500240, YLE500410; **LEXUS:** 27060-50280, 27060-50280-84

**DENSO**
**GA1154**


**FEATURES / CARACTERÍSTICAS:** 140A, 12x35A Avalanche Diode

**REPLACES / REEMPLAZA:**

**Denso:** A6280552511P30775

**APPLICATION / APLICACIÓN:**

**FORD:** Fusion 2.5 2012>2018

**ALTERNATOR / ALTERNATOR:**

**FORD:** DG1T10300BF, DG1T10300GA, DG1Z10346E, FJ7T10300AA, FJ7Z10346A, G2GT1300BA, G2GZ10346J, G2GZ10346C;

**BOSCH:** 0 986 UR6 201

**VOLTAGE REGULATOR:**

GA195

**DENSO**
**GA1156**


**FEATURES / CARACTERÍSTICAS:** 150A, 12x50A Avalanche Diode, B+: M8 X 1.25 X 12.5 mm

**REPLACES / REEMPLAZA:**

**Transpo:** INR433; **AS-Poland:** ARC6046; **Mobiletron:** RN-47

**APPLICATION / APLICACIÓN:**

**LAND ROVER:** Truck LR3 V8 4.4L 4394cc 2005>2007, Range Rover V8 4.2L 4196cc 256cid 2006>2007, Range Rover Sport V8 4.2L 4196cc 256cid 2006>2007, Range Rover Sport V8 4.4L 4394cc 2006>2007, Discovery III 4400, V8, AJ 4.4 2004>2009, Range Rover III 4200, V8, AJ V8 2005>2009, Range Rover III 4400, V8, AJ 4.4 2005>2007, Range Rover Sport 4200, V8, AJ V8 2005>2009, Range Rover Sport 4400, V8, AJ 4.4 2005>2009

**ALTERNATOR / ALTERNATOR:**

**DENSO:** 104210-1060, 104210-1240, 104210-2910, 104210-2950, 104210-3690, 104210-3710, 104210-3711, 104210-3770, 104210-4000, 104210-4001, 104210-4290, 104210-4420, 104210-4480, 104210-4481, 104210-4690, 104210-5910, 104210-5920, 104210-5970, 9764219-124, TN104210-2950, TN104210-4690; **FORD:** 5178833, 9L3T-10300-CB, 9L3Z-10346-C, AL1Z-10346-A, BR3Z-10346-E, DS7Z-10346-D, 9L3T-CB, BR3T-10300-LA, DS7T-10300-DB

**VOLTAGE REGULATOR:**

GA136

**DENSO**

**GA1161**



**FEATURES / CARACTERÍSTICAS:** 70A, 8x35A Diode, B+: M6X20mm

**REPLACES / REEMPLAZA:**

**Denso:** 021580-3660, 021580-3830, 021580-4030, 021580-4080, 021580-4480;

**Honda:** 31127-PT2-003;

**Toyota:** 27357-42010, 27357-50040, 27357-62040, 27357-74050, 27357-74160

**APPLICATION / APLICACIÓN:**

**ACURA:** Vigor L5 2.5 1992>1994

**HONDA:** Civic 1.6 19191>95

**LEXUS:** ES250 V6 2.5 1990>1991, ES300 V6 3.0 1992

**TOYOTA:** Camry L4 2.2 1992>1993, Camry V6 2.5 1989>1991, Camry V6 3.0 1992, Echo L4 1.5 2004>2005, Yaris 1.3 16V 1999>2002, Yaris 1.5 16V 2001>2010, Yaris Verso 1.3 16V 2001>2010, Solara V6 3.0 2002>2003, Paseo L4 1.5 1992, Celica L4 1.6 1990>1993, Corolla L4 1.6 1991>1992, RAV4 L4 2.0/2.4 2001>2005, Tundra V6 3.4 2003>2004, Tundra V6 4.0 2005, Prado 4.0 2004>2007, Tundra V8 4.7 2003>2006, Previa L4 2.4 1991;

**SCION:** xA/xB L4 1.5 2004>2006;

**SUZUKI:** Aerio L4 2.0 2002>2003, Aerio L4 2.3 2004;

**YANMAR:** 6LP-DT/DTE/DTZE/DTZE1/DTZY/ST/STE/STZE Diesel 1997>2008

**ALTERNATOR / ALTERNATOR:**

**Denso:** 100211-7860, 100211-7861, 100211-8020, 100211-8030, 100211-8070, 100211-8300, 100211-8390, 100211-8391, 100211-8392, 100211-8550, 100211-8560, 100211-8570, 100211-8600, 100211-8601, 100211-8610, 100211-8611, 100211-8640, 100211-8660, 100211-8920, 101211-2690, 101211-5700, 101211-5840, 101211-5870, 101211-9130, 101211-9130, 101211-9940, 102211-1750, 102211-1950, 102211-1951, 102211-2120, 102211-2250, 102211-2340, 102211-2690, 102211-9070, 102211-9100, 102211-9470, 104210-8000, 104210-8010, 104210-8040, 9662219-195, 9664219-800, 9760211-855, DAN1080, DAN942, DAN951, DAN959;

**Acura:** 31100-PV1-A01, 31100-PV1-A01RM, 31100-PV1-A02, CJP56;

**Bosch:** 0 986 045 831;

**Honda:** 31100-P14-A01, 31100-P14-A02, 31100-P14-A02RM, 31100-P30-023, 31100-P30-0230W, 31100-P30-G02, 31100-P30-G03, 31100-P30-G04, CJN40, CJP62, CJP93, CJS85, CJS88, CJU11, CJU13; **Lexus:** 27060-62040, 27060-62070;

**Prestolite:** 20130227;

**Scion:** 27060-21030, 27060-21030-84, 27060-21031, 27060-21031-84, 27060-21140, 27060-21140-84;

**Suzuki:** 31400-77E30;

**Toyota:** 27060-03010, 27060-0A090, 27060-11220, 27060-15060, 27060-16230, 27060-16230-84, 27060-16240, 27060-21030, 27060-21030-84, 27060-21031, 27060-21031-84, 27060-21140, 27060-22180, 27060-28110, 27060-2811084, 27060-31010, 27060-50300, 27060-5030084, 27060-62040, 27060-62070, 27060-62240, 27060-62240-84, 27060-72180, 27060-76010, 27060-76030;

**Yanmar:** 119773-77200

**VOLTAGE REGULATOR:**

GA166

**DENSO**

**GA1162**



**FEATURES / CARACTERÍSTICAS:**

**REPLACES / REEMPLAZA:**

**Denso:** 021580-4110, 021580-4610, 021580-5040, 021580-5410, 021580-6700; **Toyota:** 27357-50080, 27357-74170; **Regitar:** RN-11;

**Mobiletron:** RN-11; **Cargo:** 137874; **WAI/Transpo:** INR733P; **AS Poland:** ARC6062

**APPLICATION / APLICACIÓN:**

**John Deere:** 7200/7400 Diesel, 7210/7410/7510 6.78 96>01, 6081AFM01 8.1/12.5, 6125AFM01 8.1, 6125AFM01 12.5, 6081AFM75 8.1/6125AFM75 12.5/6125SFM75 12.5 04>07; **Mazda:** Millenia V6 2.5 97>02, Xedos 9 2.5 V6 94>98

**ALTERNATOR / ALTERNATOR:**

**Denso:** 100211-6110, 100211-6350, 100211-6370, 100211-6390, 100211-6410, 100211-6440, 101211-7000, 101211-7070, 101211-7071, 101211-7130, 101211-7170, 101211-7180, 101211-7240, 101211-7300, 101211-7301, 101211-7570, 101211-7760, 101211-7761, 102211-0400, 102211-0830, 121000-4360, 121000-4481, 121000-4540, 9761211-718; **Acura:** 31100-PR7-J01, 31100-PR7-J010M, 31100-PR7-J01RM, CLG18; **Chrysler:** 04848662AB, 4642031, 4848662AB, 5104772AA, 5170746AA, 56027221AD, 56027221AD1, 56041693AC;

**John Deere:** RE34890, RE60745, RE65414, SE501842; **Komatsu:** 600-861-1951; **Lexus:** 27060-50011, 27060-50040, 27060-50070, 27060-50080, 270 60-50140, 27060-50140-84, 27060-50210, 27060-50230; **Lucas:** LRA03134; **Mazda:** KL47-18-300, KLK1-18-300;

**Toyota:** 27060-0A010, 27060-66040, 27060-74180

**DENSO**

**GA1174**



**FEATURES / CARACTERÍSTICAS:** 135A, Type Diode Avalanche, B+: M8x1,25x12mm

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**HONDA:** Accord 1.5 2018, Civic 1.5 2018, CR-V 1.5 2017>2018

**ALTERNATOR / ALTERNATOR:**

**DENSO:** 104211-4340;

**HONDA:** 31100-5PA-A01, 31100-5PA-A01-RM, CSP71

**DENSO**
**GA1183**


**FEATURES / CARACTERÍSTICAS:** 170A, 12x50A, Type Diode Avalanche, B +: M8x1.25x13mm  
**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**BMW:** 335i Sedan(F30) 2012>2015, 335i GT xDrive F34 2014>2016, 335i xDrive Sedan(F30) 2013>2015, 435i Convertible(F33), Coupe(F32) 2014>2016, 435i Gran Coupe F36 2015>2016, 435i xDrive Convertible(F33), Coupe(F32) 2014>2016, 435i xDrive Gran Coupe F36 2015>2016, M235i Convertible(F23), Coupe(F22) 2014>2016, M235i xDrive Convertible(F23), Coupe(F22) 2015>2016

**ALTERNATOR / ALTERNATOR:**

...

**DENSO**
**GA1256**


**FEATURES / CARACTERÍSTICAS:** 130A, 8x35A Avalanche Diode, B+: M8X36mm  
**REPLACES / REEMPLAZA:**

**Denso:** 021580-4250, 021580-4590, 021580-5570; **TRANSPO:** INR736; **REGITAR:** RN-10; **CARGO:** 233246; **MOBILETRON:** RN-10

**APPLICATION / APLICACIÓN:**

**Hyundai:** Azera 3.3/3.8 V6 2007>2011, Sonata 3.3 2006>2009, Santa Fé 3.3 V6 2007>2009, Veracruz 3.8 V6 2007>2012;

**Kia:** Borrego 3.8 V6 2010>2011, Sorento 3.3 V6 2007>2009

**ALTERNATOR / ALTERNATOR:**

**DENSO:** 02131-9153;

**HYUNDAI:** 37300-3C120

**VOLTAGE REGULATOR:**

GA766

**DENSO**
**GA1257**


**FEATURES / CARACTERÍSTICAS:** 70A, 8x50A, B+: M6x23.2mm, External diameter: 103mm  
**REPLACES / REEMPLAZA:**

**Cargo:** 231236, 230671; **AS-Poland:** ARC6028; **Transpo:** INR5028; **Mobiletron:** RN-38; **Regitar:** RN-38

**APPLICATION / APLICACIÓN:**

**ISUZU:** 4BG1 1990>2007, 4BG1T 1990>2007, 4BG1TC 1990>2007, 6BG1 1988>2007, 6BG1T 1988>2007, 6BG1TC 1988>2007

**JOHN DEERE:** 5410 4 1998>2000, 5420 4 2001>2004, 5510 4 1998>2000, 5520 4 2001>2004, 5615F&V 0000

**SUZUKI:** Esteem L4 1.8 1999>2002, Sidekick L4 1.8 1997>1998

**TOYOTA:** Tercel L4 1.5 1998>1999


**ALTERNATOR / ALTERNATOR:**

**ISUZU:** 8-97168-246-1, 8971671570, 8971671571, 8971682460, 8971873040

**JOHN DEERE:** RE71763, RE72918, RE729181

**SUZUKI:** 31400-60G13, 31400-77E22, 31400-77E22, 31400-77E23, 31400-77E23-REM, 31400-77E24, 31400M79G00

**TOYOTA:** 27060-11170, 27060-78154, 27060-78154-71

**DENSO**
**GA1259**


**FEATURES / CARACTERÍSTICAS:** 120A, 8x50A, B+: M6x20.5mm, External Diameter: 114mm  
**REPLACES / REEMPLAZA:**

**Elccor:** ARC-ND053; **Cargo:** 137671; **As-Poland:** ARC6016; **Transpo:** INR735; **Mobiletron:** RN-08; **Regitar:** RN-08

**APPLICATION / APLICACIÓN:**

**LAND ROVER:** Freelander V6 2.5 2002>2005, Freelander 2500 V6 2000>2007

**LEXUS:** RX300 V6 3.0 1999, LX470 V8 4.7 1998>2002


**TOYOTA:** Avalon V6 3.0 1998>1999, Land Cruiser V8 4.7 1999>2002, Camry V6 3.0 2002>2003

**ALTERNATOR / ALTERNATOR:**

**LAND ROVER:** YLE102480

**LEXUS:** 2706020110, 270602011084, 2706020140, 270602014084, 2706050260, 270605026084

**TOYOTA:** 27060-0A030, 27060-0A040, 27060-0A040-84, 27060-0A050, 27060-0A05084, 27060-0A070, 27060-0A070-84, 27060-17230, 27060-20090, 27060-20090-84, 27060-28100, 27060-28100-84, 27060-50260, 27060-50260-84

**DENSO**
**GA1261**


**FEATURES / CARACTERÍSTICAS:** 60A, 8x35A, B+: M6x22.5mm, External diameter: 114mm  
**REPLACES / REEMPLAZA:**

**Cargo:** 132657; **AS-Poland:** ARC6041; **Mobiletron:** RN-41; **Regitar:** RN-41

**APPLICATION / APLICACIÓN:**

**DAIHATSU:** Fourtrak 2800 1992>2001, Rocky hard top 2.8 1987>1998, Rocky soft top 2.8 1987>1996

**ALTERNATOR / ALTERNATOR:**

**DAIHATSU:** 27030-87605, 27030-87605-000

**TOYOTA:** 27020-54012, 27020-54020, 27020-54021, 27020-54060, 27020-54061, 27020-54351, 27020-54354, 27020-64060, 27030-54010, 27030-54011, 27030-54012, 27030-54013, 27030-54020, 27030-54021, 27030-54022, 27030-54061, 27030-54241, 27030-54242, 27030-54243, 27030-54244, 27030-54260, 27030-54261, 27030-64030, 27030-64050, 27040-64010, 27040-64011

**DENSO**

**GA1262**



**FEATURES / CARACTERÍSTICAS:** 45A, 8x50A, B+: M6x19mm, External Diameter: 83mm

**REPLACES / REEMPLAZA:**

**Cargo:** 134306; **As-Poland:** ARC6004; **Transpo:** INR723; **Mobiletron:** RN-40; **Regitar:** RN-40

**APPLICATION / APLICACIÓN:**

**BOBCAT:** 320C Kubota D722B 1996>2000, 322 Kubota D722EB 2000>2006, 325 Kubota D1703B 1997>2011, 328 Kubota D1703E2B 1998>2007, 453C Kubota D750B 1994>1998, 553C Kubota D950B 1994>1997

**CASE:** CX27B Yanmar 3TNV82 2005>2012

**NEW HOLLAND:** E27B Yanmar 3TNV82A 2008>2012

**JOHN DEERE:** 3320 3 Cyl. 1.64 2005>2009, 3520 3 Cyl. 1.5 2005, 4310 3 Cyl. 1.50 2002>2004

**DAIHATSU:** Cuore 850 1985>1990, CUORE Eng.ED 10 0.8 1986>1988, HIJET Box (S85) Eng.CB41 1993>1998, SIRION (M1) Eng. EJ-DE 1.0 1998>2000

**KOMATSU:** FD20-11 Komatsu Diesel 1988>2007, FD20WC-11 Komatsu Diesel 1988>2007, FD30V-11 4D95L Komatsu Diesel 1990>2007

**THERMO-KING:** UMD 1991

**TOYOTA:** 3FGC-30 4Y Toyota Gas 1981>1999, 5FD-10 V1502 Engine 1986>1989, FG-10 4P / 4Y Engines 1986>2002

**ALTERNATOR / ALTERNATOR:**

**BOBCAT:** 6669618; **CASE:** VV12942377200; **DAIHATSU:** 27060-87201, 27060-87201-000, 27060-87211, 27060-87212, 27060-87212-000, 27060-87501-000; **JOHN DEERE:** AM877740, AM879908, LVA12357, RE42778, RE72915, RE729151; **KOMATSU:** 600-821-2350, 600-861-1350; **NEW HOLLAND:** SBA18504-6220, VV12942377200

**THERMO-KING:** 41-0749, 5D36221G01; **TOYOTA:** 27060-78001, 27060-78001-71

**DENSO**

**GA1263**



**FEATURES / CARACTERÍSTICAS:** 110A, 8x50A, B+: M6x20.8mm, External Diameter: 103mm

**REPLACES / REEMPLAZA:**

**Cargo:** 133672; **As-Poland:** ARC6002; **Transpo:** INR402; **Mobiletron:** RN-03; **Regitar:** RN-03

**APPLICATION / APLICACIÓN:**

**HONDA:** Acura Car CL L4 2.3 1998>1999, Odyssey L4 2.2 1995>1997

**TOYOTA:** Cressida L6 3.0 1989>1992, Supra L6 3.0 Turbo 1989>1992, Corolla L4 1.6/1.8 1993>1996

**ISUZU:** Oasis L4 2.2 1996>1997

**CHEVROLET:** Prizm L4 1.8 1998>2002

**SUZUKI:** Grand Vítara V6 2.7 2001

**CATERPILLAR:** 302.5C Mini Excavator 2004>2012, 303CR Mini Excavator 2001>2012

**LEXUS:** ES300 V6 3.0 1996

**ALTERNATOR / ALTERNATOR:**

**CATERPILLAR:** 0R4328, 0R9274, 1052813, 1052814, 1449963; **CHEVROLET:** 94853222, 94854195, 94857218; **HONDA:** 06311P2T003, 06311P2T003RM, 06311P3FJ51RM, 06311P5M003RM, 06311PAA505RM, 06311PAA506RM; **ISUZU:** 2903725850, 5862025850, 5862052600, 5862061630, 8972103730; **LEXUS:** 2706020010, 270602001084, 2706020070, 2706020120, 270602012084, 2706050250; **SUZUKI:** 3140052D00, 3140077E11, 3140077E12, 3140085D00; **TOYOTA:** 2704054300, 2704054310, 2704054391, 2704054410, 2704054440, 2704054500

**DENSO**

**GA1264**



**FEATURES / CARACTERÍSTICAS:** 100A, 8x50A, B+: M8x29mm, External Diameter: 114mm

**REPLACES / REEMPLAZA:**

**Cargo:** 136741; **As-Poland:** ARC6018; **Transpo:** INR739; **Mobiletron:** RN-04; **Regitar:** RN-04

**APPLICATION / APLICACIÓN:**

**ACURA:** CL V6 3.2 2001>2002, TL V6 3.2 2000>2002

**HONDA:** Accord 3.0 Non-Turbo 2001

**HYUNDAI:** Azera V6 3.8 2006>2007

**JAGUAR:** X-Type V6 2.5 2002>2005, X-Type V6 3.0 2002>2008, X-Type 2000 V6 2001>2005, X-Type 2500 V6 2001>2006, X-Type 3000 V6 2001>2006

**TOYOTA:** MR2 L4 2.0/2.2 1992>1993

**VOLVO:** 740 L4 2.3 1989>1990, 940 L4 2.3 1991

**ALTERNATOR / ALTERNATOR:**

**ACURA:** 06311-P8E-A21RM, 06311-PGE-506RM, 31100-P8E-A21, 31100-P8E-A21RM, 31100-P8E-A22, 31100-P8E-A22RM; **HONDA:** 06311-P8E-A21RM, 06311-PGE-506RM, 31100-P8E-A21, 31100-P8E-A21RM, 31100-P8E-A22, 31100-P8E-A22RM; **HYUNDAI:** 37300-3C150; **JAGUAR:** C2S-3710; **TOYOTA:** 27060-74330, 27060-74440, 27060-74500

**VOLVO:** 3544118, 3544118-7, 3544119, 3544119-0, 5003807-4, 5003808, 5003808-2

**DENSO**
**GA1267**

**FEATURES / CARACTERÍSTICAS:** 60A, 8x50A, B+: M6 x 1.0 x 26.3mm

**REPLACES / REEMPLAZA:**
**Denso:** 021580-4820, 021580-5260; **Transpo:** INR734

**APPLICATION / APLICACIÓN:**
**CHRYSLER:** Daytona L4 2.2L 135cid 1989, Daytona L4 2.5L 2507cc 153cid 1989, Dynasty L4 2.5L 2507cc 153cid 1989, LeBaron L4 2.2L 135cid 1988-1989, LeBaron L4 2.5L 2507cc 153cid 1988-1989, Town & Country L4 2.2L 135cid 1988, Town & Country L4 2.5L 2507cc 153cid 1988;

**DODGE:** Aries L4 2.2L 135cid 1989, Aries L4 2.5L 2507cc 153cid 1988-1989, Daytona L4 2.2L 135cid 1989, Daytona L4 2.5L 2507cc 153cid 1989, Dynasty L4 2.5L 2507cc 153cid 1989, Lancer L4 2.2L 135cid 1989, Lancer L4 2.5L 2507cc 153cid 1989, Omni L4 2.2L 135cid 1988-1989, Shadow L4 2.2L 135cid 1988-1989, Shadow L4 2.5L 2507cc 153cid 1989, Spirit L4 2.5L 2507cc 153cid 1989, Caravan L4 2.5L 2507cc 153cid 1989, Grand Caravan V6 3.0L 2972cc 181cid VIN 3 1989;

**PLYMOUTH:** Acclaim L4 2.5L 2507cc 153cid 1989, Expo L4 2.2L 135cid 1988-1989, Horizon L4 2.2L 135cid 1989, Reliant L4 2.2L 135cid 1989, Reliant L4 2.5L 2507cc 153cid 1988-1989, Sundance L4 2.2L 135cid 1988-1989, Sundance L4 2.5L 2507cc 153cid 1989, Grand Voyager V6 3.0L 2972cc 181cid VIN 3 1989, Voyager L4 2.5L 2507cc 153cid 1989

**ALTERNATOR / ALTERNATOR:**
**CHRYSLER:** 04609230AA, 04727325AA, 04727329AA1, 05104763AA, 4609230, 4609230AA, 4671320, 4686099, 4727221, 4727329, 4727329A, 4727329AA, 5104763AA, 5104775AA, 5233599, 5233608, 5233660, 5234033, 5234199, 5234206, 5234208, 5234260, 5234374, 5234651, 53008651, 56005686, 56005686AB, 56027221, 56027221AB, 56027913, 56027913AB, 56027913AC, 56028920AA, 56028920AA1, 56041394AA, R5234208, RL104762AA, RL104763AA;

**DENSO:** 101211-4050, 101211-7960, 102211-3290, 102211-4050, 121000-4000, 121000-4010, 121000-4030, 121000-4040, 121000-4041, 121000-4050, 121000-4060, 121000-4070, 121000-4080, 121000-4090, 121000-4100, 121000-4122, 121000-4130, 121000-4150, 121000-4151, 121000-4160, 121000-4161, 121000-4170, 121000-4171, 121000-4210, 121000-4211, 121000-4260, 121000-4261, 121000-4270, 121000-4280, 121000-4290, 121000-4291, 121000-4300, 121000-4330, 121000-4331, 121000-4332, 121000-4333, 121000-4350, 121000-4351

**DENSO**
**GA1268**

**FEATURES / CARACTERÍSTICAS:** 70A, 6x50A, B+: M6 x 1.0 x 26.0mm

**REPLACES / REEMPLAZA:**
**Denso:** 021580-4990; **Transpo:** INR502

**APPLICATION / APLICACIÓN:**
**TOYOTA:** Camry 2.2 1996>2001, Camry 3.0 1996>2006, Corolla 1.6 1992>2008, Corolla 1.8 1997>2008, Hilux 2.8 1995>1998, Hilux 2.7 1998>2005, Hilux 2.4 1997>2001, Hilux 3.0 1997>2005, SW4 3.4 1995>2002, SW4 3.0 2002>2005, Bandeirante 3.7 1994>2001, Land Cruiser Prado 3.0 2002>2009, Previa 2.4 1990>1999, RAV4 2.0 1995>2005, 4Runner 2.7 1997>1999, T100 2.7 1997>1998, Tacoma 2.4 1997>1999, Tacoma 2.7 1997>1999; **ACCURA:** Several models; **ISUZU:** Several models

**ALTERNATOR / ALTERNATOR:**
**DENSO:** 101211-0520, 101211-0521, 101211-0522, 101211-0840, 101211-4220, 102211-5020, 102211-5040, 102211-5041, 102211-5042, 102211-5050, 102211-5051, 102211-5052, 102211-5130, 102211-5131, 102211-5190, 102211-5240, 102211-5380, 102211-5650, 9761219-422; **MAGNETI MARELLI:** 063377442010; **MITSUBISHI:** A005TA6191ZC, A005TA6191ZE, A005TA6891, A005TA6891A

**DENSO**
**GA1309**

**FEATURES / CARACTERÍSTICAS:** 90A, 6x35A Avalanche Diode

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**
**TOYOTA:** Corolla 1.8 VVTi 2008>2011

**ALTERNATOR / ALTERNATOR:**
**Denso:** 27060-0D190/ 0D140, 27060-22230

**VOLTAGE REGULATOR:**

GA131

**DENSO**
**GA1316**

**FEATURES / CARACTERÍSTICAS:** 28V

**REPLACES / REEMPLAZA:**
**Denso:** 021580-6150, 021580-5350

**Transpo:** INR9535

**APPLICATION / APLICACIÓN:**
**CATERPILLAR:** Medium and heavy trucks

**ALTERNATOR / ALTERNATOR:**
**DELCO:** 8600127;

**DENSO:** 101211-8040, 101211-8050, 101211-8060, 101211-8070, 101211-8080, 101211-8090, 101211-8100, 101211-8110, 101211-8120, 101211-8130, 101211-8140, 101211-8260, 101211-8360, 101211-8380, 101211-8390, 101211-8431, 23577132, 23577133, 2887993, 1572492, 1978820, 9W3043

**VOLTAGE REGULATOR:**

GA448

**DENSO**
**GA1317**

**FEATURES / CARACTERÍSTICAS:** 6x50A Bosch press-fit diode

**REPLACES / REEMPLAZA:**
**Denso:** 0215806610; **Toyota:** 2735730070

**APPLICATION / APLICACIÓN:**
**TOYOTA:** Corolla 2008>, Camry 2008>, RAV4 2005>

**ALTERNATOR / ALTERNATOR:**
**Denso:** 1042010-5481, 104210-2802;

**Toyota:** 27060-37081

**DENSO**

**GA1322**



**FEATURES / CARACTERÍSTICAS:** 110A, 6x50A Avalanche Diode, B+: M8X34mm, Bolt B-: M5x15mm  
**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**FIAT:** Mobi 1.0 2014> All with A/C, Strada Work 1.4, Strada Working plus 1.4, Strada hard working 1.4, Strada work 1.4 CE/CD flex todas 2014>

**ALTERNATOR / ALTERNATOR:**

**Denso:** 101210-1601

**Fiat:** 51846954

**VOLTAGE REGULATOR:**  
GA171

**DENSO**

**GA1484**



**FEATURES / CARACTERÍSTICAS:** 110A, 6x50A Avalanche Diode, B+: M8X34mm, Bolt B-: M5x15mm  
**REPLACES / REEMPLAZA:**

**Denso:** 021580-5920; **Transpo:** INR425; **AS Poland:** ARC6034; **Mobiletron:** RN-44

**APPLICATION / APLICACIÓN:**

**FORD:** Thunderbird V8 3.9L 2003>2005;

**LINCOLN:** LS V8 3.9L 2003>2006;

**CADILLAC:** DeVille V8 4.6 2001>2005, Seville V8 4.6 2001>2004;

**PONTIAC:** Bonneville V8 4.6 2004>2005

**ALTERNATOR / ALTERNATOR:**

**DENSO:** 104210-3060, 104210-3070, 104210-3191, 104210-3201, 104210-3202, 104210-3260, 104210-3261, 104210-3280, 104210-3310, 104210-3320, 104210-4150, 104210-4360, 104210-4430, 104210-4540, 104210-4910, 104210-4990;

**FORD:** 3W4T-10300-AF, 3W4T-10300-AG, 3W4T-10300-AH, 3W4Z-10346-AA, 3W4Z-10346-AARM, 4W4T-10300-AA, 4W4Z-10346-AA, 6W4T-10300-AA, 6W4Z-10346-AA, 3W4T-AG, 3W4T-AH, 4W4T-AA, 6W4T-AA

**DENSO**

**GA1486**



**FEATURES / CARACTERÍSTICAS:** 136A, 12x35A Avalanche Diode, B+: M8x1.25x21.6mm

**REPLACES / REEMPLAZA:**

**Denso:** 0215805911, 0215805931; **Mobiletron:** RN-30; **Transpo:** INR420; **AS Poland:** ARC6045; **Cargo:** 333440

**APPLICATION / APLICACIÓN:**

**CHRYSLER:** 300M V6 3.5L 3497cc 215cid 2002>2004, Concorde V6 3.5L 3497cc 215cid 2002>2004, Intrepid V6 3.5L 3497cc 215cid 2002>2004;

**DODGE:** Intrepid V6 3.5L 3497cc 215cid 2002>2004

**ALTERNATOR / ALTERNATOR:**

**CHRYSLER:** 04606622AA, 04608826AA, 04727324AB, 04801866AB, 05037198AA, 4606622AA, 4608826AA, 4727324AB, 4801866AB, 4801866AC, 5037198AA, 56029701AA, 56029915AA, RL606622AA;

**DENSO:** 421000-0030, 421000-0051, 421000-0111, 421000-0113, 421000-0120, 421000-0121, 421000-0122, 421000-0180, 421000-0190, 421000-0191, 421000-0800, TN421000-0800

**FORD**

**GA1201**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, B+ Post: M6x22A, M6x22A, Ø:133 mm, with capacitor

**REPLACES / REEMPLAZA:**

**Ford:** F5AZ-10346-BA, F1TZ-10346-B, F5AZ-10304-BA; **Regitar:** RF-043; **Cargo:** 136209; **WAI/Transpo:** FR2013

**APPLICATION / APLICACIÓN:**

**FORD:** Passenger cars, Light Trucks, Aerostar 3.0L (95-97), 4.0L (92-97), Bronco 5.0L, 5.8L (93-96), E Series Van 4.2L (97-03), 5.0L, 5.8L (93-96), Escort 2.0L (98-02), Explorer 4.0L (91-00), F Series Pickup 4.2L (97-01), 5.0L, 5.8L (93-97), Ranger (92-05), 2.5L (98-02);

**MAZDA:** Pickup 2.3L (92-97), 2.5L (98-02), 3.0L (96-05), 4.0L w/ MT (92-01), Navajo 4.0L;

**MERCURY:** Tracer 2.0L (98-99)

**ALTERNATOR / ALTERNATOR:**


**FORD:** F0CZ-10346-A, F0CZ-10346-C, F0DZ-10346-A, 1160931FD, E9DF-10300-CA, F07F-10300-A, F07F-10300-AA, F07U-10300-AA, F0CF-10300-AA, F0CU-10300-AA, F0CZ-10346-A, F0CZ-10346-C, F0DZ-10346-A, F0DZ-10346-D, F0FV-10300-AA, F0VY-10346-A, F0VY-10346-B, F13U-10300-AC, F13Z-10346-A

**VOLTAGE REGULATOR:**

GA810 / GA890

**FORD**

**GA1202**



**FEATURES / CARACTERÍSTICAS:** 130A, Diodes 8x50A, B+ Post: M6x22, Ø:147 mm, with capacitor

**REPLACES / REEMPLAZA:**

**Ford:** F5AZ-10304-AA, F0DU-10A366-DAIP; **Regitar:** RF-053; **Cargo:** 136210; **WAI/Transpo:** FR2023

**APPLICATION / APLICACIÓN:**

**FORD:** Passenger cars, Light Trucks

**ALTERNATOR / ALTERNATOR:**

**FORD:** 94BB10300AE, F3AU10300BA, F5AU10300AA, 96BB10300AB, F3AU10300CA, F5PU10346CA, 97BB10300AC, F3DU10300BB, F5PU10346PA, F0DF10300BA, F4DU10300AA, F5PZ10346PA, F0DU10300BC, F4DU10300BA, F5PZ10346PARM, F0DZ10346B, F4DU10300CA, F5RU10300BA, F0DZ10346C, F4DU10300DA, F5UU10300AA, F0DZ10346E, F4PU10300AA, F5UU10300BA, F1DU10300AD, F4PU10346BA, F65U10300BB, F1DZ10346A, F4PU10346DA, F6AU10300AA

**VOLTAGE REGULATOR:**

GA812 / GA892

**FORD**
**GA1203**


**FEATURES / CARACTERÍSTICAS:** 130A, Diodes 8x50A, Ø: 133 mm, with capacitor

**REPLACES / REEMPLAZA:**

**Ford:** F6LU-10300CA, F5Z-10300FA, F6OU-10300AA, F6ZU-10300BB, F6DU-10300BB; **Regitar:** RF-063HV; **WAI/Transpo:** FR300-1

**APPLICATION / APLICACIÓN:**

**FORD:** Lincoln, Mercury

**ALTERNATOR / ALTERNATOR:**

**FORD:** A006T41491, F6LU10300CA, F77U10300AB, F50U10300FC, F6LU10300CB, F77U10300AC, F5DU10300DB, F6LU10300CC, F77Z10346AB, F5OU10300FA, F6LU10300CD, F77Z10346ABRM, F5OU10300GS, F6LU10346A, F78U10300AA, F6OU10300AA, F6LY10346A, F78Z10346AA, F6OU10300AB, F6OU10300AA, F78Z10346AARM, F60Y10346AA, F6ZU10300BB, F8OU10300CA, F68U10300AD, F6ZU10300BC, F8OU10300CB, F68U10300AF, F6ZU10300BE, F80Z10346CA, F68U10300AS

**VOLTAGE REGULATOR:**

GA813 / GA814

**FORD**
**GA1204**


**FEATURES / CARACTERÍSTICAS:** 105A, 8x50A Diodes 50A, Ø: 136 mm, with capacitor

**REPLACES / REEMPLAZA:**

**Ford:** F8WU10A366AAIP; **Cargo:** 230842; **Regitar:** RF-103; **WAI/Transpo:** FR600

**APPLICATION / APLICACIÓN:**

**FORD:** Windstar, Mustang

**ALTERNATOR / ALTERNATOR:**

**FORD:** 1S4110300BB, F81U10300DB, F81Z10346CA, 98AB10300FC, F81U10300DC, F81Z10346DA, 98AZ10346FA, F81U10300DD, F81U10300CC, F81Z10346EA, F81U10300BA, F81U10300EB, F81Z10346GA, F81U10300BC, F81U10300GA, XF2U10300AB, F81Z10346BA, XF2Z10346AARM, F81U10300CD, XR3Z10346AARM, XR3U10300AA, XR3Z10346AA, ZR3U10300AB, XR3U10300AB;

**LESTER:** 7788, 7796, 7797, 7798, 7799, 8252, 8261, 8262; **MOTORCRAFT:** GL409, GL410, GL411, GL412, GL422, GL424, GL425, GL455; **PIC:** 250283, 250401, 250402, 250403, 250404, 250405, 250416A, 250420

**FORD**
**GA1205**


**FEATURES / CARACTERÍSTICAS:** 105A, 8x50A Diodes 50A, Ø:136 mm, with Capacitor

**REPLACES / REEMPLAZA:**

**Ford:** F8RU10A366CAIP; **Cargo:** 233208; **Regitar:** RF-11; **WAI/Transpo:** FR601

**APPLICATION / APLICACIÓN:**

**FORD:** Contour, Mercury Cougar, Mystique

**ALTERNATOR / ALTERNATOR:**

**FORD:** 98AZ10346EA, F8AU10300AC, XS8Z10346BBRM, 98BB10300CC, F8RZ10346CC, XS9110300BB, A8ZU10300AC, XS8Z10346BB, XS9110300BC; **LESTER:** 8250; **MOTORCRAFT:** GL419, GL431; **PIC:** 250406

**VOLTAGE REGULATOR:**

GA846

**FORD**
**GA1206**


**FEATURES / CARACTERÍSTICAS:** 135A, 8x50A Diodes 50A, Ø:149 mm, with capacitor

**REPLACES / REEMPLAZA:**

**Ford:** F8AU10A366AAIP; **Cargo:** 230870; **Regitar:** RF-123; **WAI/Transpo:** FR6023

**APPLICATION / APLICACIÓN:**

**FORD:** Crown Victoria, Mercury, Lincoln Continental

**ALTERNATOR / ALTERNATOR:**

**FORD:** 3W1U10300BB, F8AZ10346AB, XF2U10300BD, 3W1Z10346BARM, F8AZ10346ABRM, XF2Z10346BA, F8AU10300AB, F8ZU10300AC, XF2Z10346BARM, XF2U10300BC; **LESTER:** 7795, 8253, 8315; **MOTORCRAFT:** GL407, GL426, GL534; **PIC:** 250293, 250400, 250408

**FORD**
**GA1207**


**FEATURES / CARACTERÍSTICAS:** 130A, 8x50A Avalanche Diode, B+: M6x25.9mm, External Diameter: 112mm

**REPLACES / REEMPLAZA:**

**Elccor:** ARC-FO138; **Cargo:** 236658; **AS-Poland:** ARC9028; **Transpo:** FR6103

**APPLICATION / APLICACIÓN:**

**FORD:** Tourneo Connect 1.8 2002>2013, Transit Connect 1.8 2002>2013

**ALTERNATOR / ALTERNATOR:**

**FORD:** 1229421, 1429688, 1429689, 1464784, 1464785, 1465173, 1477971, 1477972, 1478187, 2T1U10300AB, 2T1U10300AC, 2T1U10300AD, 2T1U10300AE, 2T1U10300AF, 2T1U10300AG, 2T1U10300AH, 2T1U10300AK, 2T1U10300AL, 2T1U10300BB, 2T1U10300BC, 2T1U10300BD, 2T1U10300CA, 2T1U10300CB, 2T1U10300CC, 2T1U10300CD, 2T1U10300CE, 2T1U10300CF, 4362258, 4371000, 4371001, 4374447, 4374448, 4394204, 4531025, 4531026, YC1U10300EA





**GA1210**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodos 6x35A  
**REPLACES / REEMPLAZA:**  
**Ford:** D6AZ10304A, GY1306A; **WAI/Transpo:** FR1040, FR1046, FR1070; **AS-Poland:** ARC9002  
**APPLICATION / APLICACIÓN:**  
**FORD:** Fairlane 5.0 1969, Falcon 5.0 1970>1982, Galaxie 5.0 1969>1983, Mustang 5.0 1969>1983;  
**MERCURY:** Cougar 5.0 1969>1988, Cyclone 5.0 1970>1985, Comet 5.0 1969  
**ALTERNATOR / ALTERNATOR:**  
**FORD:** C6AF10300G, D2OF10300DB



**GA1211**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x50A  
**REPLACES / REEMPLAZA:**  
**Ford:** D2OZ10304A, F0TZ-10304-A, GY-1026-A; **Regitar:** RF-09H; **WAI/Transpo:** FR1270  
**APPLICATION / APLICACIÓN:**  
**FORD:** Passenger cars, Light Trucks  
**ALTERNATOR / ALTERNATOR:**  
**FORD:** D9AF10300CA, E3TF10300AB, E4LF10300CA, E6DF10300CA, E9TF10300AA, F0TU10300AA; **LESTER:** 7072, 70729;  
**MOTORCRAFT:** GL215, 250118



**GA1212**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodos 6x35A  
**REPLACES / REEMPLAZA:**  
**Ford:** C5AZ10304A, D9VY-10304-A, GY1327, GY698; **Cargo:** 130517; **AS-Poland:** ARC9001; **Transpo:** FR1080, FR1083, FR1085  
**APPLICATION / APLICACIÓN:**  
**FORD:** F100 3.8 1982>1983, F150 4.9 1988>1989, F250 7.3 1988>1992, F350 7.3 1988>1992, Bronco 2.8 1984>1985, Mustang 3.8 1983>1986, LTD 3.8 1983>1986, Escort 1.6 1981>1985; **MERCURY:** Lynx 2.0 1984>1985, Cougar 3.8 1982>1986  
**ALTERNATOR / ALTERNATOR:**  
**FORD:** D2DF10300AC, D9AF10300BA, D9UF10300DA, E1EF10300FB, E1EF10300LA, E1ZF10300FA, E27F10300AA, E1EF10300GB



**GA1191**

**FEATURES / CARACTERÍSTICAS:** 12x50A Avalanche Diodes  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**FORD:** Ranger 3.2 2016>2017  
**ALTERNATOR / ALTERNATOR:**  
**FORD:** EB3T-10300-BA, EB3T-10300-BB; **MITSUBISHI:** A003TV0991ZT  
**VOLTAGE REGULATOR:**  
 GA191



**GA1213**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x50A  
**REPLACES / REEMPLAZA:**  
**Ford:** D4VY10304A, E2HZ10304B, F0HZ-10304-A, GY-1302-B, GY-1345-A; **Cargo:** 131430; **WAI/Transpo:** FR1280  
**APPLICATION / APLICACIÓN:**  
**FORD:** Passenger cars, Light Trucks  
**ALTERNATOR / ALTERNATOR:**  
**FORD:** D3VF-10300-AA, D3VF-10300-AB, D3VF10346-A, D3VF-10346-BA, D3VY-10346-A, D4TF-10300-DA, D4TZ-10346-A, D5OF-10300-BA, D5UF-10300-AA, D5ZF-10300-BA, D6UF-10300-AA, D7OF-10300-BA, D7UF-10300-BA, D7VF-10346-AA, D7VZ-10346-A, D7ZF-10300-BA, D7ZF-10300-CA, D8VF-10300-BA, D8VF-10346-BA, D9BF-10300-AA, D9VY-10346-D, E1BF-10300-CA, E1NF-10300-AA, E1VF-10300-AA, E1VF-10346-AA, E1VZ-10346-A, E7PF-10346-RA, E7PZ-10346-A, E7TF-10300-GA, E8DF-10300-CA, E8DZ-10300-B, E8PF-10346-BA, E8PZ-10346-B, E9DF-10300-EA, E9PF-10346-DA, E9PZ-10346-E, EZHT-10346-EB, F0DU-10300-DA, F0PU-10346-RA, F0PZ-10346-C, F0UU-10300-BA, GL-108, GL-108A, GL-203, GL-203A, GL-203B, GL-256, GL-256A, GL-286



**GA1888**

**FEATURES / CARACTERÍSTICAS:** 130A, 12X 35A Avalanche diodes  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**Chevrolet:** Cobalt L4 2008-2010, Malibu L4 Exc. Hybrid 2008, Malibu L4 2009-2010;  
**Pontiac:** G5 L4 2008-2010;  
**Saturn:** Aura L4 2008-2009, Sky L4 2008, Vue L4 2008-2010  
**ALTERNATOR / ALTERNATOR:**  
 2650532; **GM:** 15828450  
**VOLTAGE REGULATOR:**  
 GA994

**HITACHI**
**GA1748**


**FEATURES / CARACTERÍSTICAS:** 110A, 8x35A, B+: M8x1.25x42.0mm  
**REPLACES / REEMPLAZA:**  
**Transpo:** IHR768; **AS Poland:** ARC2057; **Mobiletron:** RH-104  
**APPLICATION / APLICACIÓN:**  
**ISUZU:** Medium/Heavy Truck NPR L4 4.8L 290cid 2003>2006  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** LR1110-501, LR1110-501B, LR1110-501BAM; **ISUZU:** 2902768400, 8972482970, 8972482971

**HITACHI**
**GA1750**


**FEATURES / CARACTERÍSTICAS:** 90A, 8x35A, B+: M6x8.5mm, External Diameter: 114mm  
**REPLACES / REEMPLAZA:**  
**Cargo:** 235226  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** Almera Tino 16V 2000>2010, Almera Tino 2.0 2000>2003, Primera 2.0 16V 1999>2001, Primera hatchback 2.0 16V 1999>2002, Primera Traveller 2.0 16V 1999>2001  
**ALTERNATOR / ALTERNATOR:**  
**NISSAN/ INFINITI:** 23100-AN000, 23100-BU500, 23100-VC100, 23100-VC101, 23100VC10C

**HITACHI**
**GA1751**


**FEATURES / CARACTERÍSTICAS:** 90A, 8x35A, B+: M6x8mm, External Diameter: 114mm  
**REPLACES / REEMPLAZA:**  
**Cargo:** 234315; As-Poland: ARC2042; **Transpo:** IHR737; **Mobiletron:** RH-76; **Regitar:** RH-76  
**APPLICATION / APLICACIÓN:**  
**NISSAN TRUCK:** Pathfinder V6 3.3 1997>2000  
**ALTERNATOR / ALTERNATOR:**  
**NISSAN:** 23100-0W001, 23100-0W001R, 23100-0W002, 23100-0W003

**HITACHI**
**GA1760**


**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A  
**REPLACES / REEMPLAZA:**  
**Hitachi:** L170G23203, L170G23202, L170G2320; **Regitar:** RH-25; **Cargo:** 135318; **WAI/Transpo:** IHR754  
**APPLICATION / APLICACIÓN:**  
**CHEVROLET:** Astra, Corsa, Vectra, Combo;  
**NISSAN:** 100NX 1.6; Primera 1.6 Stationcar, Sunny 1.4i, 1.6i Stationcar  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** LR170-738C

**HITACHI**
**GA1752**


**FEATURES / CARACTERÍSTICAS:** 60A, 8x35A, B+: M8x22mm, External diameter: 114mm  
**REPLACES / REEMPLAZA:**  
**Cargo:** 231442; **AS-Poland:** ARC2032; **Mobiletron:** RH-65; **Regitar:** RH-65  
**APPLICATION / APLICACIÓN:**  
**JOHN DEERE:** 244H Yanmar Diesel 0000, 80 0000  
**NISSAN:** Pickup III 2.5 1998>2002, D22 Pickup 2500 1996>2001  
**ALTERNATOR / ALTERNATOR:**  
**JOHN DEERE:** 244H Yanmar Diesel 0000, 80 0000  
**NISSAN:** Pickup III 2.5 1998>2002, D22 Pickup 2500 1996>2001

**HITACHI**
**GA1754**


**FEATURES / CARACTERÍSTICAS:** 70A, 6x35A Diode, B+: M8X45mm  
**REPLACES / REEMPLAZA:**  
**Isuzu:** 8-97122-644-0; **Transpo:** IHR749; **Regitar:** RH-48; **Cargo:** 230094; **Mobiletron:** RH-48  
**APPLICATION / APLICACIÓN:**  
**OPEL:** Astra Mk3 1.7 96>98, Corsa B 1.5/1.7 96>00, Corsa B Box 99>00, Vectra B 1.7 95>96, Astra Van 1.7 96>98, Corsa/Combo 1.7 96>01;  
**VAUXHALL:** Vectra B/Vectra B Hatchback 95>96  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** LR170-505, LR170-505B  
**VOLTAGE REGULATOR:**  
 GA251

**HITACHI**

**GA1761**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, with diode trio

**REPLACES / REEMPLAZA:**

**Hitachi:** L165G1320, L170G1320, L190G13201; **Regitar:** RH-26; **Cargo:** 136976; **WAI/Transpo:** IHR755

**APPLICATION / APLICACIÓN:**

**NISSAN:** 100NX 1.6, Primera 1.6 Stationcar, Sunny 1.4i, 1.6i Stationcar;

**MAZDA:** 121 1.1, 1.3i, 1.4i

**ALTERNATOR / ALTERNATOR:**

**HITACHI:** LR160725, LR160725B, LR160726, LR160738, LR170738B; **LESTER:** 13334, 13564, 13642, 14960; **NISSAN:** 2310050Y09;

**PIC:** 204341A, 204354A, 204365, 204367

**HITACHI**

**GA1762**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, with diode trio, Ø:103 mm

**REPLACES / REEMPLAZA:**

**Hitachi:** L170G1320; **Regitar:** RH-26; **Cargo:** 136976; **WAI/Transpo:** IHR755

**APPLICATION / APLICACIÓN:**

**NISSAN:** 100NX 1.6, Primera 1.6 Stationcar, Sunny 1.4i, 1.6i Stationcar;

**MAZDA:** 121 1.1, 1.3i, 1.4i;

**HONDA;**

**ISUZU**

**ALTERNATOR / ALTERNATOR:**

**HITACHI:** LR150-711

**HITACHI**

**GA1763**



**FEATURES / CARACTERÍSTICAS:** 90A, 6x35A, B+: M6x8mm, with Diode Trio

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**ASIA MOTORS:** Towner, Effa, Hafei, Chana

**ALTERNATOR / ALTERNATOR:**

**HITACHI:** 1105 02312 498

**HITACHI**

**GA1764**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, Ø 103mm

**REPLACES / REEMPLAZA:**

**Hitachi:** L170-33202; **Subaru:** 23830-AA-040; **Cargo:** 135038; **Regitar:** RH-21; **WAI/Transpo:** IHR750

**APPLICATION / APLICACIÓN:**

**Subaru:** Legacy 1.6, 1.8, 2.0, 16V, 2.2

**ALTERNATOR / ALTERNATOR:**

**HITACHI:** LR170732B, LR170732C; **LESTER:** 13275; **PIC:** 204347, 23700AA090

**HITACHI**

**GA1765**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 6x35A, Ø 103mm, with diode trio

**REPLACES / REEMPLAZA:**

**Hitachi:** L170-43202; **Subaru:** 23830-12G01; **Cargo:** 136650; **Regitar:** RH-22; **WAI/Transpo:** IHR751

**APPLICATION / APLICACIÓN:**

**NISSAN:** Pick-up, Pathfinder, Terrano 13.0 V6

**ALTERNATOR / ALTERNATOR:**

**HITACHI:** LR170734, LR170734B, LR170739, LR170739B, LR180729; **LESTER:** 13285, 13533; **NISSAN:** 2310012G02, 2310088G00;

**PIC:** 204344A, 204346, 204352, 204352A

**HITACHI**

**GA1766**



**FEATURES / CARACTERÍSTICAS:** 85A 6x35A press-fit diodes, M5x8mm Battery Post, Outside diameter: 103mm With Trio

**REPLACES / REEMPLAZA:**

**Hitachi:** L18013202; **NISSAN:** 2323064LJ00

**APPLICATION / APLICACIÓN:**

**NISSAN:** Pick up, Pathfinder;

**SUBARU:** Legacy

**ALTERNATOR / ALTERNATOR:**

**Hitachi:** LR160-723, LR160-723B, LR160724, LR180-725; **Nissan:** 23100-64J00, 23100-80G08, 23100-80G09; **AC Delco:** 334-1944

**HITACHI**
**GA1768**


**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, Ø 103mm  
**REPLACES / REEMPLAZA:**  
**Hitachi:** L180G-7320; **Regitar:** RH-29; **Cargo:** 135039; **WAI/Transpo:** IHR758  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** Altima, Axxess  
**ALTERNATOR / ALTERNATOR:**  
**NISSAN:** LR180725b, LR180725C, LR180736B

**HITACHI**
**GA1770**


**FEATURES / CARACTERÍSTICAS:** 95A, DIODES 8x35A, without diode trio, B+ POST M5x8mm, terminal W  
**REPLACES / REEMPLAZA:**  
**Hitachi:** L170-23203, L170G-23203; **Nissan:** 23230-50Y06;  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** 1991 Nissan  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** LR170-738B, LR170-738; **NISSAN:** 23100-50Y06, 23100-50Y09;

**HITACHI**
**GA1771**


**FEATURES / CARACTERÍSTICAS:** 85A, DIODES 6x35A, with diode trio, B+ POST M5x8mm, Terminal D+  
**REPLACES / REEMPLAZA:**  
**Hitachi:** L160-73203, L180-13202; **Nissan:** 23230-64J00, 23230-80G08;  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** INFINITI 90>93  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** 2310064J00

**HITACHI**
**GA1772**


**FEATURES / CARACTERÍSTICAS:** 95A, DIODES 8x35A, without diode trio, B+ POST M8x45mm, Terminal W  
**REPLACES / REEMPLAZA:**  
**Hitachi:** GD109578B, L170G-13201, L190G-43203; **Nissan:** 23230-0M000, 23230-0W000  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** 1997-95 Nissan  
**ALTERNATOR / ALTERNATOR:**  
**Hitachi:** GD109578B, L170G-13201, L190G-43203; **Nissan:** 23230-0M000, 23230-0W000; **Cargo:** 138732

**HITACHI**
**GA1773**


**FEATURES / CARACTERÍSTICAS:** 85A, DIODES 6x35A Avalanche, without diode trio, Terminal W  
**REPLACES / REEMPLAZA:**  
**Hitachi:** GD214675G; **Nissan:** 23100-1E800, 23230-0M800;  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** 1999 - 95, Nissan lift Truck  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** LR180-744, LR180-741H; **NISSAN:** 23100-1E800

**HITACHI**
**GA1774**


**FEATURES / CARACTERÍSTICAS:** 95A, DIODES 8x35A Avalanche, without diode trio, Terminal W  
**REPLACES / REEMPLAZA:**  
**WAI/Transpo:** 1HR739; **Regitar:** RH-69  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** 98>01  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** LR1100-722, LR170-709B; **NISSAN:** 23100-9E000, 23100-5M000;

**HITACHI**

**GA1775**



**FEATURES / CARACTERÍSTICAS:** 95A, DIODES 8x35A Avalanche, without diode trio, Terminal W  
**REPLACES / REEMPLAZA:**  
**Hitachi:** L185G-1320, L190G-33204; **Subaru:** 23830-AA080, 23830-AA100, 23830-AA140;  
**APPLICATION / APLICACIÓN:**  
**SUBARU:** 1995  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** LR185-702, LR185-701C, LR185-701;

**HITACHI**

**GA1776**



**FEATURES / CARACTERÍSTICAS:** 95A, DIODES 8x35A Avalanche, without diode trio, Terminal W  
**REPLACES / REEMPLAZA:**  
**Hitachi:** GD213418K, L1110G-4320, L1125G-2320, L1125G-7320; **Isuzu:** 84252700; **Nissan:** 23230-31U01, 23230-31U08, 23230-31U09, 23230-40U00;  
**APPLICATION / APLICACIÓN:**  
**NISSAN; INFINITI:** 99-95  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** LR1125-702B, LR1110-705; **NISSAN:** 23100-31U02, 23100-31U01;

**HITACHI**

**GA1777**



**FEATURES / CARACTERÍSTICAS:** 85A, DIODES 6x35A, without diode trio, B+ Post M8x45mm, Terminals W  
**REPLACES / REEMPLAZA:**  
**WAI/Transpo:** 1HR745; **Regitar:** RH-30; **Cargo:** 138732  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** 1999-97  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** LR170-745;

**HITACHI**

**GA1778**



**FEATURES / CARACTERÍSTICAS:** 70A, 6x35A, B+: M5x12.2mm, External diameter: 118mm  
**REPLACES / REEMPLAZA:**  
**Elccor:** ARC-HI056; **Cargo:** 131598; **AS-Poland:** ARC2001; **Transpo:** IHR603; **Mobiletron:** RH-01; **Regitar:** RH-01  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** 200SX 2.0 1984>1986, Stanza 2.0 1982>1983, Prairie  
**SUBARU:** GL H4 1.6L 1595 1986>1987, GL H4 1.8 1982>1984, Standard H4 1.6 1985>1987  
**ALTERNATOR / ALTERNATOR:**  
**ISUZU:** 8970959640  
**NISSAN:** 23100-01D00, 23100-01N13, 23100-04M10, 23100-06S10, 23100-17C00, 23100-17C00R  
**SUBARU:** 42990-7320, 42990-7330, 42990-7340, 42990-7400, 42990-7500, 42990-7700, 72990-7500

**HITACHI**

**GA1780**



**FEATURES / CARACTERÍSTICAS:** 120A, 6x50A Hitachi Press-fit diodes, 100mm OD, M6 x 1.0 x 44mm Batt. Term.  
**REPLACES / REEMPLAZA:**  
**Hitachi:** L170-9320; **Nissan:** 23230-51S00; **Regitar:** RH-39C; **Cargo:** 132098; **WAI/Transpo:** IHR719  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** 16V 86-88, Sentra, Sunny.  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** 70A IR/IF Alternators

**HITACHI**

**GA1781**




**FEATURES / CARACTERÍSTICAS:** 120A, 6x50A Hitachi Press-fit diodes, 118mm OD / with diode trio  
**REPLACES / REEMPLAZA:**  
**Hitachi:** L160-23202; **Regitar:** RH-15; **Cargo:** 135037; **WAI/Transpo:** IHR721  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** Diesel (1986 - 87);  
**ISUZU:** Truck, NPR, Hino  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** 60-70A IR/EF Alternators, LR170-404, LR170-406B, LR170-402, LR160-422B

**HITACHI**
**GA1782**


**FEATURES / CARACTERÍSTICAS:** 85A, 6x35A Hitachi Press-fit diodes, 100mm OD / with diode trio  
**REPLACES / REEMPLAZA:**  
**Hitachi:** L140-53201; **Isuzu:** 8942469571, 8942469570, 5812180330  
**APPLICATION / APLICACIÓN:**  
**ISUZU:** Pickup L4 2.2L Diesel 1981  
**CHEVROLET:** Luv L4 2.2L Diesel 1981>1982  
**ALTERNATOR / ALTERNATOR:**  
**Hitachi:** LR140-112, LR140-131, LR140-131B, LR140-138  
**Isuzu:** 8942214514, 8942469570, 8942469571  
**GM:** 94246957

**HITACHI**
**GA1783**


**FEATURES / CARACTERÍSTICAS:** 85A, 6x35A Hitachi Press-fit diodes, 100mm OD, M5x0.8x26.88mm Batt. Term. / with diode trio  
**REPLACES / REEMPLAZA:**  
**Hitachi:** L135-13208  
**APPLICATION / APLICACIÓN:**  
**NISSAN; DATSUN**  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** 20-35A IR/EF Alternators

**HITACHI**
**GA1784**


**FEATURES / CARACTERÍSTICAS:** 95A, 6x35A  
**REPLACES / REEMPLAZA:**  
**Nissan:** Infiniti 23230-3S501  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** D-21 2000  
**ALTERNATOR / ALTERNATOR:**  
**HITACHI:** 70A IR/IF Alternators

**HITACHI**
**GA1785**


**FEATURES / CARACTERÍSTICAS:** 55A, 6 X 35A Avalanche diodes  
**REPLACES / REEMPLAZA:**  
 IHR604; **Regitar:** RH-02, RH-02C; **Cargo:** 131599; **WAI/Transpo:** IHR604, IHR604HD  
**APPLICATION / APLICACIÓN:**  
**Chevrolet:** LUV, Caprice, Malibu  
**Isuzu:** Pickup  
**Nissan:** 720  
**ALTERNATOR / ALTERNATOR:**  
**Hitachi:** LR140-130B

**HITACHI**
**GA1786**


**FEATURES / CARACTERÍSTICAS:** 60A, 6 X 35A  
**REPLACES / REEMPLAZA:**  
**Hitachi:** L14013202, L14053202; **Regitar:** RH-04, RH-04C, RH-50; **Cargo:** 131603; **WAI/Transpo:** IHR723, IHR723HD, IHR1002  
**APPLICATION / APLICACIÓN:**  
**Nissan:** Diesel Europe  
**ALTERNATOR / ALTERNATOR:**  
**Hitachi:** LR140-130P, LR140402

**HITACHI**

**GA1787**



**FEATURES / CARACTERÍSTICAS:** 60A , 6x35A

**REPLACES / REEMPLAZA:**

**Hitachi:** L150-13206, L160-6320; **Regitar:** RH-03, RH-03C, RH-10C; **Cargo:** 131600; **WAI/Transpo:** IHR710, IHR710HD, IHR722

**APPLICATION / APLICACIÓN:**


**Nissan:** F10, Pathfinder; **Subaru:** DL, GL, RX.

**ALTERNATOR / ALTERNATOR:**

**Hitachi:** GD105700-D, GD207976-A, LR150-125, LR150-125B, LR150-163, LR150-165, LR150-177, LR150-94B, LR150-98, LR150-98B, LR150-99, LR150-99B, LR155-23, LR155-25, LR160-121, LR160-124, LR160-137, LR160-138, LR160-166, LR160-36, LR160-78, LR160-78B, LR160-78C, LR165-03, LR235-65P, LR235-65S, LR235-69; **Hyster:** 1360815, 3068340, 3122810; **Isuzu:** 5812003470; **Nissan:** 23100-04M00, 23100-10W00, 23100-10W01, 23100-10W10, 23100-95013, 23100-95013X, 23100-M5960, 23100-M5961, 23100-M6600, 23100-M6601, 23100-N8500, 23100-W5802, 23100-W5803, 23100-W5805, 23100-W5806, 23100-W5807, 23100-Z5560; **Subaru:** 23700-AA000, 23700-AA020, 23700-AA160, 42990-7600, 42990-7800; **Valeo:** 436505, 436506, 436518, 436551

**HITACHI**

**GA1788**



**FEATURES / CARACTERÍSTICAS:** 80A, 8x35A

**REPLACES / REEMPLAZA:**

**WAI/Transpo:** IHR783

**APPLICATION / APLICACIÓN:**

**Chevrolet:** W3500, W4500, W5500 (Tiltmaster); **GMC:** W3500, W4500, W5500 (Forward); **Isuzu:** NPR L4, NQR L4

**ALTERNATOR / ALTERNATOR:**

**GM:** 97116697, 97189650;

**Hitachi:** LR180-509, LR180-509C, LR180-509R;

**Isuzu:** 2-90276-810-0, 8971166973, 8971896500

**HITACHI**

**GA1789**



**FEATURES / CARACTERÍSTICAS:** 35A, 6x35A

**REPLACES / REEMPLAZA:**

**GM:** 94021546, 94024356; **Hitachi:** L125-6320, L125-8320, L140-24356, L140-6320, L140-7320, L140-9320, L160-13201; **Iseki:** 658-1218-021-0; **Isuzu:** 5-81218-0010, 5-81218-0210, 5-81218-0220, 9-82231-6190; **Lucas Industries:** 36511042, 36511050, UBJ102X, UBJ107X; **Nissan Infiniti:** 23230-H0300, 23230-U0100, 23232-B8000, 23232-E6200, 23232-E6601, 23232-H6200, 23232-N3300, 23232-U0102; **Subaru:** 3144100808, 395342501, 89534-6111, 895346101; **Yanmar:** X-L1258320, X-L125832000; **Regitar:** RH-49;

**Cargo:** 130618; **WAI/Transpo:** IHR1000, IHR1000HD

**APPLICATION / APLICACIÓN:**

**Chevrolet:** 1972>1980; **Ford:** 1973>1983; **New Holland:** 1973>1983; **Nissan:** 1969>2005; **Nissan - Europe:** 1977>1982;

**Subaru:** 1972-1974; **Yanmar:** 1975>1990.

**ALTERNATOR / ALTERNATOR:**

**DELCO:** 94207358; **FORD:** SBA18504-6071; **GM:** 94021045, 94023539, 94024347, 94024348, 94206081; **HITACHI:** GB108614-A, GD102423-A, LT110-04, LT115-52, LT120-05, LT120-07, LT123-16, LT125-06, LT125-06B, LT130-37K, LT130-72, LT130-72B, LT130-75, LT130-81, LT130-83, LT130-89, LT133-04, LT133-05, LT135-13, LT135-13B, LT135-13C, LT135-14, LT135-16, LT135-17, LT135-19, LT135-19B, LT135-19C, LT135-19E, LT135-20, LT135-22, LT135-24, LT135-24B, LT135-26, LT135-27, LT135-30, LT135-35, LT135-35B, LT135-35C, LT135-36, LT135-36B, LT135-36C, LT135-68, LT135-69, LT135-69B, LT135-69BR, LT135-73, LT135-73B, LT135-73BR, LT138-02, LT140-135, LT140-80, LT140-87B, LT140-90, LT140-95, LT150-03, LT150-05, LT150-05B, LT150-10, LT150-10B, LT150-12, LT150-13B, LT150-16, LT150-17, LT150-21, LT150-22, LT150-22B, LT150-23, LT150-23B, LT150-24, LT150-24B, LT150-25B, LT150-26B, LT150-46, LT150-47, LT150-47B, LT150-57E, LT160-10, LT160-13, LT160-16, LT160-17, LT160-19, LT160-19B, LT160-20, LT160-20B, LT160-23, LT160-23B, LT160-23C, LT160-23E, LT160-24, LT160-24B, LT160-24C, LT160-24E, LT160-28, LT160-28B, LT160-28E, LT160-34, LT160-34B, LT160-35, LT160-45; **HYSTER:** 3004578; **ISHIKAWAJIMA:** 18504-6070, 18504-6071; **ISUZU:** 5812000530, 5812000840, 5812000860, 5812001140, 8941271840, 8942060810, 8942073580, 9-82200-763-0, 9822007640; **mitsubishi:** AG2050N1, AG2050N11, AG2050N16, AG2050N24, AG2050N4, AG2050N6; **NEW HOLLAND:** SBA18504-6071; **NISSAN/INFINITI:** 23099-V0604, 23100-61700, 23100-80210, 23100-80215, 23100-90060, 23100-A4601, 23100-A4602, 23100-A5500, 23100-A5501, 23100-B8001, 23100-B8002, 23100-C6000, 23100-H0300, 23100-H6200, 23100-H6201, 23100-H6202, 23100-H6203, 23100-H7200, 23100-L1802, 23100-M0400, 23100-M0401, 23100-M0402, 23100-M0403, 23100-M6900, 23100-N3300, 23100-N3301, 23100-N3302, 23100-N3303, 23100-P0100, 23100-P0101, 23100-P0102, 23100-P0103, 23100-P0110, 23100-P0111, 23100-P0112, 23100-P0113, 23100-P4500, 23100-P4501, 23100-P4502, 23100-U0100, 23100-U0101, 23100-U0102, 23100-U0103, 23100-U0104, 23100-U0105, 23100-U0110, 23100-U0500, 23100-U0501, 23100-U0502, 23100-U0503, 23100-U0504, 23100-U0505, 23100-U0701, 23100-U0702, 23100-U0703, 23100-U0704, 23100-U5800, 23100-U5801, 23100-U5802, 23100-U5803, 23100-U6000, 23100-U6001, 23100-U6002, 23100-U6003, 23100-U6100, 23100-U6101, 23100-U6103, 23100-U6500, 23100-U6501, 23100-U6502, 23100-U6503, 23100-U6504, 23100-U6505, 23100-U6506, 23100-U6507; **SUBARU:** 23990-0100, 32990-0100, 32990-5300, 82990-6100, 82990-6110, 82990-7600; **VALEO:** 436502, 437149; **YALE:** 2200073-94; **YANMAR:** 124560-77200, 124756-77210

**HITACHI**

**GA1790**



**FEATURES / CARACTERÍSTICAS:** 110A, 8x35A Avalanche Diodes

**REPLACES / REEMPLAZA:**

**WAI/Transpo:** IHR769; **Regitar:** RH-68; **Cargo:** 235729; **Mobiletron:** RH-73

**APPLICATION / APLICACIÓN:**

**Honda:** Civic 1700, MKVII;

**Opel:** Vectra, Astra G, Combo C, Corsa C, D, Meriva A, Astra Van G, Corsa/Combo I; **Vauxhall:** Astra G, Corsa C, Astravan G

**ALTERNATOR / ALTERNATOR:**

**GM:** 93175799, 97189113;

**Hitachi:** LR1100-502, LR1100-502E, LR1100-502F, LR1100-502G, LR1100-502H, LR1100-502J, LR1100-502K, LR1100-502MD, LR1100-504B, LR1100-504E;

**Isuzu:** 8-97189-113-0, 8-97189-113-3, 8-97189-113-4, 8-97189-113-5, 8-97189-113-6, 8-97189-113-7, 8-97369-507-0, 89711891134, 89711891135, 89711891136, 89711891137;

**Opel:** 12-04-158, 6204183, 93175944, 9512785, 97-189-113, 97326180;

**Valeo Tech:** 584373;

**Vauxhall:** R1530037

**HITACHI**
**GA1791**

**FEATURES / CARACTERÍSTICAS:** 80A, 8x35A Diode

**REPLACES / REEMPLAZA:**
**Hitachi:** L150-53203, L165-6320, L165-7320, L170-6320, L180-33201; **Isuzu:** 8-94462-853-0; **Nissan/ Infiniti:** 23230-30R00, 23230-30R60, 23230-58S00, 23230-77A00, 23230-D4400; **Subaru:** 23830-AA020; **Transpo:** IHR720; **AS-Poland:** ARC2048;

**Mobiletron:** RH-40C; **Regitar:** RH-40C

**APPLICATION / APLICACIÓN:**
**ISUZU TRUCK:** Amigo 2.3/2.6, Pickup 2.3/2.6, Rodeo 2.6, Trooper 2.3/2.6;

**NISSAN:** 240SX 2.4, Axxess 2.4, Stanza 2.0/2.4, Pulsar NX 1.6/1.8, Sentra 1.6, Sunny 1.6

**ALTERNATOR / ALTERNATOR:**
**HITACHI:** LR150-704, LR150-704H, LR160-715, LR160-718, LR160-718H, LR165-704B, LR165-707, LR165-707B, LR165-708, LR165-715B, LR165-716, LR165-716B, LR165-717, LR170-714, LR170-715, LR170-715B, LR170-716, LR170-716B, LR170-727, LR170-727R, LR180-715, LR180-719; **ISUZU:** 23700AA150, 2912769200, 2912769300, 2912769320, 8943367300, 8943367310, 8944367300, 8944492650, 8944492660; **NISSAN/ INFINITI:** 23100-30R00, 23100-30R00R, 23100-30R60, 23100-30R60R, 23100-53A00, 23100-58S00, 23100-70A00, 23100-70A00-R, 23100-70A00R, 23100-70A00R, 23100-77A00, 23100-77A00R, 23100-D4400, 23100-D4400R, 23100-D4405, 23100-D4405R; **SUBARU:** 23700-AA150; **VALEO:** 436545, TA000B43001Z

**HITACHI**
**GA1792**

**FEATURES / CARACTERÍSTICAS:** 100A, Avalanche Diode, B+: M5x0.8x19.4mm

**REPLACES / REEMPLAZA:**
**Hitachi:** L1100G-5320; **Elccor:** ARC-HI128; **Cargo:** 231081; **AS-Poland:** ARC2028; **Mobiletron:** RH-63; **Regitar:** RH-63

**APPLICATION / APLICACIÓN:**
**Opel:** Astra Mk3 1.7 1996>1998, Vectra B 1.7 1995>1996;

**Vauxhall:** Vectra B 1.7 1995>1996, Vectra B Hatchback 1.7 1995>1996

**ALTERNATOR / ALTERNATOR:**
**HITACHI:** LR1100-501B

**HITACHI**
**GA1793**

**FEATURES / CARACTERÍSTICAS:** 70A, 6x35A Diode, B+: M6X37.5mm, External Diameter 118mm

**REPLACES / REEMPLAZA:**
**Cargo:** 138617; **AS-Poland:** ARC2027; **Mobiletron:** RH-60; **Regitar:** RH-60

**APPLICATION / APLICACIÓN:**
**NISSAN:** Pick-Up II 2.5 1987>1998, Terrano II 2.7 1989>1996, Urvan Box 2.3/2.5 1988>1997

**ALTERNATOR / ALTERNATOR:**
**HITACHI:** LR170-502C, LR190-505E, LR190-511, LR190-511B

**NISSAN:** 23100-86N00, 23100-86N01

**INDIEL**
**GA1939**

**FEATURES / CARACTERÍSTICAS:** 65A, Diodos 6x35A, 115mm


**REPLACES / REEMPLAZA:**
**Indiel:** 35213939, K03939

**APPLICATION / APLICACIÓN:**
**GM:** D20, Silverado; **Ford:** Escort, Verona, with motor AP 1.6, 1.8, 2.0 **VW:** GOL, PARATI, SAVEIRO, POINTER with motor AP 1.6, 1.8, 2.0, Gol Diesel 1.6; **MBB:** MB 180D

**ALTERNADOR:**
**INDIEL:** 35213795, 35213940, 35214040, 35214325, 35214405

**VOLTAGE REGULATOR:**

GA720

**ISKRA**
**GA1328**

**FEATURES / CARACTERÍSTICAS:** 55A, 6 X 35A Avalanche Diodes

**REPLACES / REEMPLAZA:**
**LETRIKA:** 16.907.902, 6230931M91;

**ISKRA:** 16.907.902, 6230931M91

**APPLICATION / APLICACIÓN:**
**MASSEY FERGUSON:** MF200, MF250, MF255, MF262, MF275, MF283, MF290, MF291, MF400, MF415, MF4200, MF425, MF4265, MF4275, MF4283, MF4290, MF4291, MF4292, MF435, MF440, MF445, MF450, MF455, MF460, MF465, MF5300, MF5320, MF5200, MX720, MX750

**ALTERNATOR / ALTERNATOR:**
**ISKRA:** 11203130, 11203131, 11203634, 11203635, 11203636, 11203783, 11203784, 11203785, 11203786, 11203787, 11203841, 11204055, 11204082, 11204101, 11204111, 11204112, 11204113, 11204114, 11204124, 11204458, 11204609, 11204610, 11204615, 11204616, 11204617, 11204618, 11204619, 11204695

**VOLTAGE REGULATOR:**

GA407





**GA1329**

**FEATURES / CARACTERÍSTICAS:** 120A , 8x50A Avalanche Diodes  
**REPLACES / REEMPLAZA:**  
**ISKRA:** 16907048  
**APPLICATION / APLICACIÓN:**  
**Valtra:** BM, BH;  
**Massey Ferguson:** MF6360;  
**New Holland:** TC57, 5090  
**ALTERNATOR / ALTERNATOR:**  
**Iskra:** 11203540 / 11204311



**GA1330**

**FEATURES / CARACTERÍSTICAS:** 95A, 8x35A Avalanche Diodes, B+ Bolt M8, D+ Bolt M5, with diode trio and capacitor  
**REPLACES / REEMPLAZA:**  
**ISKRA:** 16903314; **Cargo:** 231050  
**APPLICATION / APLICACIÓN:**  
**Lada:** Niva 1.7 1995>1997  
**ALTERNATOR / ALTERNATOR:**  
**ISKRA:** 11201498, AAK5102, AAK5105



**GA1331**

**FEATURES / CARACTERÍSTICAS:** 135A, 8x50A Avalanche Diode (Zener), with diode trio  
**REPLACES / REEMPLAZA:**  
**Iskra:** 16903507; **Cargo:** 231472  
**APPLICATION / APLICACIÓN:**  
 Tractors  
**ALTERNATOR / ALTERNATOR:**  
**ISKRA:** 11201666, AAK5115, 11201597, AAK5114, 11201758, 11201675, AAK5132, 11201667, AAK5118;



**GA1613**

**FEATURES / CARACTERÍSTICAS:** 120A, 8X50A Avalanche Diode, B+: M8 x 1,25 x 37,5 (mm)  
**REPLACES / REEMPLAZA:**  
 MGX934  
**APPLICATION / APLICACIÓN:**  
**CASE:** Compact Track Loader TR270B, TR310B, TV370B, Mini Loader SR210, SV280B, SV300, Engine F5HFL413A A001;  
**CASE CONSTRUCTION:** Compact Wheel Loader 321F, Mini Loader SR210B, Backhoe Loader 580T, 590ST, 695ST;  
**NEW HOLLAND CONSTRUCTION:** Compact Track Loader C232, Compact Track Loader C238, Mini Loader L223, L225, L228, L230, L328, Engine 5801390423, Backhoe Loader B110C, B115C, B90B, B95C, B95CLR, B95CTC  
**ALTERNATOR / ALTERNATOR:**  
**ISKRA:** 11.204.352, 11.204.060, 11.204.319; **MAHLE:** AAK3828, AAK4804, AAK4813, AAK4813; **NEW HOLLAND CONSTRUCTION:** 84416590  
**VOLTAGE REGULATOR:**  
 GA613



**GA1673**

**FEATURES / CARACTERÍSTICAS:** 110A, 6x50A Avalanche Diode (Zener), B +: M8x1.25x12mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**JAC:** T6  
**ALTERNATOR / ALTERNATOR:**  
**JAC:** 1015301GD173  
**VOLTAGE REGULATOR:**  
 GA673



**GA1388**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes Avalanche 6x35A , M8x55 B+ Paraf., 80mm Distance between holes, with capacitor  
**REPLACES / REEMPLAZA:**  
**Jheco:** J11D19  
**APPLICATION / APLICACIÓN:**  
**JAC:** J3 Turin, J3 Hatch, J2 2010>  
**ALTERNATOR / ALTERNATOR:**  
**JHECO:** JFZ1929L, 1025100GG010, L21580  
**VOLTAGE REGULATOR:**  
 GA806

**LEECE NEVILLE**
**GA1600**



**FEATURES / CARACTERÍSTICAS:** 150A, Diodes 3x50A, Plate Positive  
**REPLACES / REEMPLAZA:**  
**Mobiletron:** RC-03H; **Regitar:** RC-03H; **WAI/Transpo:** LR71180  
**APPLICATION / APLICACIÓN:**  
 Truck Fire Department.  
**ALTERNATOR / ALTERNATOR:**  
**LESTER:** 7613

**LEECE NEVILLE**
**GA1601**



**FEATURES / CARACTERÍSTICAS:** 150A, Diodes 3x50A, Plate Negative  
**REPLACES / REEMPLAZA:**  
**Mobiletron:** RC-04H; **Regitar:** RC-04H; **WAI Transpo:** LR71181  
**APPLICATION / APLICACIÓN:**  
 Truck Fire Department.  
**ALTERNATOR / ALTERNATOR:**  
**LESTER:** 7613; **PIC:** 270423

**LUCAS**
**GA1137**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes: 6x35A Dish, with diode trio Ø ext: 115 mm, B+ Post: M6x40 mm, D+ Post: M4x27 mm, W Post: M5x52 mm  
**REPLACES / REEMPLAZA:**  
**Lucas:** 80150, 80367, 84469, 84469H, 84886, 84886E, UBB137; **Regitar:** RL-09H; **Cargo:** 132721; **WAI/Transpo:** ILR568  
**APPLICATION / APLICACIÓN:**  
**FORD:** Tractor, Fiesta with alternator Lucas;  
**LAND ROVER**  
**ALTERNATOR / ALTERNATOR:**  
**LUCAS:** 24129, 24161, 24616A, 24206, 24207, 24217, 24220, 24221, 24221A, 24221D, 24240, 54022058A, 54022058B, 54022060A, 54022097A, 54022097B, 54022162, 54022191, 54022192, 54022193, 54022197, 54022229, 54022235, 54022242, 5402244, 54022255, 54022262, 54022282, 54022306, 54022309, 54022379, 54022483, 54022552, 54022616, 54022635, 54022648, 54022663, 54022666

**LUCAS**
**GA1138**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, with diode trio, B+ Post: M6x40 mm, W Post: M5x52 mm  
**REPLACES / REEMPLAZA:**  
**Lucas:** 80556, 84201, 84422, 84455, 84499, 84499F, UBB133, UBB135, UBB141; **Regitar:** RL-01H; **Cargo:** 131304; **WAI/Transpo:** ILR566  
**APPLICATION / APLICACIÓN:**  
**LAND ROVER:** Range Rover 3.5, Defender 2.5 Diesel, Land Rover 2.5;  
**FORD:** Escort, Fiesta, Granada 1.8, 2.0, Orion, Scorpio, Sierra, Transit.;  
**MASSEY FERGUSON:** Tractors;  
**NEW HOLLAND:** Tractors;  
**PERKINS:** Engines  
**ALTERNATOR / ALTERNATOR:**  
**LUCAS:** 24129, 24145, 24145A, 24145D, 24156, 24157, 24157AVE, 24158, 24161, 24161A, 24169, 24198, 24198A, 24198B, 24198E, 24199, 24199A, 24199B, 24200, 24200A, 24208, 24240, 24245, 24246, 24246B, 24256, 24256A, 24256B, 24256C, 24256D, 24273, 24273A, 24274, 24274D, 24276, 24277, 24294, 24294B, 24327, 24327A, 51022337D, 54022053, 54022054, 54022058A, 54022058B, 54022059, 54022060A, 54022096, 54022097A, 54022097B, 54022108, 54022109, 54022162, 54022167, 54022178, 54022182, 54022186, 54022188, 54022191, 54022192, 54022193, 54022193, 54022195, 54022196, 54022196B, 54022206, 54022211, 54022212, 54022214, 54022217, 54022218, 54022219, 54022220, 54022225, 54022226, 54022227, 54022228, 54022229, 54022234D  
**VOLTAGE REGULATOR:**  
 GA148

**LUCAS**
**GA1139**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, with diode trio, B+ Post: M6X52 mm, D+ Post: M5X30 mm, W Post: M5X47 mm  
**REPLACES / REEMPLAZA:**  
**Lucas:** 84976, 28500, 28506; **Regitar:** RL-10H; **Cargo:** 136324; **WAI/Transpo:** ILR576  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** Primera 1.6 Sedan, Hatch/B  
**ALTERNATOR / ALTERNATOR:**  
**LUCAS:** 24286

**LUCAS**

**GA1214**



**FEATURES / CARACTERÍSTICAS:** 70A, 6x35A, B+: M6x42mm, External Diameter: 112mm  
**REPLACES / REEMPLAZA:**  
**Lucas:** 84456, UBB140; **Transpo:** ILR570; **Cargo:** 132718; **Mobiletron:** RL06H; **Regitar:** RL-06; **As-Poland:** ARC4005  
**APPLICATION / APLICACIÓN:**  
**FORD:** Transit Box 2.5 1996, Transit Bus 2.5 1991>1992, Transit Tourneo 2.5 1994>1997, Transit 2500 1986>1992  
**ALTERNATOR / ALTERNATOR:**  
 Ford: 864F-10300-FD, 864F-10300-FE, 864F-10K359-FC, 864F-10K359-FD, 864F-10K359-FE, 864FX-10K359-FE, 894F-10300-AA, 894FX-10300-AA, 914F-10300-AA, 914F-10300-AB, R894FX-10300-AA

**LUCAS**

**GA1140**



**FEATURES / CARACTERÍSTICAS:** 43A, 6x25A  
**REPLACES / REEMPLAZA:**  
**Cargo:** 130643; **As-Poland:** ARC4010; **Transpo:** ILR166; **Mobiletron:** RL-08; **Regitar:** RL-08  
**APPLICATION / APLICACIÓN:**  
**MASSEY FERGUSON:** MF-1200 1971>1972, MF-44B Wheel Loader 1971>1977  
**BARBER GREENE FINISHER:** SA35 Perkins Engines 1976>1984, SA41 Perkins Engines 1976>1997, SB110 Perkins Engines 1972>1984, SB111 Perkins Engines 1973>1984, SB30 Perkins Engines 1976-1997  
**ALTERNATOR / ALTERNATOR:**  
 MASSEY FERGUSON: 1096-462-M91, 3743-639-M91; PERKINS ENGINE: 2871622, 2871A101, 2871A121, 2871A129  
**VOLTAGE REGULATOR:**  
 GA159

**LUCAS**


**GA1271**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, with diode trio  
**REPLACES / REEMPLAZA:**  
**Lucas:** 352.13.672, 352.13.437  
**APPLICATION / APLICACIÓN:**  
**FORD:** Ford Pick-up F 1000, Truck F350;  
**PERKINS:** Motor Prima;  
**RENAULT:** Clio 1.6, Trafic TA12, TA52, T312 and T352.  
**ALTERNATOR / ALTERNATOR:**  
**LUCAS:** 35213845, 35213680, 35213670, 35214170, 7702099331, 7702099330, 91TR-10300A, 9120080231  
**VOLTAGE REGULATOR:**  
 GA610 / GA690

**LUCAS**


**GA1272**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x 35A , with diode trio  
**REPLACES / REEMPLAZA:**  
**Lucas:** 352.13.894  
**APPLICATION / APLICACIÓN:**  
**FORD:** F 1000, F 4000, Truck F350.  
**ALTERNATOR / ALTERNATOR:**  
**LUCAS:** 35213855, TNM 903015RA

**LUCAS**

**GA1273**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x 35A , with diode trio  
**REPLACES / REEMPLAZA:**  
**Lucas:** 352.13.682  
**APPLICATION / APLICACIÓN:**  
**FORD:** Escort 1.8 with AC, Versailles with and without AC;  
**VW:** Gol, Santana 2.0 with and without AC.  
**ALTERNATOR / ALTERNATOR:**  
**LUCAS:** 35213790, 35213865, 35213970, 35214130, 026903015RD, 026903015RB, 0279090156  
**VOLTAGE REGULATOR:**  
 GA540 / GA990

**LUCAS**
**GA1274**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x 35A, with diode trio  
**REPLACES / REEMPLAZA:**  
**Lucas:** 352.13.274  
**APPLICATION / APLICACIÓN:**  
**FORD:** Escort Guaruja, Hobby L/ GL with CHT and 1000;  
**VW:** Gol, Voyage, Saveiro with CHT/AE 1.6, Gol 1000.  
**ALTERNATOR / ALTERNATOR:**  
**LUCAS:** 35213725, 35213730  
**VOLTAGE REGULATOR:**  
 GA705 / GA990

**LUCAS**
**GA1120**


**FEATURES / CARACTERÍSTICAS:** 50A, 3x35A Diodes, Negative Plate, compatible with GA1274  
**REPLACES / REEMPLAZA:**  
**Lucas:** 352.13.120  
**APPLICATION / APLICACIÓN:**  
**FORD:** Escort Guaruja, Hobby L/ GL with CHT and 1000;  
**VW:** Gol, Voyage, Saveiro with CHT/AE 1.6, Gol 1000  
**ALTERNATOR / ALTERNATOR:**  
 ...

**LUCAS**
**GA1404**


**FEATURES / CARACTERÍSTICAS:** 105A, 3x35A Diodes 35A 35A, Positive Plate, Compatible with GA1274  
**REPLACES / REEMPLAZA:**  
**Lucas:** 352.13.404  
**APPLICATION / APLICACIÓN:**  
**FORD:** Escort Guaruja, Hobby L/ GL with CHT and 1000;  
**VW:** Gol, Voyage, Saveiro with CHT/AE 1.6, Gol 1001  
**ALTERNATOR / ALTERNATOR:**  
 ...

**LUCAS**
**GA1408**


**FEATURES / CARACTERÍSTICAS:** 65A, 6x35A, B+ M6X28mm, External Diameter 112mm  
**REPLACES / REEMPLAZA:**  
**Nissan:** 23230-Q9000; **Mobiletron:** RL-22H; **Regitar:** RL-22H; **AS-Poland:** ARC4011; **Era:** 215501; **Cargo:** 138808;  
**Transpo:** ILR569  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** Bluebird 1600 T12/T72 1986>1990, Bluebird 1800 T12/T72 1986>1990, Bluebird 2000 T12/T72 1986>1990  
**ALTERNATOR / ALTERNATOR:**  
**LUCAS:** 24223, 24223A, 24235, 24235A/D, 54022238; **NISSAN:** 23100-Q9000

**MAGNETI MARELLI**
**GA1130**


**FEATURES / CARACTERÍSTICAS:** 100A, Avalanche Diodes 6x50A, B+: M8X41.0mm, External diameter: 110mm  
**REPLACES / REEMPLAZA:**  
**Magneti Marelli:** 63625002, 85552103, 85552104, 85552105, 85552106, 85552107, 85552108, 85552109, 85552110; **Mobiletron:** RI-35; **AS-Poland:** ARC4037; **Transpo:** IXR640; **Cargo:** 231025; **Era:** 215961  
**APPLICATION / APLICACIÓN:**  
**FIAT:** 500 1200/1400 2008>2012, Bravo 1400 16V / 16V TURBO 2007>2012, Doblo Box Body/Estate 2010, Grande punto 1.2 2005, Grande punto 1.4 2005, Idea 1400 16V 2004>2010, Panda 1.2 2010, Punto 1.2 16V 1999>2006, Stilo 1400 16V 2004>2007; **ALFA ROMEO:** Mito 1.4 2008>2011; **CATERPILLAR:** D80 C4.4, 4.41L Cat. Dsl. 2008>2013, AP255E C2.2 Caterpillar Dsl. 2015, CB14 C1.1, 1.3L Caterpillar Dsl. 2008>2014, CB24B C1.5, 1.5L Caterpillar Dsl. 2014>2016, CC24B C1.5, 1.5L Caterpillar 2015, D50 C4.4, 4.41L Cat. Dsl. 2006>2007  
**JCB:** 530 Perkins 3711HO Dsl. 1998>2007; **OPEL:** Corsa D 1.2 2009>2011, Corsa D 1.4 2006; **CASE AGRICULTURAL TRACTOR:** JX100U Iveco 4-239 Diesel 2002>2012, JX1060C Iveco 3-179 2003>2008, JX80U Iveco 4-239 Diesel 2002>2012, JX95 Iveco 4-239 Diesel 2002>2014; **NEW HOLLAND:** TL100 4 Cyl. 3.91L 3908cc 238cid 1998>2004, TL70 4 Cyl. 3.61L 3613cc 220cid 1998>2004, TL80 4 Cyl. 3.91L 3908cc 238cid 1998>2004, TL90 4 Cyl. 3.91L 3908cc 238cid 1998>2004, TN60DA/TN60SA/TN70DA/TN70SA 2.9L (57HP) 2004>2008  
**ALTERNATOR / ALTERNATOR:**  
**FIAT:** 46407647, 46420960, 46530060, 46530261, 46544329, 46554402, 46554404, 46554405, 46736968, 46740238, 46765838, 46782212, 46782213, 46800158, 46813059, 46843091, 46843093, 51700670, 51700675, 51700675, 51709131, 51709133, 51714791, 51714794, 51727333, 51784846, 51854903, 51854912, 51859038, 51859042, 51859044, 51859053, 51880173, 55185076, 60816557, 71722862, 71784031, 71794526, 91600758; **ALFA ROMEO:** 51880173, 52003532, 71784509; **CATERPILLAR:** 225-3141, 225-3143; **OPEL:** 13-222-929, 13153237, 13222934, 13222935, 13222936, 13256932, 13256933, 13283344BW, YZ13153237; **CASE:** 47134024, 47134024R, 500364130; **NEW HOLLAND:** 500364130

**MAGNETI MARELLI**

**GA1300**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A Avalanche (Zener), B+ Post M8, Ø: 111mm  
**REPLACES / REEMPLAZA:**  
**Magneti Marelli:** 636.23.701, 636.24.901, PR520435; **Regitar:** RI-19H; **Cargo:** 138800; **WAI/Transpo:** IXR634  
**APPLICATION / APLICACIÓN:**  
**FIAT:** Brava, Palio, Punto;  
**LAND ROVER**  
**ALTERNATOR / ALTERNATOR:**  
**MAGNETI MARELLI:** 63321287, A 115 IM, A 127IM, 63321240

**MAGNETI MARELLI**

**GA1301**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A Avalanche (Zener), B+ Post M8, Ø: 111mm  
**REPLACES / REEMPLAZA:**  
**Magneti Marelli:** 63623301, RDD35, 6362350, 636 233 01, 636 235 01, PR520436; **Regitar:** RI-14; **Cargo:** 136423; **WAI/Transpo:** IXR633  
**APPLICATION / APLICACIÓN:**  
**FIAT:** Pálio, Tempra, Punto, Marea, Bravo, Brava, Scudo, Lancia  
**ALTERNATOR / ALTERNATOR:**  
**MAGNETI MARELLI:** 0633 2020 3010, 0633 2020 04010, 0633 2020 19010, 0633 2020 27010, 0633 2020 38010, 0633 2120 0010, 0633 2120 04010, 0633 2120 05010, 0633 2120 33010, 0633 2120 34010, 0633 2120 35010, 0633 2120 52010  
**VOLTAGE REGULATOR:**  
 GA121 / GA122 / GA122R

**MAGNETI MARELLI**

**GA1302**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A Avalanche (Zener), B+ Post M8, Ø: 111mm  
**REPLACES / REEMPLAZA:**  
**GM:** 93369033; **Magneti Marelli:** PR520561  
**APPLICATION / APLICACIÓN:**  
**Corsa,** Celta, Prisma, Classic 95>09  
**ALTERNATOR / ALTERNATOR:**  
**MAGNETI MARELLI:** 93.390.879; **GM:** 93260364, 93339575, 93390879  
**VOLTAGE REGULATOR:**  
 GA121 / GA129 / GA151

**MAGNETI MARELLI**

**GA1303**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A Avalanche (Zener), B+ Post: M6, Ø 111mm  
**REPLACES / REEMPLAZA:**  
**Magneti Marelli:** 85582601010, PR520568  
**APPLICATION / APLICACIÓN:**  
**FORD:** Focus 1.8, 2.0 00>05, EcoSport, Fiesta  
**ALTERNATOR / ALTERNATOR:**  
**MAGNETI MARELLI:** 85582601010, 63341678  
**VOLTAGE REGULATOR:**  
 GA123

**MAGNETI MARELLI**

**GA1306**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A Avalanche (Zener), Post B+ M8, Ø 120mm  
**REPLACES / REEMPLAZA:**  
**Magneti Marelli:** 63624201, RDD42, RDD42A, RDD760724; **Lucas:** UBB814; **Regitar:** RI-23H; **Cargo:** 138377; **WAI/Transpo:** IXR642; **AS Poland:** ARC4016  
**APPLICATION / APLICACIÓN:**  
**ALFA ROMEO:** 145, 146, 155, GTV Spider;  
**FIAT:** Bravo, Barchetta, Marea, Palio, Punto 90, Ducato 1.9TD;  
**LANCIA:** Nueva, Delta, Dedra K 2.4TD.  
**ALTERNATOR / ALTERNATOR:**  
**MAGNETI MARELLI:** 63320333, 63320304, 63320332, 63320286, 63320277, 63320280, 63320348, 63320339, 63320338, 63320256, 63320341, 63320298, 63320303, 63320340, 63320296, 63320279, 63320283, 63320292;

**MAGNETI MARELLI**
**GA1307**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Post B+: M6, Ø 105mm, with diode trio

**REPLACES / REEMPLAZA:**
**Magneti Marelli:** 54209382, 63320303, 54209741, 00084574, 84574; **Regitar:** RI-16H; **Cargo:** 136740; **WAI/Transpo:** IXR542

**APPLICATION / APLICACIÓN:**
**FIAT:** Punto, Palio, Tempra, Tipo;

**LAND ROVER:** 820 2.0 Diesel

**ALTERNATOR / ALTERNADOR:**
**MAGNETI MARELLI:** 63320283, 63320292, 63320333, 63320304, 63320332, 63320286, 63320277, 63320280, 63320348, 63320339, 63320338, 63320256, 63320341, 63320298, 63320303, 63320340, 63320296, 63320279; 54022238, 54022437, 54022453, 54022458, 54022459, 54022469, 54022470, 54022510, 54022527, 54022536, 54022547, 54022591, 54022592, 54022606, 54022631, 54022633, 54022646, 54022647, 54022651, 54022656, 63320235, 63320303, 63320312, 63320313, 63320314, 63321227, 63321229, 63321231, 63321232, 63321237, 63321241, 63321245, 63321246, 63321253, 63321285, 63321299, 63321313, 63321324, 63321343, 63321358, 63321397, 63321405, 63321406, 63321412, 63321422, 63324235, 63324271, 63324320, 63324322, 63324332, 63324380, 63324390

**MAGNETI MARELLI**
**GA1406**

**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 6x35A Avalanche, B+: M6x29.8mm, External Diameter 107m

**REPLACES / REEMPLAZA:**
**Cargo:** 231026; **AS-Poland:** ARC4019

**APPLICATION / APLICACIÓN:**
**CITROËN:** Berlingo 1.6 2008, C1 1.4 2005>2014, C5 1.8/2.0 16V 2001>2004, C8 2.0/2.2 2002, Xsara Picasso 1.6/1.8 2000>2005;

**PEUGEOT:** 206 1100/1400/1600/1900/2000 1998>2005, Partner 1400/1900 2001>2010;

**FIAT:** Scudo box 1.9 2004>2006, Ulysse 2.0 2002>2011;

**FORD:** Focus 1400/1600 zetec 1998>2005, Focus C-Max 1600 2003>2007, Focus II 1400/1600 2004>2010

**ALTERNATOR / ALTERNADOR:**
**CITROËN/ PEUGEOT:** 57057F, 9638275780, 9633782580, 9634561280, 9637075380, 9638827580, 9641398480, 9654343080, 9665067980;

**FORD:** 1136390, 1151214, 1215766, 1215771, 1301496, 1301511, 1301530, 1305962, 1322573, 1361258, 1361259, 1426014, 1450641, 1511220, 1708472, 1748637, 1M5T-10300-BA, 1M5T-10300-BC, 2M5T-10300-AD, 3N11-10300-AA, 3N11-10300-AB, 3N11-10300-AC, 3N11-10300-AD, 3N11-10300-AE, 3N11-10300-AF, 3N11-10300-AG, 98AB-10300-DA, 98AB-10300-DB, 98AB-10300-DC, 98AB-10300-DD, 98AB-10300-DE, 98AB-10300-DF, 98AB-10300-DG, 98AB-10300-DH, 98AB-10300-DJ, 98AB-10300-GC, 98AB-10300-GD, 98AB-10300-GE, 98AB-10300-GF, 98AB-10300-GG, 98AB-10300-GH, 98AB-10300-GJ, 98AB-10300-GK, 98AB-10300-GL, 98AB-10300-JA, 98AB-10300-JB, 98AB-10300-JC, 98AB-10300-JD, 98AB-10300-JF, 98AB10300GM, M5T-10300-BD, R1M5T-10300-BD, R98AB-10300-DE1, R98AB-10300-JC1, RE3N11-10300-AF

**MAGNETI MARELLI**
**GA1407**

**FEATURES / CARACTERÍSTICAS:** 70A, Diodes 6x50A, B+: M8x19.3mm, External diameter 111mm, with trio diode

**REPLACES / REEMPLAZA:**
**Cargo:** 235365

**APPLICATION / APLICACIÓN:**

...

**MAGNETI MARELLI**
**GA1474**

**FEATURES / CARACTERÍSTICAS:** 90A, 6x50A, Avalanche Diode, M6X13.0mm, External Diameter 110mm

**REPLACES / REEMPLAZA:**
**Mobiletron:** RI-32H; **Transpo:** IXR631; **Cargo:** 233792; **AS-Poland:** ARC4020; **Era:** 215964

**APPLICATION / APLICACIÓN:**
**CITROËN:** Berlingo 1.6 2008, C1 1.4 2005>2014, C5 1.8/2.0 16V 2001>2004, C8 2.0/2.2 2002, Xsara Picasso 1.6/1.8 2000>2005

**PEUGEOT:** 206 1100/1400/1600/1900/2000 1998>2005, Partner 1400/1900 2001>2010

**FIAT:** Scudo box 1.9 2004>2006, Ulysse 2.0 2002>2011

**FORD:** Focus 1400/1600 zetec 1998>2005, Focus C-Max 1600 2003>2007, Focus II 1400/1600 2004>2010

**ALTERNATOR / ALTERNADOR:**
**CITROËN/ PEUGEOT:** 57057F, 9638275780, 9633782580, 9634561280, 9637075380, 9638827580, 9641398480, 9654343080, 9665067980

**FORD:** 1136390, 1151214, 1215766, 1215771, 1301496, 1301511, 1301530, 1305962, 1322573, 1361258, 1361259, 1426014, 1450641, 1511220, 1708472, 1748637, 1M5T-10300-BA, 1M5T-10300-BC, 2M5T-10300-AD, 3N11-10300-AA, 3N11-10300-AB, 3N11-10300-AC, 3N11-10300-AD, 3N11-10300-AE, 3N11-10300-AF, 3N11-10300-AG, 98AB-10300-DA, 98AB-10300-DB, 98AB-10300-DC, 98AB-10300-DD, 98AB-10300-DE, 98AB-10300-DF, 98AB-10300-DG, 98AB-10300-DH, 98AB-10300-DJ, 98AB-10300-GC, 98AB-10300-GD, 98AB-10300-GE, 98AB-10300-GF, 98AB-10300-GG, 98AB-10300-GH, 98AB-10300-GJ, 98AB-10300-GK, 98AB-10300-GL, 98AB-10300-JA, 98AB-10300-JB, 98AB-10300-JC, 98AB-10300-JD, 98AB-10300-JF, 98AB10300GM, M5T-10300-BD, R1M5T-10300-BD, R98AB-10300-DE1, R98AB-10300-JC1, RE3N11-10300-AF

**MAGNETI MARELLI**

**GA1475**



**FEATURES / CARACTERÍSTICAS:** 210A, Avalanche Diode, 6x70A, B+ M8X41.5mm, External diameter 102mm

**REPLACES / REEMPLAZA:**

**Mobiletron:** RI-23HD

**APPLICATION / APLICACIÓN:**

**ALFA ROMEO:** 145 1600 1996>2001, 145 1800 1997>2001, 145 1.6 16V 1997>2000, 145 1.8 i.e. 16V 1998>2001, 146 1600/1800 1997>2001, 146 1.6 16V 1997>2000, 146 1.8 i.e. 16V 1998

**FIAT:** Brava 1800/1900 1995>2002, Brava 1.8/1.9 1995>2001, Bravo 1800/1900 1995>2002, Marea 1800/1900 1995>2002, Marea Weekend 1.8/1.9 1996>2002, Punto 1.9 1999>2012

**ALTERNATOR / ALTERNADOR:**

**MAGNETI MARELLI:** 63320333, 63320304, 63320332, 63320286, 63320277, 63320280, 63320348, 63320339, 63320338, 63320256, 63320341, 63320298, 63320303, 63320340, 63320296, 63320279, 63320283, 63320292

**FIAT:** 46420963, 46432733

**MAGNETI MARELLI**

**GA1476**



**FEATURES / CARACTERÍSTICAS:** 100A, 6x50A, Avalanche Diode, B+: M8X30.5mm, External diameter 122mm

**REPLACES / REEMPLAZA:**

**Mobiletron:** RI-17H; **Transpo:** IXR725; **Cargo:** 138790; **Era:** 215804; **Magneti Marelli:** 063623601010, 63623601

**APPLICATION / APLICACIÓN:**

**LAND ROVER:** Defender 90 V8 4.0L 1997, Discovery V8 4.0L 1996>1998, Discovery I 3900 V8 1994>1998, Range Rover 3900 V8 1989>1995, Range Rover II 4000 V8 1994>2002, Range Rover II 4600 V8 1994>2000

**ALTERNATOR / ALTERNADOR:**

**LAND ROVER:** AMR3021, AMR3107, AMR4247

**MAGNETI MARELLI:** 063341353010, 54022543, 63321353, 63341353

**PRESTOLITE:** 20110283

**MAGNETI MARELLI**

**GA1901**



**FEATURES / CARACTERÍSTICAS:** 100A, 6x35A, Avalanche Diode, B +: M6X1.0X26mm. Outside diameter 122mm

**REPLACES / REEMPLAZA:**

**Magneti Marelli:** 063624202010, 63624202, RDD42B; **Transpo:** IXR719, IXR7597

**APPLICATION / APLICACIÓN:**


**Caterpillar Ag. & Ind. Loader - Backhoe:** 420D Cat. 3054 2003>2006, 420D Cat. 3054C 2003>2006, 432D Caterpillar 3054CT, 4.4L Dsl. 2004>2006, 432E Cat. C4.4.4.41L, Dsl. 2006>2008, 432E Caterpillar 3054CT; 4.4L Dsl. 2006>2008, 432F Cat. C4.4.4.41L, Dsl. 2012>2013; **Caterpillar Ag. & Ind. Track Tractor:** D3K Cat. C4.4.4.41L, Dsl. 2007>2014, D3K LGP Cat. C4.4.4.41L, Dsl. 2008>2012, D3K XL Cat. C4.4.4.41L, Dsl. 2008>2013, D4H LGP Cat. C4.4.4.41L, Dsl. 2002>2007, D4H XL Cat. C4.4.4.41L, Dsl. 1993>1996, D4K LGP Cat. C4.4.4.41L, Dsl. 2008>2013, D4K XL Cat. C4.4.4.41L, Dsl. 2007>2014, D5K LGP Cat. C4.4.4.41L, Dsl. 2008>2013, D5K XL Cat. C4.4.4.41L, Dsl. 2007>2015

**ALTERNATOR / ALTERNADOR:**

...

**MAGNETI MARELLI**

**GA1500**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, with diode trio, B+ Post M6, Thickness 17,5mm

**REPLACES / REEMPLAZA:**

**Magneti Marelli:** 636 215 01, 636 215 03, 748 774 71, 748 786 91, PRD4A, RDD15; **Lucas:** 21222124, UBB 812; **VL-Ducellier:** 593 054; **Regitar:** RI-02; **Cargo:** 131505; **WAI/Transpo:** IXR692

**APPLICATION / APLICACIÓN:**


**FIAT; SEAT; ALFA ROMEO; AUTOBIANCHI; IVECO; LAMBORGHINI; LANCIA; SIMIT; UNIC MOTORE**

**ALTERNATOR / ALTERNADOR:**

**MAGNETI MARELLI:** 633 117 75, 633 200 01, 633 200 02, 633 200 03, 633 200 04, 633 200 05, 633 200 06, 633 200 07, 633 200 08, 633 200 10, 633 200 12, 633 200 21, 633 200 22, 633 200 23, 633 200 24, 633 200 25, 633 200 28, 633 200 30, 633 200 31, 633 200 34, 633 200 47, 633 200 52, 633 200 53, 633 200 56, 633 200 57, 633 200 73, 633 200 91, 633 200 94, 633 200 97, 633 201 02, 633 201 12, 633 201, 18 633 210 00, 18 633 210 01, 18 633 210 02, 18 633 210 03, 18 633 210 04, 18 633 210 05, 18 633 210 06, 18 633 210 07, 18 633 210 08, 18 633 210 09, 18 633 210 10, 18 633 210 11, 18 633 210 13, 18 633 210 15, 18 633 210 16, 18 633 210 28, 18 633 210 29, 18 633 210 35, 18 633 210 36, 18 633 210 37, 18 633 210 39, 18 633 210 41, 18 633 210 42, 18 633 210 44, 18 633 210 45, 18 633 210 46, 18 633 210 47, 18 633 210 48, 18 633 210 49, 18 633 210 50, 18 633 210 52, 18 633 210 55, 18 633 210 58, 18 633 210 59, 18 633 210 60, 18 633 210 61, 18 633 210 63, 18 633 210 67, 18 633 210 71, 18 633 210 78, 18 633 210 79, 18 633 210 80, 18 633 210 95, 18 633 210 97, 633 211 02, 633 211 03, 633 211 07, 633 211 09, 633 211 10, 633 211 12, 633 211 13, 633 211 37, 633 211 38, 633 211 59, 633 211 65, 633 211 71, 633 211 72, 633 211 75, 633 211 76, 633 211 89, 633 211 97, 633 214 28; **FIAT:** 5999868, 599986, 7533853, 7541822, 7541823, 7546342, 7546343, 7546660, 7546686, 7552675, 7554830; **PIC:** 202111, 202128

**VOLTAGE REGULATOR:**

GA117

**MAGNETI MARELLI**
**GA1501**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, with diode trio, B+ Post M6, Thickness 19,5mm

**REPLACES / REEMPLAZA:**
**Magneti Marelli:** 633 200 13, 633 200 18, 633 210 21, 633 210 56, 633 210 64, 633 210 22, 633 200 26, RDD 16, 633 200 16, 633 210 19, 633 210 23, 636 216 01, 633 200 15, 633 200 17, 633 210 20, 633 210 25, PR520486; **Regitar:** RI-02; **Cargo:** 131505;


**WAI/Transpo:** IXR693

**APPLICATION / APLICACIÓN:**
**FIAT:** Tempra, Tipo 1.6/ 2.0

**ALTERNATOR / ALTERNATOR:**
**MAGNETI MARELLI:** 5402243B, 54022443B, 54022510, 54022536, 54022591, 54022646, 54022647, 54022651, 54022653, 54022, 63324233, 63324286, 63324322, 63324374, 63324380, 63324390, 64022656, 64280325, 64280328, 63320013, 63320015, 63320016, 63320017, 63320018, 63320020, 63320026, 63320032, 63320035, 63320040, 63320044, 63320045, 63320048, 63320049, 63320055, 63320058, 63320082, 63320083, 63320105, 63320110, 63320111

**VOLTAGE REGULATOR:**

GA119

**MAGNETI MARELLI**
**GA1503**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, with diode trio, B+ Post M8, Thickness 17,5mm

**REPLACES / REEMPLAZA:**
**Magneti Marelli:** 636 229 01, RDD29; **Cargo:** 139218

**APPLICATION / APLICACIÓN:**
**FIAT**
**ALTERNATOR / ALTERNATOR:**
**MAGNETI MARELLI:** 63320060

**MAGNETI MARELLI**
**GA1504**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with diode trio, B+ Post M6, Thickness 19,5mm

**REPLACES / REEMPLAZA:**
**Magneti Marelli:** 63622001, PR520488; **Cargo:** 136675; **Regitar:** RI-11H

**APPLICATION / APLICACIÓN:**
**FIAT:** Tempra 1.8ie SW, SLX, SX, Tipo 1.6ie, 1.8ie 16V, 1.8 ie DGT;

**RENAULT:** Express GTL, R11 1.4 Turbo, R5 1.1 TL, GTL, R9 1.1, 1.2 TC, 1.4;

**SEAT:** Ibiza 1.2, 1.5, Malaga 1.5, Ronda 1.2, 1.5

**ALTERNATOR / ALTERNATOR:**
**MAGNETI MARELLI:** 63321084, 63321083, 63320046, 63320042, 63321096

**VOLTAGE REGULATOR:**

GA119

**MAGNETI MARELLI**
**GA1505**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, B+ Post M6, Thickness 19,5mm

**REPLACES / REEMPLAZA:**
**Magneti Marelli:** 63622201, RDD22, 063622201010,; PR520489

**APPLICATION / APLICACIÓN:**
**FIAT:** Tempra 1.8ie, Tipo 1.6ie, 1.8ie 16V, Marengo 1.9d;

**LANCIA:** Delta 1.9d, Prisma 1.9d, td

**ALTERNATOR / ALTERNATOR:**
**MAGNETI MARELLI:** 63320041, 63321083

**MAGNETI MARELLI**
**GA1507**

**FEATURES / CARACTERÍSTICAS:** 80A, 6x35A Diode, B+: M6X11mm, Distance between holes: 70mm

**REPLACES / REEMPLAZA:**
**Mako:** 85553102, MK00531

**APPLICATION / APLICACIÓN:**
**FIAT; FORD**
**ALTERNATOR / ALTERNATOR:**

...



**MAGNETON**

**GA1996**



**FEATURES / CARACTERÍSTICAS:** 90A, Diode 8x50A, B+: M6X18.3mm, External diameter 115mm, with trio diodes

**REPLACES / REEMPLAZA:**

**Magneton:** 0135940, 0135941, 0140880, 0140881, 443930135940; **Mobiletron:** RK-03; **Cargo:** 231721; **AS-Poland:** ARC4033, ARC9036; **Code:** ARC-MT143I

**APPLICATION / APLICACIÓN:**

**SKODA:** Felicia 1.3 1994>2001, Felicia 1.3 Fun 1997>2001, Felicia 1.3 LX 1994>1998, Felicia 1.3 Lxi 1994>1998

**ALTERNATOR / ALTERNATOR:**

**MAGNETON:** 441040032266, 443113516590, 443113516591, 9516590, 9516591

**SKODA:** 047903015M

**MAGNETON**

**GA1997**



**FEATURES / CARACTERÍSTICAS:** 70A, 6x35A, Avalanche Diode B+: M6x18.7mm, External Diameter: 114mm

**REPLACES / REEMPLAZA:**

**Magneton:** 0135240, 135241, 013524, 0140830, 0140831; **Elccor:** ARC-MT003; **Cargo:** 134977; **As-Poland:** ARC9019

**APPLICATION / APLICACIÓN:**

**ZASTAVA:** 101, Yugo 45

**SKODA:** Favorit, Felicia

**ALTERNATOR / ALTERNATOR:**

**MAGNETON:** 443113515241, 443113516241, 443113516620, 443113516623, 443113516650, 443113516653, 443113516660, 443113516661, 443113516662, 443113516710, 443113516711, 443113516714, 443113516750, 443113516751, 443113516752, 443113516760, 443113516761, 443113516762, 443113516764, 443113516765, 443113516870, 443113516872, 443113516875

**MAHLE**

**GA1485**



**FEATURES / CARACTERÍSTICAS:** 95A, 8x35A, Avalanche Diode B+: M5x0.8x26.5mm/ M8x1.25x22.2mm

**REPLACES / REEMPLAZA:**

**Mahle:** MGX918; **Letrika:** 16.915.733; **AS-Poland:** ARC9086

**APPLICATION / APLICACIÓN:**

**JCB:** Fork-lifts, Backhoe

**ALTERNATOR / ALTERNATOR:**


**JCB:** 320/08648, 320/08649, 320/08719;

**MAHLE:** AAK5820, AAK5840, AAK5881, 11.204.215, 11.204.467, 11.204.893, MG 23;

**LETRIKA:** IA1484

**MANDO**

**GA1358**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, Distance between holes: 90mm, with capacitor

**REPLACES / REEMPLAZA:**

**Mando:** TA600C04602, RTF49900; **Regitar:** RM-117; **Cargo:** 138205; **WAI/Transpo:** IYR9058

**APPLICATION / APLICACIÓN:**

**HYUNDAI:** Accent w/1.5L w/DOHC 1997-98, Hyundai Elantra w/1.8L 1996-98, Hyundai Elantra w/2.0L 1999-00, Hyundai Tiburon w/1.8L 1997-98, Hyundai Tiburon w/2.0L 1997-00

**ALTERNATOR / ALTERNATOR:**

**MANDO:** AB190058, 3730022200; **LESTER:** 13702; **PIC:** 203304; **HYUNDAI:** 3730022200.

**MANDO**

**GA1218**



**FEATURES / CARACTERÍSTICAS:** 85A Diodes, B+ Post M6, with diode trio

**REPLACES / REEMPLAZA:**

**Mando:** AR175AA; **Hyundai:** 37300-32510; **WAI/Transpo:** IYR751

**APPLICATION / APLICACIÓN:**

**KIA;**

**HYUNDAI**

**ALTERNATOR / ALTERNATOR:**

**HYUNDAI:** 37300-32510, 37300-32511

**MANDO**

**GA1219**



**FEATURES / CARACTERÍSTICAS:** 8X35A

**REPLACES / REEMPLAZA:**

**Bobcat:** 6677488

**APPLICATION / APLICACIÓN:**

**BOBCAT:** 5600, A220, A300 V3300DI, S130 V2203DI, S175 V2203EB, S185 V2203TEB, S220 V3300DI, S250 V3300DI, S300V3300T, T190 V2003TEB, T200 BF4M1011F, T300 V3300, X331 V2203EB

**HYUNDAI:** Accent 1.5/ 1.6 2000>2002, Elantra 2.0 2001>2002

**ALTERNATOR / ALTERNATOR:**

**MANDO:** AB180128; **HYUNDAI:** 37300-23600

**VOLTAGE REGULATOR:**

GA419

**MANDO**
**GA1248**


**FEATURES / CARACTERÍSTICAS:** 105A, 8X35A, B+: M5X7.2mm, Distance between holes: 100mm  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** A860T40270; **Transpo:** IMR10068  
**APPLICATION / APLICACIÓN:**  
**MAZDA CAR:** RX-7 R2 1.3L 1308cc 1993>1995  
**ALTERNATOR / ALTERNATOR:**  
**MITSUBISHI:** A3T08591;  
**MAZDA:** N3A1-18-300A, N3A1-18-300R

**MASTER SPORT**
**GA1999**


**FEATURES / CARACTERÍSTICAS:** 6x50A, Avalanche Diode, External diameter: 112mm  
**REPLACES / REEMPLAZA:**  
**MASTER SPORT:** 139680/F  
**APPLICATION / APLICACIÓN:**  
 ...  
**ALTERNATOR / ALTERNATOR:**  
 ...

**MITSUBISHI**
**GA1323**


**FEATURES / CARACTERÍSTICAS:** 150A, 12x35A Avalanche Diode, B+: M8X46mm  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** A5184-D1345-4120Y  
**APPLICATION / APLICACIÓN:**  
**FORD:** Fusion L4 2.0L 2013>2016, Fusion L4 2.5L 2013>2016, Mondeo V Saloon 2012  
**ALTERNATOR / ALTERNATOR:**  
**Mitsubishi:** A002TX2681ZC, A2TX2681ZC;  
**Ford:** DS7T-10300-HA  
**VOLTAGE REGULATOR:**  
 GA719

**MITSUBISHI**
**GA1327**


**FEATURES / CARACTERÍSTICAS:** 150A | 12x35A, Avalanche Diode B+: M6x10mm, Diameter: 122mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** Murano II 94>07, NP300 Navara 04, NP300 Navara Pritsche/Fahrgestell 08, Pathfinder III 05  
**ALTERNATOR / ALTERNATOR:**  
**Mitsubishi:** A2TX1781;  
**Nissan:** 23100-1AT1A  
**VOLTAGE REGULATOR:**  
 GA769

**MITSUBISHI**
**GA1332**


**FEATURES / CARACTERÍSTICAS:** 12A, 12x35A, B+: M8x46mm, Avalanche Diode, Diameter: 128mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**RENAULT:** Master III 2.3 CDTI 2010>2016, Master III 2.3 dCi 2010>2016, Master III 2.3 dCi 2012>2016;  
**NISSAN:** NV400 2.3 dCi 2011>2016  
**ALTERNATOR / ALTERNATOR:**  
**Mitsubishi:** A003TX0481  
**VOLTAGE REGULATOR:**  
 GA762

**MITSUBISHI**
**GA1333**


**FEATURES / CARACTERÍSTICAS:** 130A, 12x35A, B+: M8x41mm, Avalanche Diode, Diameter: 128mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** Sentra 2.0 2010>  
**ALTERNATOR / ALTERNATOR:**  
**Mitsubishi:** A2TX4381ZC; **Nissan:** 23100 3RZ1A  
**VOLTAGE REGULATOR:**  
 GA769

**MITSUBISHI**

**GA1334**



**FEATURES / CARACTERÍSTICAS:** 130A, 12x35A, Avalanche Diode  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**Subaru:** Tribeca, Legacy, Outback  
**ALTERNATOR / ALTERNATOR:**  
**Mitsubishi:** A3T J3591; **Subaru:** 23700 AA620  
**VOLTAGE REGULATOR:**  
 GA886

**MITSUBISHI**

**GA1338**



**FEATURES / CARACTERÍSTICAS:** 90A, 12x35A Block avalanche diodes 24-32V, Diameter: 115 mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**HONDA:** Fit 2014>, City 2014>  
**ALTERNATOR / ALTERNATOR:**  
**Honda:** AHGA91; **Mitsubishi:** A5TJ0391ZT  
**VOLTAGE REGULATOR:**  
 GA869

**MITSUBISHI**

**GA1344**



**FEATURES / CARACTERÍSTICAS:** 140A, 12X35A Diode Avalanche  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** 31127-R1A-A01  
**APPLICATION / APLICACIÓN:**  
**Honda:** Civic 2012>, Fit 1.5 16V 2012>  
**ALTERNATOR / ALTERNATOR:**  
**Mitsubishi:** A5TJ0191ZC, **Honda:** AHGA81  
**VOLTAGE REGULATOR:**  
 GA144

**MITSUBISHI**


**GA1345**



**FEATURES / CARACTERÍSTICAS:** 110A, 12X35A Avalanche  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** 98084-D0005-4Y27Y  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** Sentra  
**ALTERNATOR / ALTERNATOR:**  
**Mitsubishi:** A2TJ0281ZC;  
**Nissan:** 23100EM01B  
**VOLTAGE REGULATOR:**  
 GA877

**MITSUBISHI**

**GA1357**



**FEATURES / CARACTERÍSTICAS:** 95A, 12x35A Block standard diodes  
**REPLACES / REEMPLAZA:**  
**Mobiletron:** RM175  
**APPLICATION / APLICACIÓN:**  
**HONDA:** New Fit 1.3/1.5 2008>, City 1.3/1.5 2009>  
**ALTERNATOR / ALTERNATOR:**  
**Mitsubishi:** A5TJ0091ZD, AHGA77;  
**Honda:** 31100RB0004, 31100RB00041, 31100RB0A0243

**MITSUBISHI**

**GA1359**



**FEATURES / CARACTERÍSTICAS:** 150A, 12x50A Avalanche Diode  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** 94675, C1323, 7920H  
**APPLICATION / APLICACIÓN:**  
**FORD:** Fusion 2003-08 Ford w Police Option 2006-08 Mercury Milan 2.3L.  
**ALTERNATOR / ALTERNATOR:**  
**Mitsubishi:** A003TG0891; **Ford:** 8G1Z10346A  
**VOLTAGE REGULATOR:**  
 GA871

**MITSUBISHI**
**GA1487**



**FEATURES / CARACTERÍSTICAS:** 150A, 12x35A Avalanche Diode  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** 97884D18838824H  
**APPLICATION / APLICACIÓN:**  
**FORD:** Ranger 2.2 2016>2022, Ranger 3.2 2016>2019  
**ALTERNATOR / ALTERNADOR:**  
**Ford:** EB3T-10300-EB; **Mitsubishi:** A002TX4581ZT  
**VOLTAGE REGULATOR:**  
 GA750

**MITSUBISHI**
**GA1288**


**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 6x35A, Distance between holes: 71mm  
**REPLACES / REEMPLAZA:**  
**Cargo:** 132087; **Transpo:** IMR7111; **Mobiletron:** RM-60; **Regitar:** RM-60  
**APPLICATION / APLICACIÓN:**  
**MITSUBISHI:** FD-10 / FD-14 / FD-15 Mitsubishi S4E 1981>1983, FD-20 Mitsubishi S4E / S4S 1983>1992, FD-23 S4E Mitsubishi Diesel 1983>1992, FD-25 Mitsubishi S4E / S4S 1983>1999, FD-28 S4E Mitsubishi Diesel 1981>1992, FD-35AT Mitsubishi S4E / S4S 1981>1983  
**NISSAN LIFT TRUCK:** AEH H20 Engine 1975>1976, CEH H20 Engine 1975>1976, Various Models Z20 Engine 1979>2003, 620 L4 2.0 1978>1979, 720 L4 2.0 1980  
**ALTERNATOR / ALTERNADOR:**  
**CLARK:** 4307228, 43100326; **MITSUBISHI:** MD022515, MD025215, MD060901, MD062007, 34468-16100, 34468-18200, 34468-26100, 34468-28100, 34468-28200; **NISSAN / INFINITI:** 23100-B9810; **TOWMOTOR:** 973485

**MITSUBISHI**
**GA1289**


**FEATURES / CARACTERÍSTICAS:** 50A, diodes 6x35A, B+: M5X44.5mm, distance between holes: 80mm  
**REPLACES / REEMPLAZA:**  
**Cargo:** 132130; **AS-Poland:** ARC5016; **Transpo:** IMR8041; **Mobiletron:** RM-65; **Regitar:** RM-65  
**APPLICATION / APLICACIÓN:**  
**DODGE:** Ram 50 2.3 1983>1985  
**MITSUBISHI:** Mighty Max L4 2.3 Diesel 1983>1985, L200 2.5 1986>1996, Pajero I 2.3 1984>1986  
**ALTERNATOR / ALTERNADOR:**  
**MITSUBISHI:** MD013740, MD013742, MD061818, MD067411, MD072582, MD086015, MD086016, MD304139, MDO50190, MDO60793  
**VOLTAGE REGULATOR:**  
 GA425

**MITSUBISHI**
**GA1341**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 75mm, Post B+ M6, with Capacitor, with triodiode  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** A860T22370, A860T22970, A860T25470, A860T32470; **Regitar:** RM-20; **Cargo:** 132468; **WAI/Transpo:** IMR7564  
**APPLICATION / APLICACIÓN:**  
**KIA:** Sportage;  
**MITSUBISHI:** Pajero, Galant, Mirage;  
**CHRYSLER**  
**ALTERNATOR / ALTERNADOR:**  
**MITSUBISHI:** A2T01583, A2T01384, A2T01483, A2T01683, A2T01783, A2T02084; **MITSUBISHI MOTORS:** MD103564, MD106319, MD106320, MD106332, MD103372, MD103373;

**MITSUBISHI**
**GA1348**


**FEATURES / CARACTERÍSTICAS:** 50A, 6 x 35A  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** A860T 10770; **Mazda:** E356-24510, E563-24510; **Regitar:** RM-67; **Cargo:** 131542; **WAI/Transpo:** IMR8045  
**APPLICATION / APLICACIÓN:**  
**MAZDA:** GLC L4 1.5 1983>1985, 323 1982>1986  
**ALTERNATOR / ALTERNADOR:**  
**Mazda:** E563-18300, E563-18300A

**MITSUBISHI**
**GA1349**


**FEATURES / CARACTERÍSTICAS:** 60A, 6 X 35A  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** A860T08770; **Mazda:** S215-24-510; **Regitar:** RM-73; **Cargo:** 132463; **WAI/Transpo:** IMR8545  
**APPLICATION / APLICACIÓN:**  
**MAZDA:** 626 L4 2.0 Diesel 1984>1985;  
**MITSUBISHI:** FD with motors S6E, S4E, S4S Diesel 1985>2007;  
**MITSUBISHI FUSO:** Canter FB, FE L4 3.3 1984>1989  
**ALTERNATOR / ALTERNADOR:**  
**Hyundai:** 37300-41010;  
**Mazda:** RF03-18300C, SL02-18300

**MITSUBISHI**


**GA1365**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 75mm, with diode trio and capacitor  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** A002T24570, A2T24570, A860T13170, A860T16970; **Regitar:** RM-07; **Cargo:** 132466; **WAI/Transpo:** IMR7542  
**APPLICATION / APLICACIÓN:**  
**MITSUBISHI (1985-94)**  
**ALTERNATOR / ALTERNATOR:**  
**MITSUBISHI:** A2T02271, A2T02471, A2T02671, A2T02977, A2T03171, A2T03471, A2T03477, A2T03972, A2T04191, A2T04277, A2T09691, A2T28291, A2T41791, A2T41991, A2T42777, A2T43791, A2T43891, A2T43892, A2T48691, A2T48791, A2T49891.

**MITSUBISHI**

**GA1376**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, Distance between holes: 75mm, with capacitor  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** A860T38370; **Honda:** 04311P01014; **Regitar:** RM-27; **Cargo:** 232606; **WAI/Transpo:** IMR7584  
**APPLICATION / APLICACIÓN:**  
**HONDA:** Civic 92-95  
**ALTERNATOR / ALTERNATOR:**  
**HONDA:** 31100-P00-014; **MITSUBISHI:** A5T04292;

**MITSUBISHI**

**GA1381**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 85mm, With Capacitor, with diode trio  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** A860T29370; **Cargo:** 135229; **WAI/Transpo:** IMR8578  
**APPLICATION / APLICACIÓN:**  
**MITSUBISHI**  
**ALTERNATOR / ALTERNATOR:**  
**MITSUBISHI:** A4T58289, A4T58799, A4T59086, A4T75589, A4T58686, A4T58986, A4T59199, A6T55186, A4T58689, A4T58989, A4T59786, A6T55189, A4T58699, A4T58999, A4T66486, ME060076, A4T58786, A4T75586, ME090198

**MITSUBISHI**

**GA1234**



**FEATURES / CARACTERÍSTICAS:** 100A, 8x35A, B+: M6x1.0x35mm. Distance between holes: 85mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**CHRYSLER:** PT Cruiser 2.4 Turbo 2006>2010, PT Cruiser 2.0 2006>2010, PT Cruiser GT 2.4 2006>2010, PT Cruiser Convertible 2.4 GT 2006>2008, PT Cruiser Convertible 2.4 2006>2008  
**ALTERNATOR / ALTERNATOR:**  
**MITSUBISHI:** A2TG0791ZC; **CHRYSLER:** 5033343AA; **TRANSPO:** 11230N  
**VOLTAGE REGULATOR:**  
 GA734

**MITSUBISHI**


**GA1238**



**FEATURES / CARACTERÍSTICAS:** 90A, 8x35A, B+: M5x0.8x4.8mm  
**REPLACES / REEMPLAZA:**  
**Transpo:** IMR8579; **Mobiletron:** RM-181  
**APPLICATION / APLICACIÓN:**  
**Honda:** Civic L4 1.8L 1799cc R18A1 2006-2011, Honda - China Car: Civic 1.8L, Non-Turbo, Gas (R18A1) 2006, Civic 1.8L, Non-Turbo, Gas (R18A1) 2008. Honda - Europe Car: Civic 1800, VTEC 2005-2010, FR-V 1800, VTEC 2005-2010  
**ALTERNATOR / ALTERNATOR:**  
**HONDA:** A2TC1391ZC, 31100-RNA-A01, 31100-RNA-A012-M2, 31100-RNA-A01RM, 31100-RNE-A01, 31100-RNE-A010M2, AHGA67, AHGA75; **MITSUBISHI:** A002TC1391, A002TC1391ZC, A002TC1391ZE, A002TC1591, A002TC1591ZC, A002TC1591ZCKD  
**VOLTAGE REGULATOR:**  
 GA788

**MITSUBISHI**

**GA1239**



**FEATURES / CARACTERÍSTICAS:** 120A, 8x50A, B+: M8 x 1,25mm X 30mm  
**REPLACES / REEMPLAZA:**  
**Transpo:** IMR8594; **Mobiletron:** RM59HV  
**APPLICATION / APLICACIÓN:**  
**Mazda:** 626 2.0 1993>1999, MX-6 2.0 1993>1997  
**ALTERNATOR / ALTERNATOR:**  
**FORD:** F3Z2-10346-A, F3Z2-10346-ARM; **MITSUBISHI:** A00002T82899, A002T33891, A002T33891, A002T33891ZC, A002T33892, A002T37791B, A002T80591, A002T80591ZC, A002T82791, A002T82791ZC, A002T82792, A002T82792ZC, A002T82899, A002TB5891, A002TB5891A, A002TB5891AC, A002TB5891ZC, A002TN0399, A002TN0499, A2T82899; **VALEO:** 437147, TA000A32601A  
**VOLTAGE REGULATOR:**  
 GA803

**MITSUBISHI**
**GA1245**

**FEATURES / CARACTERÍSTICAS:** 120A, 6x50A, Avalanche Diode B+: M8x1.25x26.6mm

**REPLACES / REEMPLAZA:**
**Mitsubishi:** 1800A086, A860X86870; **Transpo:** IMR10045

**APPLICATION / APLICACIÓN:**
**MITSUBISHI:** Lancer MK8 Saloon 1.8 Petrol 2008>, Lancer MK8 Saloon 1.8 Flexfuel Petrol/Ethanol 2009>, Lancer MK8 Saloon 1.8 Bifuel Petrol/Gas 2010>, Lancer MK8 Estate 1.8 Mivec Petrol 2009>, Lancer MK8 Estate 1.8 (CX3A) Petrol 2008>, Lancer MK8 Estate 1.8 Bifuel Petrol/Gas 2010>, Outlander 2.0 Petrol 2006>2012, Outlander 2.4 Petrol 2006>2012, Shogun/Pajero Mk3 3.8 V6 Petrol 2007>, Shogun/Pajero Mk3 3.2 DI-D Diesel 2007>

**ALTERNATOR / ALTERNATOR:**
**MITSUBISHI:** A003TG0191, A003TG1581, A003TG1991, A003TG3181, A003TG3181MI, A003TG3791, A003TG4091, A003TG4679

**VOLTAGE REGULATOR:**

GA859

**MITSUBISHI**
**GA1246**

**FEATURES / CARACTERÍSTICAS:** 100A, 8x35A, Avalanche Diode B+: M8 x 1.25 x 35.0 mm, Distance between holes 100mm

**REPLACES / REEMPLAZA:**
**Mitsubishi:** A860X94170; **Transpo:** IMR10006

**APPLICATION / APLICACIÓN:**
**Volvo:** FE 2006>, FE II 2012>, FL II 2006>, FL III 2013>, B7R B12R

**Renault:** Midlum 240.18 2006>, Premium II 2005>

**ALTERNATOR / ALTERNATOR:**
**VOLVO:** 21289221, 20707050; **BOSCH:** 0 986 083 950; **MITSUBISHI:** A004TA8591; **RENAULT:** 5010589137

**VOLTAGE REGULATOR:**

GA776

**MITSUBISHI**
**GA1265**

**FEATURES / CARACTERÍSTICAS:** 90A, 6x35A, B+ M5X18.5mm, Distance between holes 100mm

**REPLACES / REEMPLAZA:**
**Mitsubishi:** A860T26470; **Mobiletron:** RM-80; **Regitar:** RM-80; **Era:** 216061; **Cargo:** 132714

**APPLICATION / APLICACIÓN:**
**Mazda:** 626 1978>2002

**ALTERNATOR / ALTERNATOR:**
**MITSUBISHI:** A3T01877, A3T01877A

**MITSUBISHI**
**GA1266**

**FEATURES / CARACTERÍSTICAS:** 70A, 6x35A, B +: M5x0.8x6.0mm. PS: Distance between holes 75mm

**REPLACES / REEMPLAZA:**
**Transpo:** IMR7590; **Lester:** 13330, 13649

**APPLICATION / APLICACIÓN:**
**HONDA:** Civic L4 1.6L 96>98, Civic L4 1.6L 96>98, Civic del Sol L4 1.6L 96>97, Civic del Sol L4 1.6L 96>97, Civic 1500 96>01

**ALTERNATOR / ALTERNATOR:**

...

**MITSUBISHI**
**GA1270**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 85 mm, B+ Post: M5x18 mm, with diodetrio and capacitor

**REPLACES / REEMPLAZA:**
**Mitsubishi:** A860T38270, B36618W60A; **Regitar:** RM-38; **Cargo:** 136977; **WAI/Transpo:** IMR8548

**APPLICATION / APLICACIÓN:**
**FORD:** Escort;

**MAZDA:** RX7, MX3 1.6i, 323 1.3 16V, 1.6, 1.8i, 1.8 GT, 1.8 Turbo;

**KIA:** Sephia 1.5, 1.6, II 1.5

**ALTERNATOR / ALTERNATOR:**
**FORD:** F1CA10346B, F1C210346B; **MITSUBISHI:** A002T34477, A2T34477, B36618300G, A2T17574, A2T35177

**MITSUBISHI**

**GA1278**



**FEATURES / CARACTERÍSTICAS:** 55A, Diode 8x35A, B+: M6X21.4mm, Distance between holes 75mm

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A860T30370, A860X62470; **Suzuki:** 31621-60A20; **Transpo:** IMR7558; **Mobiletron:** RM-147; **Cargo:** 135215; **AS-Poland:** ARC5009

**APPLICATION / APLICACIÓN:**

**ASUNA TRUCK:** Sunrunner L4 1.6L 1992>1993

**CHEVROLET TRUCK:** Tracker L4 1.6L 1989>1991

**GEO TRUCK:** Tracker L4 1.6L 1989>1995

**GMC TRUCK:** Tracker L4 1.6L 1989>1991

**PONTIAC TRUCK:** Sunrunner L4 1.6L 1994

**SUZUKI TRUCK:** Sidekick L4 1.6L 1989>1994

**SUZUKI CAR:** Swift L4 1.3L 1993>1994, Swift L4 1.3L DOHC 1989>1992, Vitara 1600 1988>1993, X-90 1600 16V 1995>1998

**GEO CAR:** Metro L4 1.3L 1992>1994

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A001T03191, A001T03191ZC, A001T03195, A001T03195ZC, A005TA0791, A005TA0791ZC, A007T00191

**CHEVROLET:** 30016320, 96058486, 96069102

**SUZUKI:** 31400-33BD0, 31400-50G10, 31400-60A20, 31400-63B01, 31400-63BD1

**MITSUBISHI**

**GA1279**



**FEATURES / CARACTERÍSTICAS:** 65A, 6x35A, B+: M5x7mm, Diameter between holes: 85mm

**REPLACES / REEMPLAZA:**

**MITSUBISHI:** 1106-089RS; **AS-POLAND:** ARC5071

**APPLICATION / APLICACIÓN:**

...

**ALTERNATOR / ALTERNATOR:**

...

**MITSUBISHI**

**GA1280**



**FEATURES / CARACTERÍSTICAS:** 90A, 8x35A, B+: M8x27.5mm, Distance between holes: 100mm

**REPLACES / REEMPLAZA:**

**Cargo:** 238948; **Transpo:** IMR10054

**APPLICATION / APLICACIÓN:**

**Iveco:** Stralis 380 /410 2002>2013

**Case:** 335 Case 6-787 2004>2009, 335B Case 6-787 2007>2008, 340 Case 6-787 2004>2012, 340B Case 6-787 2007>2008, 327B Case 6-629 2006>2007, 330B Case 6-629 2006>2008

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A004TA8492, A004TA0592

**IVECO:** 504028095, 504065776, 504109413, 504286394, 504349338, 504349338

**CASE:** 504028095

**VOLTAGE REGULATOR:**

GA787

**MITSUBISHI**

**GA1281**



**FEATURES / CARACTERÍSTICAS:** 75A, 6x35A, B+: M8x27.5mm, Distance between holes: 100mm

**REPLACES / REEMPLAZA:**

**Cargo:** 139427; **Mobiletron:** RM-87; **Regitar:** RM-87

**APPLICATION / APLICACIÓN:**

**Hyundai:** Satellite 4D56 2.5 Turbo 1997>2002, Porter D4BH 2.5 Turbo 1994>2004, H-1 4D56 2.5 Turbo 1997>2012, H-1 D4BH 2.5 Turbo 2001>2012, Starex 4D56 2.5 Turbo 1997>2012

**Mazda:** 929 V6 3.0 1992>1995

**Nissan:** Quest V6 3.0 1996>1998

**ALTERNATOR / ALTERNATOR:**

**HYUNDAI:** 37300-42354, 37300-42355, 37300-42356, 37300-42357, 37300-42358

**MAZDA:** JE48-18-300C

**NISSAN:** 23100-1B000

**MITSUBISHI:** MD313384, MD313395, MD315304, MD318460, MD327533, MD330332, MD354804

**MITSUBISHI**
**GA1282**


**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, B+: M8x1.25x29.2mm

**REPLACES / REEMPLAZA:**

**Cargo:** 139222; **Transpo:** IMR10066; **Mobiletron:** RM-82; **Regitar:** RM-82

**APPLICATION / APLICACIÓN:**

**HYUNDAI:** Satellite 4D56 2.5L Turbo Dsl. 1997>2002

**ALTERNATOR / ALTERNATOR:**

**HYUNDAI:** 37300-42354, 37300-42355, 37300-42356, 37300-42357, 37300-42358; **MAZDA:** JE48-18-300C; **MITSUBISHI:** MD313384, MD313395, MD315304, MD318460, MD327533, MD330332, MD354804; **NISSAN:** 23100-1B000

**MITSUBISHI**
**GA1284**


**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 8x35A, B+: M5x7 mm, Diameter between holes: 100 mm

**REPLACES / REEMPLAZA:**

**Mazda:** N3H1-18-W60; **Mobiletron:** RM182; **Regitar:** RM-182; **Cargo:** 239995; **AS-Poland:** ARC5104; **Transpo:** IMR10047

**APPLICATION / APLICACIÓN:**

**Mazda Car:** 3 L4 2.0/2.3 2004>2006

**Mazda Van:** 5 L4 2.3 2006>2007

**Mazda China Car:** Mazda 3 2.0 Non-Turbo Gas 2006>2007, Mazda 3 2.0 Non-Turbo Gas 2010

**Mazda Europe Car:** 3/5 2000 2003>2010, 5 1800 2003>2010

**ALTERNATOR / ALTERNATOR:**

**MAZDA:** LF50-18-300, LF50-18-300A, LF50-18-300R0A, LF50-18-400

**MITSUBISHI**
**GA1285**


**FEATURES / CARACTERÍSTICAS:** 65A, 6x35A, B+: M5x7.6mm, Distance between holes: 85mm

**REPLACES / REEMPLAZA:**

**Cargo:** 233748; **AS-Poland:** ARC5108; **Mobiletron:** RM-94; **Regitar:** RM-94

**APPLICATION / APLICACIÓN:**

**KIA:** Sephia 1.8 1998>2001, Spectra 1.8 2000>2004

**ALTERNATOR / ALTERNATOR:**

**KIA:** 0K2A2-18-300, 0K30D-18-300, OK2A2-18-300, OK30D-18-300, RK30D-18-300U

**MITSUBISHI**
**GA1286**


**FEATURES / CARACTERÍSTICAS:** 90A, 8x35A, B+: M6x22mm, Diameter between holes: 100mm

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A860T31770, A860X31799, A860X34799; **Elccor:** ARC-MI097; **Cargo:** 233515; **AS-Poland:** ARC5058; **Transpo:** IMR10072; **Mobiletron:** RM-44; **Regitar:** RM-44

**APPLICATION / APLICACIÓN:**

**NISSAN CAR:** 300ZX V6 3.0 Turbo 1990>1993

**ALTERNATOR / ALTERNATOR:**

**NISSAN:** 23100-31P10, 23100-31P10R

**MITSUBISHI**
**GA1287**


**FEATURES / CARACTERÍSTICAS:** 70A, 6x35A, B+: M6x12.5mm, Distance between holes: 90mm

**REPLACES / REEMPLAZA:**

**Cargo:** 231426; **AS-Poland:** ARC5169; **Transpo:** IYR9094; **Mobiletron:** RM-118; **Regitar:** RM-118

**APPLICATION / APLICACIÓN:**

**CITROËN:** Berlingo 1.9 1996>2003, Evasion 1.9 1995>2000, Jumpy Box 1.9 1996>2000, Xantia 1900/2100 1997>2000, Xsara 1.9 1997>1999, ZX 1900 1994>1998

**PEUGEOT:** 306 1900 1993>1999, 406 1900/2100 1996>1999, 806 1900 1995>1999

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A002TA1994D

**CITROËN / PEUGEOT:** 9624141580



**MITSUBISHI**

**GA1290**



**FEATURES / CARACTERÍSTICAS:** 65A, 8x35A, B+: M5x6.3mm, Distance between holes: 75mm

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A860T32570; **Cargo:** 134027; **AS-Poland:** ARC5010; **Transpo:** IMR7562; **Mobiletron:** RM-23; **Regitar:** RM-23

**APPLICATION / APLICACIÓN:**

**MAZDA:** 323 1.6/1.8 1990>1991, Protege 1.8 1990>1991, 323 1300 1991>1994, 323 1600 1989>1994, MX5 1600 1990>1998

**FORD:** Escort 1.8 1991

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A002T34377, A005T00877, A005T02777

**MAZDA:** B36618300, B36618300C, B36618300E, B36618300R00, BP0218300

**FORD:** F0CZ10346B, F0CZ10346B

**VOLTAGE REGULATOR:**

GA758

**MITSUBISHI**

**GA1291**



**FEATURES / CARACTERÍSTICAS:** 90A, 6x35A, B+: M5x7mm, Distance between holes: 100mm

**REPLACES / REEMPLAZA:**

**Elccor:** ARC-MI067; **Cargo:** 236816; **As-Poland:** ARC5094

**APPLICATION / APLICACIÓN:**

**NISSAN:** Patrol 2800 1988>1995, Patrol II Station Wagon 1989>1992

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A3T03099, A860T29770

**NISSAN:** 23100-22J10

**MITSUBISHI**

**GA1292**



**FEATURES / CARACTERÍSTICAS:** 95A, 8x35A, B+: M8x28.2mm, Distance between holes: 100mm

**REPLACES / REEMPLAZA:**

**Cargo:** 231079; **AS-Poland:** ARC5042; **Transpo:** IMR10057; **Mobiletron:** RM-99HV; **Regitar:** RM-99HV

**APPLICATION / APLICACIÓN:**

**FORD:** Transit Box 2.5 1999>2000, Transit Tourneo 2.5 1997>2000, Transit LCV 2.5 1997>2000

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A003TN1791

**FORD:** 98VB-10K359-BA, 98VB-10K359-BB, 98VB-10K359-BC, R98VB10K359BC

**MITSUBISHI**

**GA1319**



**FEATURES / CARACTERÍSTICAS:** 65A, 6x35A, B+: M5x7.0mm, Distance between holes: 85mm

**REPLACES / REEMPLAZA:**

**Cargo:** 235265

**APPLICATION / APLICACIÓN:**

**CITROËN:** Xsara 1900 1999>2000, Xsara Picasso 1800 16V 2000>2001, Berlingo 1900 1999>2005

**PEUGEOT:** 206 1100/1400/1600/1900 1998>2000, 306 1900 1999>2002, 406 2200 2000>2002, Expert 1900 1999>2006, Partner 2000 2001>2010

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A002TB4791, A002TB4791A, A002TB4791B

**MITSUBISHI**

**GA1324**



**FEATURES / CARACTERÍSTICAS:** 110A, 8X35A, with trio and capacitor, dist. Between holes: 100 mm

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A860T33970, A860T39970; **Ford:** F3XA-10304-AA, F3XY-10304-A, GYE1418; **Mazda:** SLA3-18-W60;

**WAI/Transpo:** IMR10060; **Regitar:** RM-48; **Cargo:** 135900; **Mobiletron:** RM-48

**APPLICATION / APLICACIÓN:**

**MERCURY:** Villager 3.0 V6 93>95;

**NISSAN:** Quest 3.0 V6 93>95

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A004T01192, A004T01192ZC, A004T02591, A004T02591ZC, A004T29591, A004T29591ZC;

**FORD:** F3XA-10300-AB, F3XA-10300-AC, F3XY-10300-A, F3XY-10346-A;

**FORD ENGINEERING:** F3XA-AB, F3XA-AC, F3XY-A;

**NISSAN/INFINITI:** 23100-0B000

**MITSUBISHI**
**GA1325**


**FEATURES / CARACTERÍSTICAS:** 85A | 8x35A, B+: M8x28mm, Distance between centers: 85mm

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A860T58070, A860X58070, MD619284; **Cargo:** 230643; **As-Poland:** ARC5061; **Transpo:** IMR85668; **Mobiletron:** RM-128; **Regitar:** RM-128

**APPLICATION / APLICACIÓN:**

**Mitsubishi:** Colt V 1.6 1995>2003, Galant VI 2.0 1996>2004, Galant VI Station Wagon 2.0 1996>2003, Lancer VI 1.6 16V 1995>2003, Pajero Pinin 1.8 1999>2007, Space Star 1.8 GDI 1998>2004;

**MAZDA:** 323 2000 1999>2003, 626 2000 1998>2003, Premacy 2000 1998>2003

**NISSAN:** Kubistar 1500 Dci 2003>2010

**RENAULT:** Clio II 1500 2001>2007, Kangoo 1500 2002>2010, Laguna 1500 2007>2012, Megane 1400/1500/1600 16V 2002>2010, Megane Classic 1400/1600 16V 2002>2010, Megane Scenic 1400/1500/1600 2002>2010

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** MD343562, A2TB0892, MD317862, MD322925, MD357737, MD363639, MD368519, MD375853; **MAZDA:** RF1S-18-300; **NISSAN:** 23100-00QA1, 23100-00QA9; **RENAULT:** 7711134728, 8200053938, 8200100907, 8200120286

**MITSUBISHI**
**GA1326**


**FEATURES / CARACTERÍSTICAS:** 65A, 6x35A, B+: M8x28mm, Avalanche Diode, Distance between center: 85mm

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**MITSUBISHI:** Shogun/ Pajero Mk2/ Mk2 Soft Top 2.5 TD 4WD 90>99, L200 2.5 96>07, L300 Van 2.5 86>06

**ALTERNATOR / ALTERNATOR:**

**Mitsubishi:** MD366050, A2T82899AT

**VOLTAGE REGULATOR:**

GA767

**MITSUBISHI**
**GA1335**


**FEATURES / CARACTERÍSTICAS:** 80A, 6x35A Avalanche Diode, B+: M5x6mm, Distance between holes: 75mm

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**CITROËN:** Nemo Multispace 1.4 2009>2012, Xsara 1.4, 1.6 2000>2005, Xsara Picasso 1.6 16V 2006>2010, Xsara Picasso 1.6 8V 2000>2006, Xsara Picasso 1.8 16V 2000>2010Ç

**FIAT:** Ulysse 2000 2002>2010Ç

**PEUGEOT:** 206 1.1, 1.4, 1.6, 1.9, 2.0 1998>2010, 607 2.0 16V 2001>2005

**ALTERNATOR / ALTERNATOR:**

**Mitsubishi:** A005TA6391C; **Citroën:** 9638275980; **Renault:** 7700433069; **MMB:** A001TA2291

**VOLTAGE REGULATOR:**

GA426

**MITSUBISHI**
**GA1339**


**FEATURES / CARACTERÍSTICAS:** 8x35A Avalanche Diodes, Distance Between Holes: 75mm

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**RENAULT:** Clio 1.0 2000>

**ALTERNATOR / ALTERNATOR:**

**Mitsubishi:** A001TA2291; **Renault:** 7700433069

**VOLTAGE REGULATOR:**

GA777

**MITSUBISHI**
**GA1340**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 85 mm, B+ Post: M8x25 mm, with diode trio

**REPLACES / REEMPLAZA:**

**Regitar:** RM-110HV; **Cargo:** 138873; **WAI/Transpo:** IMR8566

**APPLICATION / APLICACIÓN:**

**VOLVO:** VM 210, VM 240, VM 260 /98>

**ALTERNATOR / ALTERNATOR:**


**MITSUBISHI:** A002TA8891; **VOLVO:** 20498749

**VOLTAGE REGULATOR:**

GA874

**MITSUBISHI**

**GA1342**



**FEATURES / CARACTERÍSTICAS:** 100 A, 8x35A Avalanche, 100mm Distance between holes, Bolt B+ M8 X 30  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**SCANIA:** 440R, G 480, P 480, R 480, Serie 5, Serie 6 with engine DC13.07 12742ccm / P270  
**ALTERNATOR / ALTERNATOR:**  
**Mitsubishi:** A004TR5691, A4TR5691, A004TR5491;  
**Scania:** 1 777 299, 1 884 268

**MITSUBISHI**


**GA1343**



**FEATURES / CARACTERÍSTICAS:** 70A, Diodes 6x35A  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**HONDA:** Fit 1.5 2006>2008  
**ALTERNATOR / ALTERNATOR:**  
**Mitsubishi:** A5TA4591, A5TB0291ZT/B1391/B149;  
**Honda:** AHGA58  
**VOLTAGE REGULATOR:**  
 GA868

**MITSUBISHI**

**GA1346**



**FEATURES / CARACTERÍSTICAS:** 6x50A Block avalanche diodes  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**MITSUBISHI:** ASX, Lancer, Outlander 2010>  
**ALTERNATOR / ALTERNATOR:**  
**Mitsubishi:** A3TG3181, A2TG2191

**MITSUBISHI**

**GA1354**



**FEATURES / CARACTERÍSTICAS:** 130A, 8x35A, B +: M6x1.0x27.5mm, Distance between holes 100mm  
**REPLACES / REEMPLAZA:**  
**Transpo:** IMR10090; **Mobiletron:** RM-131HV; **Lester:** 13595, 13764, 13892, 13952  
**APPLICATION / APLICACIÓN:**  
**CHRYSLER:** Sebring V6 2.5L 2497cc 152cid 1999;  
**DODGE:** Avenger V6 2.5L 2497cc 152cid 1999  
**ALTERNATOR / ALTERNATOR:**  
 ...

**MITSUBISHI**

**GA1356**



**FEATURES / CARACTERÍSTICAS:** 105A, 6x35A Block Diodes  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** A860T37670, A860T39170  
**APPLICATION / APLICACIÓN:**  
**Kia:** Sephia L4 1.6L 1597cc 1994-1995; Europe Car; Mentor 1500 1996-2001; Shuma 1500 1999-2001; Shuma 1800 1999-2004; **Mazda:** Europe Car; 323 1600 1989-1994; MX3 1600 1991-1994; Xedos 6 1600 1993-1997  
**ALTERNATOR / ALTERNATOR:**  
**KIA:** OK201-18-300B

**MITSUBISHI**

**GA1362**



**FEATURES / CARACTERÍSTICAS:** 75A, Diodes 6x35A, 65mm, with diode trio  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** A860T11970, A860T13370, MD607828, MD611070; **Regitar:** RM-01HV; **Cargo:** 132039; **WAI/Transpo:** IMR6542  
**APPLICATION / APLICACIÓN:**  
**MAZDA:** RX7 1.1L 1984-1985, B2200 1986-1987;  
**KIA:** Pride 1100, 1300 1991-1994;  
**MITSUBISHI:** Dodge Truck, Plymouth  
**ALTERNATOR / ALTERNATOR:**  
**MAZDA:** F651-18-300, FE85-18-300, FE85-18-300A; **MITSUBISHI:** A5T30977, A5T31177

**MITSUBISHI**
**GA1364**


**FEATURES / CARACTERÍSTICAS:** 85A, DIODES 6x35A, with diode trio and capacitor, B+ post M6x25mm".

**REPLACES / REEMPLAZA:**

**Ford:** E8GY-10304-B, E92Z-10304-A, GYE1377; **Hyundai:** 37367-24510; **Mando:** A600C003F; **Magneti Marelli:** 940038260; **Mazda:** B675-18-W60, F8B1-18-W60; **Mitsubishi:** A860T27070, A860T27170, A860T28370; **Mitsubishi motors:** MD611778; **Regitar:** RM-10; **Cargo:** 132469; **WAI/Transpo:** IMR7556

**APPLICATION / APLICACIÓN:**

**Dodge, Eagle, Ford, Hyundai, Mazda, Mitsubishi, Plymouth (1994-87)**

**ALTERNATOR / ALTERNATOR:**

**MANDO:** 3730024500, 3730024510, AB175015, AB175019.

**MITSUBISHI**
**GA1368**


**FEATURES / CARACTERÍSTICAS:** 115A, 8x35A Block Diodes

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A860T38670; **WAI/Transpo:** IMR10064; **Regitar:** RM-46; **Cargo:** 133882

**APPLICATION / APLICACIÓN:**

**Ford:** Probe V6 2.5L 2450cc 152cid 1993-1997; Europe Car; Probe 2500, V6, 24V 1994-1998; **Mazda:** 626 V6 2.5L 2497cc 1993-2000; MX-3 V6 1.8L 1845cc 1992-1995; MX-6 V6 2.5L 2497cc 1993-1997; Europe Car; 323 2000, V6 1994-1998; 626 2500, V6 1992-1997; MX3 1800, V6 1991-1999; MX6 2500, V6 1991-1997; Xedos 6 2000, V6 1992-2001

**ALTERNATOR / ALTERNATOR:**

**MAZDA:** K801-18300B

**MITSUBISHI**
**GA1370**


**FEATURES / CARACTERÍSTICAS:** 85A Diodes 6x35A, Distance between holes: 85mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A860T31370; **Mazda:** JE15-18-W60; **Mando:** A600C3201; **Regitar:** RM-31; **Cargo:** 135041; **WAI/Transpo:** IMR8544

**APPLICATION / APLICACIÓN:**

**MAZDA:** MPV 2.5L, 2.6L, 3.0L

**ALTERNATOR / ALTERNATOR:**

**LESTER:** 13253, 13272, 13282; **MAZDA:** JE1518300A; **MITSUBISHI:** A002T13977, A2T13977, A2T19677, A2T20191, A2T32899, A3T00792, JE1518300A, MD50190

**MITSUBISHI**
**GA1371**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 85mm, with diode trio and capacitor, B+ Post: M6x25 mm.

**REPLACES / REEMPLAZA:**

**Ford:** E8PZ10304A; **Regitar:** RM-30; **Cargo:** 233511; **WAI/Transpo:** IMR8542

**APPLICATION / APLICACIÓN:**

**FORD:** Thunderbird.

**ALTERNATOR / ALTERNATOR:**

**FORD:** E8SF10300AA, E8SF10346A, E8SZ10346A; **LESTER:** 13189. **MITSUBISHI:** A3T01496, A3T01496MA; **MOTORCRAFT:** GLE254; **PIC:** 203325

**MITSUBISHI**
**GA1372**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 85mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A 860 T 34070; **Regitar:** RM-31; **Cargo:** 135041; **WAI/Transpo:** IMR8546

**APPLICATION / APLICACIÓN:**

**FORD:** Probe 2.2 turbo Intercooler;

**MAZDA:** MX6, RX7, 929 2.2i, 626 2.0i, 16V, 2.2i, 2.2i Stationcar

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A002T19991, A2T13977, A2T19877, A2T19991, A3T00792, F28518300C; **FORD:** F02E10346D, F28518300B, F29018300A, F29018300B, F8B118300G; **PIC:** 203354, 203373; **MOTORCRAFT:** GLE302; **LESTER:** 13297

**MITSUBISHI**
**GA1373**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 85mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A 860 T 28670; **Ford:** E8PZ10301B, E8PZ-10304-B, GYE1380; **Regitar:** RM-29; **Cargo:** 134297; **WAI/Transpo:** IMR8540

**APPLICATION / APLICACIÓN:**

**FORD:** Tempo, Taurus, Mercury Topaz, Sable.

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A3T01596, A3T01596MA, A3T01598, A3T01598MA; **FORD:** E83F10300AA, E83F10300AB, 83F10300BA, E83Z10346A, E8DF10300AB, E8DZ10346A, F73J10346AA; **PIC:** 203319, 203326; **MOTORCRAFT:** GLE250, GLE251, GLE439; **LESTER:** 13188, 13190

**MITSUBISHI**

**GA1375**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, Distance between holes: 85mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Ford:** E9PZ10304A; **Regitar:** RM-32; **Cargo:** 233746; **WAI/Transpo:** IMR8570

**APPLICATION / APLICACIÓN:**

**FORD:** Probe, Taurus, Tempo, Mercury Topaz

**ALTERNATOR / ALTERNATOR:**

**FORD:** E9DF-1300-BB, E9DZ910346-A, FO2U-1300-AA, FO2U-10300-AC, FO2Z-10346-A, F33U-10300-BA, F33Z-10346-A, F3DU-10300-DA, F3DZ-10346-C, GLE-261, GLE-274, GLE-339, GLE-341; **MITSUBISHI:** A3T00491, A3T00896, A3T00896ZC, A3T12691, A3T12792, A3T12792ZC

**MITSUBISHI**

**GA1377**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, Distance between holes: 85mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Cargo:** 230593; **WAI/Transpo:** IMR85104

**APPLICATION / APLICACIÓN:**

**FORD:** Europe

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A2T32692; **FORD:** 92AB10300JA

**MITSUBISHI**

**GA1378**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 85mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Regitar:** RM-90; **Cargo:** 137860; **WAI/Transpo:** IMR85106

**APPLICATION / APLICACIÓN:**

**FORD:** Europe

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A2T14591, A2T28792; **FORD:** 91AB10300A, 92AB10300FA

**MITSUBISHI**

**GA1379**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 8x35A, Distance between holes: 85mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A860T23270, MD 611 586; **Regitar:** RM-34; **Cargo:** 135042; **WAI/Transpo:** IMR8574

**APPLICATION / APLICACIÓN:**

**DODGE:** Stealth;

**HYUNDAI:** Sonata;

**MITSUBISHI:** 3000GT

**ALTERNATOR / ALTERNATOR:**

**LESTER:** 13352; **MANDO:** AB190012; **MITSUBISHI:** A003T00692, A3T00692, A3T04292, MD112323, MD112323; **PIC:** 203384, 203384A

**MITSUBISHI**

**GA1380**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, Distance between holes: 85mm, With Capacitor , with diode trio

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A860X29999, A860T29999; **Regitar:** RM-35; **Cargo:** 135260; **WAI/Transpo:** IMR8576

**APPLICATION / APLICACIÓN:**

**NISSAN:** Stanza, 200SX 1.8 DOHC Turbo

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A2T13894, A2T14694; **LESTER:** 13286; **PIC:** 203292, 203310, 203322D, 203364; **NISSAN:** 2310035F10

**MITSUBISHI**

**GA1382**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 85mm, B+ PostM8x25, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Cargo:** 137861; **Regitar:** RM-37; **WAI/Transpo:** IMR8580

**APPLICATION / APLICACIÓN:**

**MITSUBISHI;**

**MAZDA:** 626, MX6

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A2T20091, A2T20091ZC; **PIC:** 203341, 203341A, 203356, 203442; **LESTER:** 13299; **FORD:** F2F818300B

**MITSUBISHI**
**GA1383**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A 8x35A . Distance between holes: 100mm. B+ Post M6x20  
**REPLACES / REEMPLAZA:**  
**Regitar:** RB-45; **Cargo:** 231118; **WAI/Transpo:** IMR7579  
**APPLICATION / APLICACIÓN:**  
**HONDA:** Civic 1.7 2001-2004  
**ALTERNATOR / ALTERNATOR:**  
**MITSUBISHI:** A5TA7091; **HONDA:** 31100PLMA01  
**VOLTAGE REGULATOR:**  
 GA837

**MITSUBISHI**
**GA1384**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 8x35A, Distance between holes: 85mm, B+ Post M8x25, With Capacitor,  
**With triodiode**  
**REPLACES / REEMPLAZA:**  
**Cargo:** 137861; **Regitar:** RM-37; **WAI/Transpo:** IMR8580  
**APPLICATION / APLICACIÓN:**  
**MITSUBISHI;**  
**MAZDA:** 626, MX6  
**ALTERNATOR / ALTERNATOR:**  
**MITSUBISHI:** A2T20091; **PIC:** 203341, 203341A, 203356, 203442; **LESTER:** 13299; **FORD:** F2F818300B

**MITSUBISHI**
**GA1385**


**FEATURES / CARACTERÍSTICAS:** 85A Diodes 6x35A, Distance between holes: 85mm, with diode trio and capacitor  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** MD618568; A 860 T 38770; **Cargo:** 136979; **Regitar:** RM-36; **WAI/Transpo:** IMR8590  
**APPLICATION / APLICACIÓN:**  
**CHRYSLER; MITSUBISHI**  
**ALTERNATOR / ALTERNATOR:**  
**LESTER:** 13430, 13439, 13450. **MITSUBISHI:** A002T34892, A002T34991, A002T34992, A002T35091, A002T36391, A002T36392, A002T38491, A002T38891, A002T38892, A002T39891, A002T40092, A002T83291, A002TA3491, A2T20091, A2T34892, A2T34992, A2T35091, A2T35092, A2T36391, A2T36392, A2T38491, A2T38891, A2T38892, A2T40092, MD175810, MD175811, MD177244, MD184278, MD184279, MD184280, MD184281, MD189658, MD189659, MD191402, MD193323, MD19543, MD309837, MD317401; **PIC:** 203297, 203297A, 203298, 203299

**MITSUBISHI**
**GA1386**


**FEATURES / CARACTERÍSTICAS:** 95A, 8x35A Diodos, B+ Parafuso M8, Distance between holes: 100mm  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** A860X64570; **Regitar:** ; **Cargo:** 230884; **WAI/Transpo:** IMR10046  
**APPLICATION / APLICACIÓN:**  
**GM:** Ómega Australiano 3.8 V6;  
**KIA:** Sephia  
**ALTERNATOR / ALTERNATOR:**  
**MITSUBISHI:** A003TB0191, A003TG4091; **GM:** 92173959  
**VOLTAGE REGULATOR:**  
 GA776

**MITSUBISHI**
**GA1387**


**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x30A, with diode trio and capacitor, Hole B+: M8, OD 85mm  
**REPLACES / REEMPLAZA:**  
**Mitsubishi:** A860T39070, A860T42670, A860T42770, A860X44170, MD618734, MD618752, MD618811, A2T82378, A860X42770 ;  
**Regitar:** RM-59, RM-50HV; **Cargo:** 137849; **WAI/Transpo:** IMR8588  
**APPLICATION / APLICACIÓN:**  
**MITSUBISHI:** L200 (2001-93), Galant 1996-1998  
**ALTERNATOR / ALTERNATOR:**  
**MITSUBISHI:** A2TA0991, A2T33891, A2T38392, A2T37976, A2T38391, A2T80591, A2T82791, A2T82792, A2T82792ZC, A2T82899, A3T11891, MD194482, MD304129, MD306649, MD310997, MD313939, MD314235, MD314236, MD314374, MD315430, A2T38391, A2T37976, MD310997, MD327535, A2TA0891ZC, A2TA0891  
**VOLTAGE REGULATOR:**  
 GA797

**MITSUBISHI**
**GA1389**


**FEATURES / CARACTERÍSTICAS:** 90A, Diodes Avalanche 6x35A, without diode trio, 85mm, M8x55mm B+ Holes  
**REPLACES / REEMPLAZA:**  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** Sentra 1.6, Tida 1.6, Livina 1.6/1.8, Nissan Frontier 2008>2012, Nissan Pathfinder 2.5 DCI  
**ALTERNATOR / ALTERNATOR:**  
**MITSUBISHI:** A2TG0881ZC, A2TG11081ZT, A3TG2681AE, A003TG2681, A003TG2681AE, A3TG2681AE; **NISSAN:** 23100EL010, 23100EB310, 23100EB31A, 23100EB1071A, 23100EB71A  
**VOLTAGE REGULATOR:**  
 GA427

**MITSUBISHI**

**GA1390**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, Distance between holes: 100mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A860T35270, E9PZ10304B; **Regitar:** RM-41; **Cargo:** 135252; **WAI/Transpo:** IMR10040

**APPLICATION / APLICACIÓN:**

**FORD:** Thunderbird, Mercury Cougar;

**HYUNDAI:** Alliance

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A3T45694, A4T00790, A4T00796, A4T03591, MD149750; **PIC:** 203324, 203360A; **LESTER:** 13212;

**FORD:** E9SF10300DA, F3SU10300AA, F3SZ10346A; **MOTORCRAFT:** GLE265, GLE338

**MITSUBISHI**

**GA1391**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, Distance between holes: 100mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A 860 T 23070, A 860 T 28070, MD602227, MD611564, MD611768; **Cargo:** 132793; **Regitar:** RM-40; **WAI/Transpo:** IMR10042

**APPLICATION / APLICACIÓN:**

**MITSUBISHI:** Van & Wagon;

**DODGE:** Dodge Eagle;

**CHRYSLER**

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A003T02193, A3T03393, MD126110, A003T03392, A3T03471, MD133171, A003T03393, A3T03492, MD135171, A003T03493, A3T03493, MD136838, A003T06591, A3T04493, MD136839, A003T08293, A3T08293, MD141855, A003T41876, A3T41876, MD158495, A003T45694, A3T41892, MD162518, A3T02192, A3T45693, MD168989, A3T02193, A4T41876, MD611564, A3T03391, A4T41892, MD611678, A3T03392, A4T45694, MD111233

**VOLTAGE REGULATOR:**

GA802

**MITSUBISHI**

**GA1392**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, Distance between holes: 100mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A 860 T 30170, 23700AA061, 23830AA030, A860T29870; **Cargo:** 135229; **Regitar:** RM-42; **WAI/Transpo:** IMR10044

**APPLICATION / APLICACIÓN:**


**SUBARU:** XT 2.7, Canter f60d, FE444

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A3T03891; **PIC:** 203387, 203387A; **SUBARU:** 23700AA061

**MITSUBISHI**

**GA1393**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 100mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A 860 T 26070, MD611742; **Regitar:** RM-43; **Cargo:** 137486; **WAI/Transpo:** IMR10050

**APPLICATION / APLICACIÓN:**

**MITSUBISHI:** 3000GT, Diamont;


**CITROËN**

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A004T01793, A4T01893, MD160539, A004T01893, A4T02991, MD160540, A004T02991, A4T03091, MD197468, A004T03091, A4T03191, MD197469, A4T01793; **LESTER:** 13435; **PIC:** 203440A

**MITSUBISHI**

**GA1394**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A, Distance between holes: 100mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A 860 T 26070, MD611742; **Regitar:** RM-43; **Cargo:** 137486; **WAI/Transpo:** IMR10050; **Mobiletron:** RM-43,

**AS-Poland:** ARC5041

**APPLICATION / APLICACIÓN:**

**MITSUBISHI:** 3000GT;

**DODGE:** Stealth;

**HYUNDAI:** Sonata

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A004T01493, MD150657, A004T03191, MD197470, A3T05882, ME017595, A4T01493; **PIC:** 203383, 203383A, 203440, 203383B; **HYUNDAI:** 3730035571, 3730035573; **MANDO:** AB111057; **LESTER:** 13351, 13703

**VOLTAGE REGULATOR:**

GA806

**MITSUBISHI**
**GA1395**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x30A, with diode trio and capacitor, OD: 75mm

**REPLACES / REEMPLAZA:**
**Mitsubishi:** A860T13270, A860T17570, A860T17970, A860T24270; **Regitar:** RM-08; **Cargo:** 132040; **WAI/Transpo:** IMR7544

**APPLICATION / APLICACIÓN:**
**MAZDA:** III Hatch back 1.1 /1.3 /1.5 /1.6 1985-1987, 626 B1800 /B2000, Pickup RX7

**ALTERNATOR / ALTERNATOR:**
**MITSUBISHI:** A2T17872, A2T41677, A2T44991

**MITSUBISHI**
**GA1396**

**FEATURES / CARACTERÍSTICAS:** 120A, 8X35A Avalanche Diodes

**REPLACES / REEMPLAZA:**
**Transpo:** IMR10052; **Regitar:** RM-155HV

**APPLICATION / APLICACIÓN:**
**CITROËN - EUROPA:** C4 1400 16V 2004-2010, C4 1600 16V 2004-2010, C4 2000 16V 2004-2010, C5 1800 16V 2001-2010, C5 2000 16V 2001-2004, C8 2000 16V 2002-2010, C8 2200 16V 2002-2010, Xsara Picasso 1800 16V 2000-2010;

**CITROËN - EUROPA VAN:** Berlingo - LCV 1400 2008-2012, Berlingo - LCV 1600 16V 2008-2012;

**CITROËN LCV - EUROPA VAN:** Berlingo 1600 16V 2008-2012;

**PEUGEOT - EUROPA:** 207 1400 16V KFU 2006-2010, 207 1600 16V NUF 2006-2010, 307 2000 16V 2001-2010, 407 2200 16V 2004-2010, 607 2200 16V 2000-2005, 807 2000 16V 2002-2005, 807 2200 16V 2002-2010;

**PEUGEOT - EUROPA VAN:** Partner Tepee 1600 16V 2008-2012

**ALTERNATOR / ALTERNATOR:**
**MITSUBISHI:** 9640088080, A003TB2691, 9640088080, A003TB2691, A860T13270, A860T17570, A860T17970, A860T24270

**VOLTAGE REGULATOR:**

GA426

**MITSUBISHI**
**GA1398**

**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 6x35A, Distance between holes: 100mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**
**MITSUBISHI:** Pajero 2.8D 94-98, Canter;

**NISSAN:** King Van

**ALTERNATOR / ALTERNATOR:**
**MITSUBISHI:** A2TA3098, A3TA3098, A3TA6098, A3TO9199, A3TO9698, A3TO9699, A3TO9799

**VOLTAGE REGULATOR:**

GA857

**MITSUBISHI**
**GA1399**

**FEATURES / CARACTERÍSTICAS:** 95A, 8x35A Diodes, B+ Bolt M8, with diode trio and capacitor, Dist between holes: 100mm

**REPLACES / REEMPLAZA:**
**Mitsubishi:** A860X47070, ME701716; **Cargo:** 139111; **Regitar:** RM-116

**APPLICATION / APLICACIÓN:**
**MITSUBISHI:** Montero, Pajero 3.2L; **RENAULT:** Sandero, Logan, Clio II, Scénic I, Mégane I, Cabriolet I All 1.4/1.6 16V

**ALTERNATOR / ALTERNATOR:**
**MITSUBISHI:** A003T08699, A003T09699, A003TB1299, A3T08699, A3T09699, A3TB1299, ME200696, ME200698, ME202971

**VOLTAGE REGULATOR:**

GA857

**MITSUBISHI**
**GA1360**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 65mm, with diode trio and capacitor

**REPLACES / REEMPLAZA:**
**Mitsubishi:** A 860 T 16770, MD611254; **Regitar:** RM-04HV; **Cargo:** 132791; **WAI/Transpo:** IMR6548

**APPLICATION / APLICACIÓN:**
**HYUNDAI:** Mirage, Plymouth Champ;

**MITSUBISHI:** Colt 1.2, 1.5;

Lancer 2, 1.5, Lancer 1800 4WD, Space Wagon1.8;

Tredia 1500, 1600;

**NISSAN:** Micra 1.2 87-92

**ALTERNATOR / ALTERNATOR:**
**MITSUBISHI:** A1T01991, A1T40791, A1T40891



**MITSUBISHI**

**GA1361**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 65mm, with diode trio and capacitor  
**REPLACES / REEMPLAZA:**

**Mitsubishi:** A 860 T 22770; **Cargo:** 132789; **Subaru:** 23830-KA070; **Regitar:** RM-03; **WAI/Transpo:** IMR6540

**APPLICATION / APLICACIÓN:**

**SUBARU:** Justy;

**SUZUKI:** Alto 1.0, Swift 1.0, 1.03 GTi 16V, Samurai 1.3, Vitara 1.6i;

**KIA:** Pride 1.3;

**MAZDA:** 121

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A1T02592; **SUBARU:** 23700KA190, 23700KA240, 23700KA360

**MITSUBISHI**

**GA1363**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, Distance between holes: 65mm, with diode trio and capacitor  
**REPLACES / REEMPLAZA:**

**Mitsubishi:** A 860 T 20570; **Cargo:** 133263; **Lucas:** 21513131m; **Nissan:** 2312453A10; **Regitar:** RM-05; **WAI/Transpo:** IMR6570

**APPLICATION / APLICACIÓN:**

**NISSAN:** Sunny 1.0, 1.3 8V, 1.5 8V, 1.6 8V

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A5T41592, A5T41592B; **NISSAN:** 2310053A10, 2310053A11

**MITSUBISHI**

**GA1409**



**FEATURES / CARACTERÍSTICAS:** 50A, Diodes 6x35A, B+:M8x1.25x30mm

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A860T46570, A860X46570; **Transpo:** IMR7588

**APPLICATION / APLICACIÓN:**

**HYUNDAI:** Amica 1000 2000>2003, Amica 1100 2006>2010, Atos 1000 1998>2005;

**MITSUBISHI:** Minica 1994

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A001T06391, A001T06672, A001TA0091, A001TA0291, A001TA0491, A001TA0791, A001TA0891; **HYUNDAI:**

37300-02503, 3730002503AT; **MANDO:** AB160108; **MAGNETI MARELLI:** 063532613010

**MITSUBISHI**

**GA1410**



**FEATURES / CARACTERÍSTICAS:** 80A, Diodes 8x35A, B+: M5x0.8x19.2mm

**REPLACES / REEMPLAZA:**

**Honda:** 31127-RNA-A01; **Transpo:** IMR8579; **Cargo:** 330593

**APPLICATION / APLICACIÓN:**

**HONDA:** Civic VIII Hatchback 1.8 2005>, FR-V 1.8 2004>, Civic MK7 1.6 2005>, Civic MK7 1.8 2005>2012

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A002TC1391, A002TC1391ZC, A002TC1391ZE, A002TC1591, A002TC1591ZC, A002TC1591ZCKD;

**HONDA:** 31100-RNA-A01, 31100-RNA-A012-M2, 31100-RNA-A01RM, AHGA67

**MITSUBISHI**

**GA1479**



**FEATURES / CARACTERÍSTICAS:** 50A, Avalanche Diodes 8x35A, B+: M8x1.25x30.0mm

**REPLACES / REEMPLAZA:**

**Mitsubishi:** A860X85470; **Transpo:** IMR6571

**APPLICATION / APLICACIÓN:**

**CATERPILLAR:** Truck C3000 Mits. K21 Eng. 2004>2009

**ALTERNATOR / ALTERNATOR:**

**MITSUBISHI:** A007TA3371, A007TA3377

**MITSUBISHI**

**GA1855**



**FEATURES / CARACTERÍSTICAS:** 110A, 8x35A, B+: M5x5.6mm, Distance between holes: 100mm, with trio diode

**REPLACES / REEMPLAZA:**

**Cargo:** 235565; **Transpo:** IMR10094

**APPLICATION / APLICACIÓN:**

**HYUNDAI:** Terracan 2900 2003>2010;

**KIA:** Sedona 2900 2001>2006

**ALTERNATOR / ALTERNATOR:**

**HYUNDAI:** 37300-4X000, 37300-4X001, 37300-4X002, 37300-4X500, 37300-4X501, 37300-4X502, 37300-4X503

**MITSUBISHI**
**GA1879**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 8x35A, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**
**HYUNDAI:** HR 92>

**ALTERNATOR / ALTERNADOR:**

TA000A64201, 37300-42711

**VOLTAGE REGULATOR:**

GA979


**NIPPON DENSO**
**GA1160**

**FEATURES / CARACTERÍSTICAS:** 70A, Diodes Dish 8x35A, Ø 100 mm, B+ Post M6x43mm.

**REPLACES / REEMPLAZA:**
**Nippon Denso:** 021580-2160, 0211580-2230; **Toyota:** 27357-63020; **Regitar:** RN-13; **Cargo:** 132082; **WAI/Transpo:** INR720

**APPLICATION / APLICACIÓN:**
**HONDA:** Accura;

**ISUZU;**
**TOYOTA;**
**ALTERNATOR / ALTERNADOR:**
**ISUZU:** 8944086740, 8941313572; **HONDA:** 31100PD2024, 31100PH7004, 31100PK1004, 31100PK2004; **NIPPON DENSO:** 100211-1000, 100211-1001, 100211-1010, 100211-1030, 100211-1040, 100211-1041, 100211-1050, 100211-1060, 100211-1061, 100211-080, 100211-1081, 100211-1090, 100211-1091, 100211-1110, 100211-1111, 100211-1180, 100211-1360, 100211-1361, 100211-2000, 100211-2010, 100211-2011, 100211-2020, 100211-2021, 100211-2030, 100211-2031, 100211-2050, 100211-2060, 100211-2061, 100211-2070, 100211-2071, 100211-2100, 100211-2102, 100211-2130, 100211-2140, 100211-2150, 100211-2151, 100211-2160, 100211-2170, 100211-2500, 100211-2550, 100211-2551, 100211-3030, 100211-3040, 100211-3041, 100211-3060, 100211-3090, 100211-3091, 100211-3110, 100211-3111, 100211-3150, 100211-3151, 100211-3160, 100211-3170, 100211-3180, 100211-3181, 100211-3182, 100211-3220, 100211-3221, 100211-3260, 100211-3300, 100211-3310, 100211-3320, 100211-3321, 100211-3352, 100211-3390, 100211-3391, 100211-3400, 100211-3401, 100211-3430, 100211-3510, 100211-3550, 100211-3551, 100211-5350, 100211-7000, 100211-7040, 100211-7050, 100211-7060, 100211-7061, 100211-7070, 100211-7100, 100211-7180, 100211-7260, 100211-7320, 100211-7330, 100211-7430, 100211-7450, 100211-7460, 100211-7470, 100211-7500, 100211-7570, 100211-7571, 100211-7800, 100211-7810, 100211-7820, 100211-7821, 100211-7970, 100211-8910, 100211-8911, 100211-9710, 100211-9730, 100211-9731, 100211-9132, 100211-9732, 100211-9770, 100211-9780, 100211-9790, 100211-9840, 100211-0060, 100211-0070, 100211-0071, 101211-0120, 101211-0130, 101211-0190, 101211-0200, 101211-0201, 101211-0250, 101211-0340, 101211-0350, 101211-0530, 101211-0531, 101211-0550, 101211-0551, 101211-0590, 101211-0720, 101211-0722, 101211-0723, 101211-0730, 101211-0740, 101211-0830, 101211-4120, 101211-4121, 101211-4122, 101211-4130, 101211-4131, 101211-4132

**NIPPON DENSO**
**GA1250**

**FEATURES / CARACTERÍSTICAS:** 70A, Diodes Dish 8x35, A Ø 90 mm, B+ Post M6x43mm.

**REPLACES / REEMPLAZA:**
**Nippon Denso:** 021580-2250; **Regitar:** RN-16; **Cargo:** 132541; **WAI/Transpo:** INR725; **Magneti Marelli:** PR520424

**APPLICATION / APLICACIÓN:**
**HONDA:** Civic, Accura CRX;

**TOYOTA:** Tercel

**ALTERNATOR / ALTERNADOR:**
**HONDA:** 31100PE003; **ISUZU:** 8944136210; **DENSO:** 1002111270; **TOYOTA:** 270601504; **LESTER:** 14757, 14851, 14935

**NIPPON DENSO**
**GA1251**

**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A

**REPLACES / REEMPLAZA:**
**Nippon Denso:** 021580-3130; **Cargo:** 132540; **Lucas:** 21510074; **Regitar:** RN-15; **WAI/Transpo:** INR724

**APPLICATION / APLICACIÓN:**
**ISUZU:** Aska 2.0 Turbo;

**SUZUKI:** Alto 1.0, Vitara 1.6i, Swift 1.0, 1.3, 1.6, Samurai 1.3, SJ413;

**TOYOTA:** Corolla 1.3i, Starlet 1.3

**ALTERNATOR / ALTERNADOR:**
**NIPPON DENSO:** 100211-1430, 100211-1550, 100211-1551, 100211-1560, 100211-1570, 100211-1571, 100211-4070, 100211-4071, 100211-4130, 100211-1431, 100211-4150, 100211-4170, 100211-4171, 100211-4260, 100211-4290, 100211-4350, 100211-4351, 100211-6270, 100211-6600, 100211-6710, 100211-6720, 100211-6860, 100211-6870, 100211-6871, 100211-6960, 100211-6961, 100211-6990, 100211-9230, 100211-9430, 100211-9431, 100211-2020, 101211-2021, 101211-2022, 101211-2130, 101211-2240, 101211-2310, 101211-2360, 101211-3020, 101211-3021

**NIPPON DENSO**
**GA1252**

**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x50A

**REPLACES / REEMPLAZA:**
**Nippon Denso:** 021580-4120, 021580-4490; **Cargo:** 135416; **WAI/Transpo:** INR727P

**APPLICATION / APLICACIÓN:**
**CHRYSLER:** Laser, LeBaron, New Yorker, Dodge 600, Aries Caravan;

**PLYMOUTH:** Acclaim, Reliant, Voyager, Turismo

**ALTERNATOR / ALTERNADOR:**
**NIPPON DENSO:** 101211-4590, 121000-2430, 121000-2490, 121000-2680

**NIPPON DENSO**

**GA1253**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A

**REPLACES / REEMPLAZA:**

**Nippon Denso:** 0215802511, 0215802512, 0215802521, 0215802522, 2735770081; **Cargo:** 135250; **Regitar:** RN-12;

**WAI/Transpo:** INR401

**APPLICATION / APLICACIÓN:**

**ISUZU:** Gemini 1.5, 1.6 Gti 16V;

**TOYOTA:** Carina 2.0, Celica 2.0 GTI 16V

**ALTERNATOR / ALTERNATOR:**

**NIPPON DENSO:** 100211-1070, 100211-1100, 100211-3120, 100211-7230, 100211-7640, 100211-7780, 100211-7910, 100211-7950, 100211-7951, 100211-7952, 100211-7990, 100211-9890, 101211-0100, 101211-0160, 101211-0420, 100211-0510, 121000-2500, 121000-2660

**NIPPON DENSO**

**GA1254**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x50A

**REPLACES / REEMPLAZA:**

**Nippon Denso:** 0215803640, 0215804120, 0215804490, 0215804660, 0215804840, 2735774120, 2735774290; **Cargo:** 135417;

**WAI/Transpo:** INR403P

**APPLICATION / APLICACIÓN:**

**TOYOTA:** Celica, Carina;

**VOLVO:** 740, 940, 960

**ALTERNATOR / ALTERNATOR:**

**NIPPON DENSO:** 100211-8370, 100211-8371, 100211-8590, 121000-3000, 121000-3100, 121000-3300, 121000-3310, 121000-3330, 121000-3340, 121000-3360, 121000-3370, 121000-3380, 121000-3390, 121000-3400, 121000-3430, 121000-3440, 121000-3450, 121000-3452

**NIPPON DENSO**

**GA1153**



**FEATURES / CARACTERÍSTICAS:** 100A, 12x50A, B+: M6X32.2mm, External Diameter: 117MM

**REPLACES / REEMPLAZA:**

**Transpo:** INR428, INR428AL

**APPLICATION / APLICACIÓN:**

**ACURA:** ILX L4 2.4 2013>2015, RDX L4 2.3 2007>2012;

**HONDA:** Civic L4 2.4 2012>2015, CR-V L4 2.4 2012>2014, CR-V 2.4 Non-Turbo Gas 2012>2013

**ALTERNATOR / ALTERNATOR:**

**DENSO:** 104210-1530, 104210-4730, 104210-4731, 104210-4732, 104210-5160

**NIPPON DENSO**

**GA1200**



**FEATURES / CARACTERÍSTICAS:** 180A, Avalanche Diode, 12x50A, B+ M8X15.2mm, External diameter: 134mm

**REPLACES / REEMPLAZA:**

**Mobiletron:** RN-67; **Regitar:** RN-67; **AS-Poland:** ARC6066; **Era:** 216316; **Transpo:** INR440

**APPLICATION / APLICACIÓN:**

**BMW:** 535i L6 3.0 2010>2012, 535i GT L6 3.0L 2010>2012, 535i GT xDrive L6 3.0L 2011>2012, 535i xDrive L6 3.0L 2011>2012, 535Li 3.0L Turbo 2011>2012, 640i L6 3.0L 2012, X3 L6 3.0L 2012, X5 L6 3.0L 2012, X6 L6 3.0L 2012;

**CHRYSLER:** Grand Voyager V 2.8 2012;

**DODGE:** Nitro ENR 2.8 2007>2010;

**FORD:** F-150 V8 5.0L 2011>2014;

**JEEP:** Grand Cherokee V6 3.0L 2014>2018, Grand Cherokee | 3.0L CRD 2011>2015;

**LEXUS:** LS460 V8 4.6L 2007>2012;

**TOYOTA:** Land Cruiser V8 5.7L 2008>2011, Land Cruiser V8 5.7L 2013>2016, Sequoia V8 4.6L 2010>2012, Sequoia V8 5.7L 2008>2018

**ALTERNATOR / ALTERNATOR:**

**DENSO:** 104210-6070, 104210-6071, 104210-6072, 104210-6080, 104210-6130, 104210-6131, 104210-6140, 104210-6180, 104210-6181, 104210-6182, 104210-6220, 104210-6270, 104210-6340, 104210-6402, 104210-6490, 104210-6590, 104210-6591, 104210-6592, 104210-6670, 421000-7001, TN104210-6670; **CHRYSLER:** 04801338AB, 04801835AB, 04801835AC, 1270259, 4801313AB, 4801313AC, 4801835AB, 4801835AC, P04801835AB, P04801835AC; **JEEP EAGLE:** 1270259; **LEXUS:** 27060-38040, 27060-38041, 27060-38050, 27060-38070

**VOLTAGE REGULATOR:**

GA173

**NIPPON DENSO**
**GA1255**


**FEATURES / CARACTERÍSTICAS:** 90A, 8x35A Bosch Press-fit standard diodes  
**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**TOYOTA:** Camry 2.2L 70A, Celica 2.2L 70A, MR2, Paseo W/O Heatshield;

**LIFAN:** Modelos 320/620 2010>

**ALTERNATOR / ALTERNATOR:**

**DENSO:** 1002115020, 1002116390, 1002116440, 1002115110, 1002116460, 100211644, 101211-9980;

**LIFAN:** 481-3701100A, 1FZ198

**VOLTAGE REGULATOR:**

GA820

**NIPPON DENSO**
**GA1258**


**FEATURES / CARACTERÍSTICAS:** 120A, 8x50A, B+: M6X21.7mm, External Diameter: 114mm

**REPLACES / REEMPLAZA:**

**Denso:** 021580-5740; **Toyota:** 27357-70450; **Cargo:** 236947; **AS-Poland:** ARC6065; **Transpo:** INR574


**APPLICATION / APLICACIÓN:**

**TOYOTA:** Rav4 2.0 2001>2003, Rav 4 Mk2 2000>2003, Avensis T22 2000 2000>2003, Avensis Verso 2000 2001>2006

**ALTERNATOR / ALTERNATOR:**

**DENSO:** 101211-7400, 102211-0750, 102211-0840, 9661219-740;

**TOYOTA:** 27060-20200, 27060-20200-84, 27060-28070, 27060-28080, 27060-28080-84, 27060-28090-84

**NIPPON DENSO**
**GA1260**


**FEATURES / CARACTERÍSTICAS:** 80A, 6x35 Avalanche Diode, B+: M6X16.0mm

**REPLACES / REEMPLAZA:**

**Cargo:** 239026; **Transpo:** INR406P; **Mobiletron:** RN-36; **Regitar:** RN-36

**APPLICATION / APLICACIÓN:**

**PONTIAC:** Vibe L4 1.8L 2003>2006; **SCION:** tC L4 2.5L 2011>2012; **SUZUKI:** Aerio L4 2.3L 2005>2007; **TOYOTA:** Corolla L4 1.8L 2003>2008, Matrix L4 1.8L 2003>2008

**ALTERNATOR / ALTERNATOR:**

**CHEVROLET:** 88969480, 88969482; **SCION:** 27060-36011; **SUZUKI:** 31400-59J00; **TOYOTA:** 27060-0D110, 27060-0D110-84, 27060-0H010, 27060-0H01084, 27060-21150, 27060-21151, 27060-22020, 27060-22030, 27060-22040, 27060-22040-84, 27060-22080, 27060-22090, 27060-28170, 27060-28170-84, 27060-30050, 27060-75310, 27060-75310-84, 27060-75410, 27060-75411, 27060-75411-84, 27060-75412, 27060-75490, 270602203084, 270603001084, 270603005084; **DENSO:** 104210-8121

**VOLTAGE REGULATOR:**

GA895

**NIPPON DENSO**
**GA1304**


**FEATURES / CARACTERÍSTICAS:** 120A Diodes 7x50A Avalanche (Zener), B+ Post M8

**REPLACES / REEMPLAZA:**

**Denso:** RTF40172; **Regitar:** RN-37; **WAI/Transpo:** INR431

**APPLICATION / APLICACIÓN:**

**FORD:** New Focus TDCi / 2.0

**ALTERNATOR / ALTERNATOR:**

**NIPPON DENSO:** 104210-3513, 104210-5800

**VOLTAGE REGULATOR:**

GA130

**NIPPON DENSO**
**GA1305**


**FEATURES / CARACTERÍSTICAS:** 120A Diodes 12x35A Avalanche (Zener), B+ Post M8

**REPLACES / REEMPLAZA:**

**Denso:** RTF39240, 021580-6830; **Regitar:** RN-54; **WAI/Transpo:** INR436

**APPLICATION / APLICACIÓN:**

**HONDA:** Acura

**ALTERNATOR / ALTERNATOR:**

**NIPPON DENSO:** 104210-2160, 104210-2870, 104210-4220, 104210-4370, 104210-5390, 104210-5410, 104210-5640, 104210-5990

**NIPPON DENSO**

**GA1308**



**FEATURES / CARACTERÍSTICAS:** 120A, Avalanche Diode 6-50A, Diameter OD: 113mm B+ M6x33mm  
**REPLACES / REEMPLAZA:**  
**Cargo:** 333441; **AS Poland:** ARC6064, **Mobiletron:** RN-45H, **Regitar:** RN-45H, **WAI Transpo:** INR438  
**APPLICATION / APLICACIÓN:**  
**TOYOTA:** Hilux Pit Bull  
**HONDA:** Acura 2001>2004  
**ALTERNATOR / ALTERNATOR:**  
**DENSO:** 104210309; **HONDA:** 31100PGKA01, 31100PGKA03, TG1042109010  
**VOLTAGE REGULATOR:**  
 GA141

**NIPPON DENSO**

**GA1314**



**FEATURES / CARACTERÍSTICAS:** 140A, 12X50A Avalanche, M8x30 B+ Bolt, Ø117mm  
**REPLACES / REEMPLAZA:**  
**Cargo:** 237607  
**APPLICATION / APLICACIÓN:**  
**FORD:** Focus II 1.6 /2.0 TDCi engine  
**ALTERNATOR / ALTERNATOR:**  
**DENSO:** 1042102710, 1042102730, 1042102780, 1042103520, 1042103521, 1042103522, 1042103523

**NIPPON DENSO**

**GA1315**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6-50A Avalanche(20-24V) Diameter OD: 117mm B+ M6mm.  
**REPLACES / REEMPLAZA:**  
**Denso:** 0215806490; **Regitar:** RN-48; **Cargo:** 237648; **WAI/Transpo:** INR429  
**APPLICATION / APLICACIÓN:**  
**HONDA:** Accord 2.4 2004-2005, Acura TSX 2.4 2004-2005, Element 2003-2006  
**ALTERNATOR / ALTERNATOR:**  
**DENSO:** 104210329, 1042103291; **HONDA:** 31100RAAA01, A03 A04 A05

**POONG SUNG**

**GA1126**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, with diode trio  
**REPLACES / REEMPLAZA:**  
**Magneti Marelli:** PR520565  
**APPLICATION / APLICACIÓN:**  
**KIA:** Besta 95>, Sportage  
**ALTERNATOR / ALTERNATOR:**  
**POONG SUNG:** OK 74 018 300 H.  
**VOLTAGE REGULATOR:**  
 GA125 / GA116

**POONG SUNG**

**GA1127**



**FEATURES / CARACTERÍSTICAS:** 60A, 6X50A Diodes  
**REPLACES / REEMPLAZA:**  
**Hitachi:** LR150-94B, LR150-98, LR150-98B, LR150-99, LR150-99B, LR150-101B, LR150-125, LR150-125B, LR150-140, LR150-165, LR150-177, LR150-186C, LR150-194, LR155-23, LR160-121, LR160-124, LR160-137, LR160-138, LR225-68B, LR225-80, LR235-58, LR235-62, LR235-69, LR235-70, LR240-21; **Lester:** 12278, 14255, 14300, 14301, 14303, 14587, 14647, 14652, 14659, 14742, 14744, 14745; **WAI:** 1-1096-01HI, 1-1109-01HI, 1-1114-01HI, 1-1124-01HI, 1-1567-01HI, 1-1593-01HI, 1-1593-02HI  
**APPLICATION / APLICACIÓN:**  
**NISSAN; SUBARU** (1978-1994)  
**ALTERNATOR / ALTERNATOR:**  
 ...

**POONG SUNG**

**GA1133**



**FEATURES / CARACTERÍSTICAS:** 120A, Avalanche Diodes 8x35A, M8x42.5mm, with triodiode and capacitor  
**REPLACES / REEMPLAZA:**  
**Poongsung:** 1109-026RS; **Transpo:** IHR788  
**APPLICATION / APLICACIÓN:**  
**HYUNDAI:** Elantra 2000 2002>2004, Santa Fé 2000 2001>2010, Trajet 2000 2001>2007, Tucson 2000 2004>2010;  
**KIA:** Carens 2000 2002>2006, Sportage 2000 2004>2010  
**ALTERNATOR / ALTERNATOR:**  
**HYUNDAI / KIA:** 37300-27010, 37300-27012, 37300-27020, 37300-27021, 37300-27030, 37300-27031; **MAGNETI MARELLI:** 063532622010, 063532622010; **POONGSUNG:** 02131-9110, 02131-9111, 02131-9112, 02131-9261, 02131-9262, 02131-9310  
**VOLTAGE REGULATOR:**  
 GA589

**POONG SUNG**
**GA1134**


**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 6x35A, with triodiode. Diameter 111mm, Right position positive  
**REPLACES / REEMPLAZA:**

**APPLICATION / APLICACIÓN:**  
**KIA:** Sportage, Tucson 95>  
**ALTERNATOR / ALTERNATOR:**

**POONG SUNG**
**GA1135**


**FEATURES / CARACTERÍSTICAS:** 100A, Diodes 6x50A, with triodiode, Diameter 118mm  
**REPLACES / REEMPLAZA:**

**APPLICATION / APLICACIÓN:**  
**KIA:** Besta, Bongo  
**ALTERNATOR / ALTERNATOR:**

**VOLTAGE REGULATOR:**  
 GA126

**POONG SUNG**
**GA1136**


**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 8x50A, B+: M8X39.6mm, External diameter: 117mm  
**REPLACES / REEMPLAZA:**

**Cargo:** 235599; **AS-Poland:** ARC9048; **Transpo:** IHR789; **Mobiletron:** RK-04; **Regitar:** RK-04; **Era:** 216332

**APPLICATION / APLICACIÓN:**

**HYUNDAI:** Elantra Mk3 hatch/saloon 2.0 CRDi 2001>2006, Highway Van 2.0 CRDi 2001>2004, Santa Fé 2.0 CRDi 4x4 2001>2006, Santa Fé 2.2 CRDi 4x4 2006>2012, Trajet 2.0 CRDi 2001>2008, Tucson 2.0 CRDi 2004>2010;

**KIA:** Carens Mk2 2.0 CRDi 2002->, Sportage 2.0 CRDi 2004->

**ALTERNATOR / ALTERNATOR:**

**HYUNDAI / KIA:** 37300-27010, 37300-27011, 37300-27012, 37300-27013, 37300-27030, 37300-27031;

**POONG SUNG:** 02131-9110, 02131-9111, 02131-9112, 02131-9113, 02131-9310, 02131-9311

**PRESTOLITE**
**GA1596**


**FEATURES / CARACTERÍSTICAS:** 90A, 8X35A Avalanche Diodes, with triodiode  
**REPLACES / REEMPLAZA:**

**Prestolite:** K01208, K01422, 35215197.

**APPLICATION / APLICACIÓN:**

**VW:** Gol, Parati, Saveiro, Santana, Voyage 1998> (Autolatina)

**ALTERNATOR / ALTERNATOR:**

**PRESTOLITE:** 4335D, 4380D, 4410D, 4540C, 4555B, 4565B, 4575B, 4830D, 35214185A, 35214525B, 35214530C.

**VOLTAGE REGULATOR:**  
 GA596

**PRESTOLITE**
**GA1597**


**FEATURES / CARACTERÍSTICAS:** 90A, 8X35A Avalanche Diodes, without triodiode  
**REPLACES / REEMPLAZA:**

**Prestolite:** K01382; **Lucas:** 35214586

**APPLICATION / APLICACIÓN:**

**RENAULT:** Clio, R19

**ALTERNATOR / ALTERNATOR:**

**PRESTOLITE:** 35214420, 35214420A.

**VOLTAGE REGULATOR:**  
 GA897

**PRESTOLITE**

**GA1604**



**FEATURES / CARACTERÍSTICAS:** 8x35A press-fit avalanche diodes  
**REPLACES / REEMPLAZA:**


**APPLICATION / APLICACIÓN:**

**VALDAY:** Russian Truck  
**ALTERNATOR / ALTERNATOR:**  
**Agrale:** 6025.001.175.00.0;

**Prestolite:** AVE 2119 E;  
**Cummins:** 5263830 - 5263797

**THERMOKING**

**GA1593**



**FEATURES / CARACTERÍSTICAS:** 23A, 6x35A, B+: 1/4"X35mm P.S: Bolt D+ 3/16"X28mm, Bolt D- 3/16"X32mm, Bolt W- 3/16"X36mm  
**REPLACES / REEMPLAZA:**

**Motorola:** 1-103, 1-113, 1-148, 1-150, 1-175, 1-18, 1-193, 1-47, 1-48, 1-49, 1-163, 1-164, 1-100, 1-130, 1-73, 1-94

**APPLICATION / APLICACIÓN:**

**THERMO KING TRAILER UNIT:** HK, HK-II, HK-III TK 2.49 Diesel 0000, SB-III Isuzu 2.0/2.2 Diesel 0000, Sentry Isuzu 2.2L Dsl 0000, Super II MAX Isuzu 2.2L Dsl 0000, TD-II Yanmar 388 Diesel 0000;

**THERMO KING TRUCK UNIT:** KD-II Yanmar 366 Diesel 0000, KD-II MAX Yanmar 366 Diesel 0000, KD-II SR Yanmar 374 Diesel 0000, MD-200 Yanmar 374 Diesel 0000, MD-200-MT Yanmar 374 Diesel 0000, MD-300 Yanmar 374 Diesel 0000, MD-II Yanmar 366 Diesel 0000, MD-II MAX Yanmar 374 Diesel 0000, MD-II MAX SR Yanmar 374 Diesel 0000, MD-II SR Yanmar 374 Diesel 0000, MD-II TCI Yanmar 366 Diesel 0000, RD-II Yanmar 388 Diesel 0000, RD-II MAX Yanmar 388 Diesel 0000, RD-II MAX SR Yanmar 388 Diesel 0000, TS-200 Yanmar 374 Diesel 0000, TS-300 Yanmar 374 Diesel 0000, TS-500 Yanmar 395 Diesel 0000, TS-600 Yanmar 395 Diesel 0000 XDS 0000

**ALTERNATOR / ALTERNATOR:**

**Thermoking:** 5D44463G01, 412194;

**Motorola:** 8MR2215D

**VOLTAGE REGULATOR:**

GA605

**THERMOKING**

**GA1594**



**FEATURES / CARACTERÍSTICAS:** 37A, 6x35A Avalanche Diode, B+: M6X23mm, Bolt: B- M5X15mm

**REPLACES / REEMPLAZA:**

**APPLICATION / APLICACIÓN:**

**THERMO KING MISC. EQUIPMENT:** Super II 30 / MAX Thermo King 2.2L 1991>2003

**THERMO KING TRAILER UNIT:** SB-190 Isuzu 2.2L 1999, SB-200 Yanmar 486 Diesel 1999, SB-200 30 Yanmar TK486 1999>2007, SB-300 Yanmar 486 Diesel 1999, SB-II Isuzu 2.0L Diesel 1991, SB-II MAX Isuzu 2.2L Dsl 1991, SB-III 30 Thermo King 2.2L Dsl. 1991>2003, Super II Isuzu 2.2L Dsl 1991, Super II TC Yanmar 486 Diesel 1999

**ALTERNATOR / ALTERNATOR:**

**Thermo King:** 1E32215901, 1E32215G01, 1E51760G01, 41-6780, 41-7912, 41-5458, 44-9571, 44-8950; **Prestolite:** 66021606

**VOLTAGE REGULATOR:**

GA607

**TOYOTA**

**GA1482**



**FEATURES / CARACTERÍSTICAS:** 90A, Diodes 6x35A, B+: M6 x 1.0 x 9.2 mm

**REPLACES / REEMPLAZA:**

**APPLICATION / APLICACIÓN:**

**TOYOTA:** Hilux VIII 2.8 D 4WD 2015>

**ALTERNATOR / ALTERNATOR:**

**BOSCH:** F 000 BLO 132, F 000 BLO 131, F 000 BLO 1A1, F 000 BLO 1A3; **TOYOTA:** 27060-0L150, 27060-0L150-B

**VOLTAGE REGULATOR:**

GA382

**VALEO**

**GA1450**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, with capacitor

**REPLACES / REEMPLAZA:**

**Valeo Paris Rhone:** 100157; **Valeo:** NC133, NC216; **Regitar:** RP-03; **Cargo:** 131164; **WAI/Transpo:** IPR157

**APPLICATION / APLICACIÓN:**


**RENAULT:** Alliance, 1.8i Fuego, Espace 2.1 td, R21 td, GTD, R25 Turbo d, DX R20 td, GTD, R19 1.8i;

**PEUGEOT;**

**EAGLE;**

**ALTERNATOR / ALTERNATOR:**

**PARIS RHONE:** A13N18432737, A13N19432736, A13N106432716, A13N113432734, A13N114432726, A13N116180576, A13N120433042, A13N173433121, A13R258101988, A14N1100108, A14N2100151, A14N 9100483, A14N10101473, A14N22101111, A14N35432781, A14N36432782, A14N42102963, A14N51432785, A14N55104084, A14N56106843, A14N59102592, A14N60105118, A14N63432789, A14N65104643, A14N77432802, A14N82105763, A14N84105764, A14N4150433132, 71651802, 71651902, 71635102, 71635602, 71635902, 71636102, 71652402, 71652602, 71650002, 71650402, 71650802, 71770102, 71770202


**VALEO**
**GA1451**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A, with diode trio and capacitor

**REPLACES / REEMPLAZA:**
**Valeo Paris Rhone:** 103556, 103551, 181155; **Valeo:** A523726A, NC 135, NC 730, 593188, 593195, 593199; **Cargo:** 131701; **Lucas:** 21225389, UBB 235, UBB255; **Magneti Marelli:** 940 038 305; **Regitar:** RP-02; **WAI/Transpo:** IPR551

**APPLICATION / APLICACIÓN:**
**VOLVO:** Penta;

**PEUGEOT;**
**RENAULT:** Espace 2.1 td, R21 td, GTD, R25 turbo d, DX R20 td, GTD, R19 1.8i

**ALTERNATOR / ALTERNATOR:**
**VALEO:** A12N2M, A13N1M100605, A13N2M100606, 208121, 208124, 208399, 204401, 208402, 100605, 100606, 100879, 101218, 101822, 101823, 102341, 102794, 103141, 2102341, 2102794, 2181693, 2181695, 2181757, 2181760, 2181762, 2541133, 2541191, 2541199, 2541208, 2541218, 2541768, 2541773, 436352, 592769, 592775, A13N28M102794, A13N33M103233, A13N34104551, A13N35M103141, A13N35M103141, A13N36M100879, A13N5101823, A14N118M181991, A14N119M180620, A14N122N2518061, A14N137M592775, A13N165, A13N186M, A13N190, A13N281, A13N282, A14N114T, A14N115M, A14N116M, A14N137, A14N177M, A14N206M, A14N43M, A14N44M

**VALEO**
**GA1452**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with capacitor


**REPLACES / REEMPLAZA:**
**Valeo:** 100175, 101217, 101759, 103539, 103570, 103576, 104292, 105135, 105629, NC139, NC936; **Cargo:** 133689;

**Lucas:** 21225388; **Magneti Marelli:** 940 038 309; **Regitar:** RP-03; **WAI/Transpo:** IPR539

**APPLICATION / APLICACIÓN:**
**AMC; RENAULT:** R18 R20, Trafic, Fuego, RM, R9 GTX, Espace 2.0;

**PEUGEOT:** 204, 304, 504, 604, J7

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 100108, 2105311, 432716, A13N62, 100151, 2105369, 432724, A13N82, 100483, 2105448, 432726, A13N84, 100735, 2105626, 432736, A13N87, 101111, 2105654, 432738, A13N91, 101373, 2105678, 432757, A13N92, 101473, 2105763, 432781, A13NN82, 101728, 2105764, 432782, A13R258, 101988, 2106073, 432785, A14N1, 102592, 2180576, 432789, A14N10, 102963, 2180579, 432793, A14N101, 104084, 2180594, 432802, A14N102, 104643, 2180674, 432812, A14N103, 105118, 2180788, 433449, A14N113, 105243, 2180789, 433450

**VALEO**
**GA1453**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with diode trio, capacitor and resistor

**REPLACES / REEMPLAZA:**
**Valeo:** 105554, 2181241, NC245; **Lucas:** 21225378, UBB 242; **Peugeot:** 5744.61; **Regitar:** RP-04HR; **Cargo:** 131569;


**WAI/Transpo:** IPR554

**APPLICATION / APLICACIÓN:**
**PEUGEOT:** Peugeot 505, 204, 304, 305, 104, J5 1.8, 2.0, J9, 604;

**CITROËN:** AX 1.0, 1.3, 1.4, BX14, C15 1.1, 1.4, C25 0.8, 2.0;

**TALBOT:** Tagora DT d

**ALTERNATOR / ALTERNATOR:**
**VALEO:** A13N130, 2180675, 100749, A14N82, 432806, 2100749, A14N88, 436314, 2105707, 436320, 2106074; **LESTER:** 14455

**VALEO**
**GA1454**

**FEATURES / CARACTERÍSTICAS:** 120A Diodes 6x50A, without diode trio, with capacitor

**REPLACES / REEMPLAZA:**
**Valeo Paris Rhone:** 104615, 105522, 105523, 106016; **Valeo:** NC143; **Cargo:** 131573; **Lucas:** 21225390, UBB 238;


**Magneti Marelli:** 940 038 308; **Regitar:** RP-08; **WAI/Transpo:** IPR615

**APPLICATION / APLICACIÓN:**
**JEEP:** Diesel with enginer Renault;

**VOLVO:** 460 1.9TD;

**RENAULT:** Master 2.0, Trafic, R19, 1.9 td, TDE R20, R21 Baccara, RX, GTX, TI, TXE Aut, R25 Clio 1.9D, Espace 2.0, GTS, TSE, TXE, 2.1 td, Fuego td

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 104247, A13N107, A13N81, 104248, A13N108, A13N90, 104252, A13N112, A14N117, 180577, A13N117, A14N132, 180580, A13N119, A14N152, 183011, A13N164, A14N158, 432717, A13N185, A14N163, 432718, A14N54, A14N164, 432783, A14N53, A14N4; **LESTER:** 14308, 14891, 14978; **PIC:** 208126, 208127, 208128, 208129

**VALEO**
**GA1455**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with diode trio and capacitor, without resistor

**REPLACES / REEMPLAZA:**
**Valeo Paris Rhone:** 101713; **Cargo:** 133687; **Lucas:** 21225394, UBB 234; **Magneti Marelli:** 940 038 304; **Regitar:** RP-05H;

**WAI/Transpo:** IPR713


**APPLICATION / APLICACIÓN:**
**PORSCHE:** 911 Carrera, Turbo, 928 4.5, 4.7

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 2101368, 432776, A14N38, 2102746, 432797, A14N38, 2104355, A14N11, A14N71; **LESTER:** 208400



**VALEO**

**GA1456**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with diode trio and capacitor

**REPLACES / REEMPLAZA:**

**Valeo Paris Rhone:** 592747, 592749, NC976; **Cargo:** 34098; **Magneti Marelli:** 940 038 330; **Regitar:** RP-09; **WAI/Transpo:** IPR747

**APPLICATION / APLICACIÓN:**

**PEUGEOT:** 205 1.6, 1.8, 1.9 GTI, 305, 309 1.6, 1.8, 1.9 GTI 16V, 405 1.6, 1.9 GR, GLX, SRI;

**CITROËN:** BX16, BX19d, Visa 1.7d, Visa 1.7d, Visa GTI, C15 1.8d;


**TALBOT:** Horizon d

**ALTERNATOR / ALTERNATOR:**

**VALEO:** 433457, A13N182, A13N218, A13N151, A13N183, A13N219, A13N177, A13N183, A13N219, A13N181, A13N218, A13N261, A13N181, A13N182

**VALEO**

**GA1457**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with diode trio, capacitor and resistor

**REPLACES / REEMPLAZA:**

**Valeo Paris Rhone:** 101773, 101776, 103546; **Cargo:** 131569; **Lucas:** 21225391; **Valeo:** NC 134, NC 217; **Regitar:** RP-04R; **WAI/Transpo:** IPR773

**APPLICATION / APLICACIÓN:**

**PEUGEOT:** 204, 304, 305, 104, 504, 604;

**RENAULT:** R14, TL;

**CITROËN:** Visa GT, C15 1.0, 1.1, 1.4

**ALTERNATOR / ALTERNATOR:**

**VALEO:** 100402, 433380, 71653202, A13R259, 101989, 71635702, 71655002, A13R266, 102240, 71636202, 71655102, A13R268, 102242, 71636302, 71770002, 432803, 102243, 71636402, 9860309912, 432815, 104378, 71636802, A13N32, 433374, 105114, 71636902, A13N38, A13N94, 432739, 71651502, A13N40, A13R248, 432743, 71652002, A13N41, 71652703, 432744, 71652102, A13N42, 71653102, 432745, 71652302, A13N56M, 432758, 432746, 71652702, A13N83, 432768; **LESTER:** 14954

**VALEO**

**GA1458**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with diode trio, capacitor and resistor

**REPLACES / REEMPLAZA:**

**Valeo Paris Rhone:** 105813, 105814, 592742, NC142; **Cargo:** 133741; **Lucas:** 21225379, UBB 244; **Peugeot:** 5744.65;

**Regitar:** RP-09; **WAI/Transpo:** IPR813

**APPLICATION / APLICACIÓN:**

**PEUGEOT:** 205 1.6 GTi, 1.8, 1.9 GTi, 305d, GT, GLX, 309 1.6, 1.8, 1.9, 405 1.6, 1.9d;

**TALBOT:** Horizon;


**CITROËN:** BX16, BX19, Visa17, C15 1.8d

**ALTERNATOR / ALTERNATOR:**

**VALEO:** 2101846, 432769, 433487, A13N243, 2105761, 432778, A13N167, A13N80, 2541142, A13N214, A13N95; **LESTER:** 14584

**VALEO**

**GA1459**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with diode trio, without capacitor

**REPLACES / REEMPLAZA:**

**Valeo Paris Rhone:** 350011, NC388; **Lucas:** 21224163; **Cargo:** 131569; **WAI/Transpo:** IPR103

**APPLICATION / APLICACIÓN:**

**RENAULT**


**ALTERNATOR / ALTERNATOR:**

**VALEO:** 71635202, 71645002, 71651602, 71635502, 71650202, 71652202, 71635802, 71651202, 71655502, 71636002, 71651302;

**PIC:** 208606, 208609

**VALEO**

**GA1460**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with capacitor

**REPLACES / REEMPLAZA:**

**Valeo Paris Rhone:** 101743, 102527, 103543, 105380, A103543A, A180593A, NC 145; **Cargo:** 131228; **Lucas:** 21225386, UBB 232; **Magneti Marelli:** 940 038 301; **Volvo:** 33431263; **Regitar:** RP-01; **WAI/Transpo:** IPR135


**APPLICATION / APLICACIÓN:**

**RENAULT:** Clio, 1.1, R19 1.2, R5 1.0, 1.1, 1.2, 1.4 GT Turbo, R9, R11, R18 GTX, Master 2.0, Třfaic, Fuego TL, Clio 1.8, 1.9;

**VOLVO:** 640 S3rie

**ALTERNATOR / ALTERNATOR:**

**VALEO:** 100791, 2181467, 432771, A13N188, 101358, 2181468, 432777, A13N199, 101731, 2181648, 432795, A13N204, 101748, 2181726, 432796, A13N206, 101999, 2181727, 432799, A13N209, 102746, 2181730, 432805, A13N210, 103586, 2518059, 432814, A13N226, 104667, 2518086, 433441, A13N27, 104840, 2541116, 433443, A13N271, 105789, 2541117, 433452, A13N29, 106085, 2541118, 433459, A13N30, 180505, 2541120, 433460, A13N49, 181730, 2541121, 433461, A13N50, 2100790, 2541122, 433464, A13N52, 2100791, 2541123

**VALEO**
**GA1461**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with diode trio and capacitor

**REPLACES / REEMPLAZA:**
**Valeo Paris Rhone:** 100931, 104941, 104971; **Valeo:** 592596, NC138; **Cargo:** 131164; **Lucas:** 21225400, UBB 240; **Magneti Marelli:** 940 038 302; **Regitar:** RP-04; **WAI/Transpo:** IPR203


**APPLICATION / APLICACIÓN:**
**CITROËN:** C32, 35 2.0, 2.2, 2.5, C15 1.1, 1.3, CX 2000, 2200, 2400 GTI, CX25;

**PEUGEOT:** 309 1.1, 1.3, 1.4, 1.6;

**RENAULT:** R19, R17, R11 GTX, R9 GTX;

**VOLVO:** 440, 460 1.7 Turbo, 1.6, 1.8, 2.0, 480S 2.0


**ALTERNATOR / ALTERNATOR:**
**VALEO:** 180707, 71655002, A13N46, A14N78, 2100702, 71655102, A13N47, A14N80, 432719, 71655202, A13N9, A14N88, 432737, A13N109, A13R267, A14N90, 432747, A13N129, A14N07, A14N93, 432748, A13N242, A14N16, A14N97, 432811, A13N25, A14N23, A14R47, 71636202, A13N39, A14N23. **PIC:** 208116, 208117, 208118, 208123, 208130, 208131, 208600, 208600A, 208601, 208607; **LESTER:** 13090, 14039, 14224, 14263, 14281, 14291, 14320, 14609, 14942, 14955

**VALEO**
**GA1462**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with diode trio and capacitor

**REPLACES / REEMPLAZA:**
**Valeo Paris Rhone:** 101227, 104269; **Valeo:** NC137; **Cargo:** 131568; **Lucas:** 21225416, UBB 236;

**Magneti Marelli:** 940 038 306; **Regitar:** RP-06H; **WAI/Transpo:** IPR227

**APPLICATION / APLICACIÓN:**
**SCANIA;**
**PEGASO**
**ALTERNATOR / ALTERNATOR:**
**VALEO:** 100422, 2102334, 592774, A13N45T, 102334, 2105111, 99755, A14N133, 105111, 2105112, A13N11, A14N135, 105112, 2541145, A13N245, A14N39, 2099755, 2541147, A13N44T, A14R33, 2100442; **PIC:** 208135; **LESTER:** 12120

**VALEO**
**GA1463**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with capacitor

**REPLACES / REEMPLAZA:**
**Valeo Paris Rhone:** 105252, 105690; **Valeo:** NC141, A523707A, A523724A; **Cargo:** 132985; **Lucas:** 21225387, UBB 237;

**Magneti Marelli:** 940 038 307; **Regitar:** RP-07; **WAI/Transpo:** IPR252

**APPLICATION / APLICACIÓN:**
**RENAULT:** Space 2.1td, R19 1.8i, R20td, GTD, R21 Baccara, TXE, EX, GTX, TI, GTD, R25

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 432764, A13N88, A13N171, 432788, A14N62, A13N171


**VALEO**
**GA1464**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with diode trio, capacitor and resistor

**REPLACES / REEMPLAZA:**
**Valeo Paris Rhone:** 101342; **Valeo:** NC161, A523728A; **Cargo:** 131570; **Lucas:** 21225377, UBB 243;

**Magneti Marelli:** 940 038 311; **WAI/Transpo:** IPR342-1

**APPLICATION / APLICACIÓN:**
**RENAULT;**
**PEUGEOT**
**ALTERNATOR / ALTERNATOR:**
**VALEO:** 100363, 2100363, 2541414, A13N61T, 100894, 2100894, A13N221, A14N18, 100896, 2100896, A13N229T, A14N28T, 101375, 2101375, A13N22T, A14N32T, 101879, 2101879, A13N4T, A14N3T, 102056, 2102056, A13N5T, A14N91, 102058, 2102058, A14N92

**VALEO**
**GA1465**

**FEATURES / CARACTERÍSTICAS:** 120A Diodes 6x50A, With triodiode, With Capacitor

**REPLACES / REEMPLAZA:**
**Valeo Paris Rhone:** 100931, 104941, 104971; **Valeo:** NC138, 592596; **Lucas:** 21225400, UBB 240; **Magneti Marelli:** 940 038 302; **Regitar:** RP-04, **Cargo:** 131164, **Transpo:** IPR203

**APPLICATION / APLICACIÓN:**
**CITROËN:** C32 2.0, 2.2, 2.5, C35 2.0, 2.2, 2.5, C15 1.1, 1.3; **VOLVO:** 440i, 460, 480; **PEUGEOT:** 309 1.1, 1.3, 1.4, 1.6; **RENAULT:** R19, R21, R9, R11

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 180707, 2100702, 432719, 432737, 432747, 432748, 432811, 71636202, 71655002, 71655102, 71655202, A13N109, A13N129, A13N242, A13N25, A13N39, A13N46, A13N47, A13N9, A13R267, A14N07, A14N16, A14N23, A14N23, A14N78, A14N80, A14N88, A14N90, A14N93, A14N97, A14R47; **LESTER:** 13090, 14039, 14224, 14263, 14281, 14291, 14320, 14609, 14942, 14955; **PIC:** 208116, 208117, 208118, 208123, 208130, 208131, 208600, 208600A, 208601, 208607

**VALEO**

**GA1499**



**FEATURES / CARACTERÍSTICAS:** 90A, 8x50A Avalanche, B+: M8X15.5mm, External diameter 108mm  
**REPLACES / REEMPLAZA:**  
**Valeo:** 593512; **Mobiletron:** RP-42; **Transpo:** IPR512; **AS-Poland:** ARC3044; **Era:** 216027; **Cargo:** 235558  
**APPLICATION / APLICACIÓN:**  
**MERCEDES-BENZ:** A160 1.7 CDI 2001>2015, A170 1.7 CDI 2001>2004, Vaneo 1.7 CDI 2002>2005  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** SG15L012, SG15L026  
**MB:** A6681540102, A6681540202, A6681540302

**VALEO**

**GA1611**



**FEATURES / CARACTERÍSTICAS:** 220A, 6x50A Avalanche Diode, B+: M8x1,25x12.6mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**BMW:** 320d 1995ccm N47D20C, 2.0 2011-2016, 320d N47D20C 1995cc, 2.0L 2011-2016,5 (F10) Eng. 518 d 100kw 2013-2014, 5 (F10) Eng. 520 d 120kw 2009-2016, 5 (F10) Eng. 520 d xDrive 120kw 2013-2016, 5 (F10) Eng.N47 D20 C 518 d 105kw N47 D20 C 2013-2014, 5 (F10) Eng.N47 D20 C 520 d 135kw N47 D20 C 2010-2016, 5 (F10) Eng.N47 D20 C 520 d xDrive 135kw N47 D20 C 2013-2014, 5 (F10) Eng. N47 D20 D 525 d 155kw N47 D20 D 2011-2016, 5 (F10) Eng.N47 D20 D 525 d 160kw N47 D20 D 2011-2016, 5 (F10) Eng.N47 D20 D 525 d xDrive 155kw N47 D20 D 2011-2016, 5 (F10) Eng.N47 D20 D 525 d xDrive 160kw N47 D20 D 2011-2016, 5 Gran Turismo (F07) Eng. 520 d 120kw 2011, 5 Gran Turismo (F07) Eng.N47 D20 C 520 d 135kw N47 D20 C 2011, 5 Touring (F11) Eng. 518 d 100kw 2012, 5 Touring (F11) Eng. 520 d 120kw 2009, 5 Touring (F11) Eng. 520 d xDrive 120kw 2013, 5 Touring (F11) Eng. 525 d 155kw 2011, 5 Touring (F11) Eng. 525 d xDrive 155kw 2011, 5 Touring (F11) Eng.N47 D20 C 518 d 105kw N47 D20 C 2012-2014, 5 Touring (F11) Eng.N47 D20 C 520 d 135kw N47 D20 C 2009-2016, 5 Touring (F11) Eng.N47 D20 C 520 d xDrive 135kw N47 D20 C 2013-2014, 5 Touring (F11) Eng.N47 D20 D 525 d 160kw N47 D20 D 2011, 5 Touring (F11) Eng.N47 D20 D 525 d xDrive 160kw N47 D20 D 2011, 520d 1995ccm N47D20C, 2.0 2010-2016, 520d N47D20C 1995cc, 2.0L 2010-2016, 520d Gran Turismo N47D20C 1995cc, 2.0L 2010-2016, 525d 1995ccm N47D20, 2.0 2011-2016, 525d N47D20 1995cc, 2.0L 2011-2016, X3 (F25) Eng.N47 D20 C sDrive 18 d 100kw 2011-2016, X3 (F25) Eng.N47 D20 C sDrive 18 d 100kw N47 D20 C 2011, X3 (F25) Eng.N47 D20 C sDrive 18 d 105kw 2011-2016, X3 (F25) Eng.N47 D20 C sDrive 18 d 105kw N47 D20 C 2011, X3 (F25) Eng.N47 D20 C xDrive 20 d 120kw 2010-2016, X3 (F25) Eng.N47 D20 C xDrive 20 d 120kw N47 D20 C 2010, X3 (F25) Eng.N47 D20 C xDrive 20 d 135kw 2010-2016, X3 (F25) Eng.N47 D20 C xDrive 20 d 135kw N47 D20 C 2010, X3 sDrive 1995ccm N47D20C, 2.0 2011-2016, X3 xDrive 1995ccm N47D20C, 2.0 2010-2016  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** FG23S032, FG23S043, FG23S011, FG23S054, FG23S010;  
**BMW:** 12-31-4-595-890, 12-31-4-595-891, 12-31-7-575-344, 12-31-7-575-347, 12-31-7-603-779, 12-31-7-603-782

**VALEO**

**GA1612**



**FEATURES / CARACTERÍSTICAS:** 120A, 6x35A Avalanche Diode, B+: M8x1,25x18.0 mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**FORD:** Ecosport 1.5 EcoBlue TDCi (XVJD) Diesel 2015>, Ecosport 1.5 TDCi Ecoblue (ZTJA / ZTJB / ZTJC) Diesel 2017>  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** FGN12S102, **FORD:** GN15-10300-AA

**VALEO**

**GA1680**



**FEATURES / CARACTERÍSTICAS:** 150A, 6x60A Avalanche Diode, B+: M8X14.5mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**CITROËN:** Berlingo 1.6 Vti 2009>2010, C4 Grand Picasso 1.6 16V 2008, C4 Grand Picasso 1.6 THP 2010, C4 II 1.6 Vti 2009, C5 III 1.6 THP 150 2010, DS3 Convertible 1.6 THP 150 2013>2015, DS4 Eng.5FS (EP6C) 1.6 VTi 120 2011>2015, DS5 1.6 THP 165 2012>2015  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** FG15T044, FG15T072, 2620249, TG12C170, 98 073 448 80  
**PEUGEOT:** 9666998080, 9666997980

**VALEO**

**GA1691**



**FEATURES / CARACTERÍSTICAS:** 150A, 6x60A Avalanche Diode, B+: M8x1.25x10.8mm  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**RENAULT:** Fluence 2.0 16V 2010> Petrol, Laguna 2.0 16V 2007>2012 Petrol, Laguna 2.0 16V Hi-Flex 2007>2015 Petrol/Ethanol, Latitude 2.0 16V 2011> Petrol/Ethanol, Megane III Hatchback 2.0 2009> Petrol, Megane III Grandtour 2.0 2009> Petrol, Megane III Coupe 2.0 2009> Petrol, Megane CC 2.0 2010> Petrol, Scénic III 2.0 16V 2009> Petrol  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** TG15C153, TG150025, 2606190A, TG15C142;  
**RENAULT:** 2310 005 43R, 8200 854 119

**VALEO**
**GA1814**


**FEATURES / CARACTERÍSTICAS:** 120A, 6x50A Avalanche Diode, B+: M8x16mm  
**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**HYUNDAI:** Creta 1.6 2017, Elantra Stufenheck 1.6 2011>2017, i30 1.6 GDI 2011>2017, i30 CW 1.6 2012>2017, Veloster 1.6 MPI 2011>2017;

**KIA:** Forte5 1.6 L4 2017, Soul 1.6 L4 2017

**ALTERNATOR / ALTERNATOR:**

**HYUNDAI/ KIA:** 37300-2B910; **VALEO:** 2625573, 2622971

**VOLTAGE REGULATOR:**

GA912

**VALEO**
**GA1824**


**FEATURES / CARACTERÍSTICAS:** 90A, 6x35A Avalanche Diode, Diameter: 108mm

**REPLACES / REEMPLAZA:**

**Valeo:** S9082PC

**APPLICATION / APLICACIÓN:**

**GM:** Corsa, Corsa Sedan 1.0/ 1.4/1.8/ 1.8 OHC, Meriva 1.8 OHC 2005>

**ALTERNATOR / ALTERNATOR:**

**VALEO:** SG9B081 /SG9B082

**GM:** 93312974 / 93312975 / 2220238A / 2220239A

**VALEO**
**GA1827**


**FEATURES / CARACTERÍSTICAS:**

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**VW:** Fox Blue Motion 2015>, Gol 2017>, Up 2014>, Voyage 2017> (All 1.0 3 cylinder)

**ALTERNATOR / ALTERNATOR:**

**VALEO:** TG9S132, TG12C213; **VW:** 04C 903 023 P;

**RENAULT:** 2622557

**VOLTAGE REGULATOR:**

GA980

**VALEO**
**GA1829**


**FEATURES / CARACTERÍSTICAS:** 150A, 6x50A Avalanche Diode, B+: M8X19mm

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**

**MERCEDES BENZ:** E200 1800 2002>2010

**ALTERNATOR / ALTERNATOR:**

**VALEO:** TG15C075;

**MERCEDES BENZ:** A 271 154 15 02

**VOLTAGE REGULATOR:**

GA919

**VALEO**
**GA1844**


**FEATURES / CARACTERÍSTICAS:** 120A, 8x50A, Avalanche Diode B+: M8x25.7mm

**REPLACES / REEMPLAZA:**

**Cargo:** 138303; **AS-Poland:** ARC3018; **Transpo:** IPR850; **Mobiletron:** RP-23; **Regitar:** RP-23

**APPLICATION / APLICACIÓN:**

**BMW:** Z3 L6 2.8L 2793cc 1997-2000

**RENAULT:** Clio II 1900 1998>2001, Espace III 2000 16v 1999>2002, Kangoo 1900 1999>2005, Megane 1900 1997>2000, Trafic 1900 1997>2000

**VOLVO:** C70 L5 2.3/2.4 1998>1999, S70 L5 2.3/2.4 1998, V70 L5 2.3/2.4 1998

**OPEL:** Movano 1900 2000>2002

**ALTERNATOR / ALTERNATOR:**

**BMW:** 12311432976, 12311432978, 12311432979, 12311432981, 12311432982, 12311432984

**CHEVROLET:** 4402600, 9112174

**OPEL:** 44-02-600

**RENAULT:** 7700105333, 7700300407, 7700300408, 7700427880, 7700430579, 7700431941

**VOLVO:** 8111107, 8111107-0, 8111920, 8251639, 9148301, 9148665

**VALEO**

**GA1845**



**FEATURES / CARACTERÍSTICAS:** 155A, Avalanche Diode 8x50A, B+: M8x32mm

**REPLACES / REEMPLAZA:**

**Valeo:** 593667; **Cargo:** 236305; **AS-Poland:** ARC3046; **Transpo:** IPR687; **Mobiletron:** RP-41; **Regitar:** RP-41

**APPLICATION / APLICACIÓN:**

**RENAULT EUROPE CAR:** Espace IV 1.9 2002>2006, Espace IV 2.0 Turbo 2002>2010, Espace IV 2.2 2002>2010, Grand Scenic II 1.9 2004>2010, Megane II 1.9 2002>2010, Scenic II 1.9 2004>2010

**ALTERNATOR / ALTERNATOR:**

Renault: 7711134926, 8200138269, 8200225806, 8200290220, 8200495268, 8200495269, 8200667616, 8200667617

**VALEO**

**GA1846**



**FEATURES / CARACTERÍSTICAS:** 150A, Avalanche Diode 12x50A, B+: M8x13.2mm, External diameter 102mm

**REPLACES / REEMPLAZA:**

**Valeo:** 2809019, 2809020, 593287, 593499; **Cargo:** 232199; **AS-Poland:** ARC3024; **Transpo:** MER1920

**APPLICATION / APLICACIÓN:**

**CITROËN:** Berlingo 2.0 Hdi 4x4 2002>2005, Berlingo box 2.0 Hdi 1999>2002, C5 2.2 Hdi 2001>2002, C5 break 2.0 Hdi 2001>2002, Evasion 2.0 Hdi 2000>2002, Jumper box 2.0/2.2 2001>2004, Xsara 2.0 Hdi 1999>2002, Xsara break 2.0 Hdi 1999>2002, Xsara coupe 2.0 Hdi 1999>2002

**PEUGEOT:** 406 1900 1996>1999, 406 2100 1996>1998, 605 2100 1995>1998

**FIAT:** Ducato box 2.0 2002>2004, Scudo box 2.0/2.0 16V 1999>2004, Ulysse 2.0 16V 1999>2002


**ALTERNATOR / ALTERNATOR:**

**CITROËN / PEUGEOT:** 9624177680, 9639362380, 9641302580, 9645907680, 9645907780, 9624137480, 9624137680, 9635342080, 5705GC, 5702 A0 (P), 5702 A0 (P), 5702 A1 (C), 5702 A1 (C), 5702A0, 5702A0, 5702A1, 5702A1, 57054F, 57054S, 57055H, 57055J, 5705AA, 5705Y3, 5705Y4

**FIAT:** 9636254180, 9640878780

**VALEO**

**GA1847**



**FEATURES / CARACTERÍSTICAS:** 70A, 6x50A, External diameter 100mm

**REPLACES / REEMPLAZA:**

**Cargo:** 131698; **AS-Poland:** ARC3123; **Transpo:** MER106; **Mobiletron:** RT-07H; **Regitar:** RT-07H

**APPLICATION / APLICACIÓN:**

**BMW:** 320 w/ 2.0 1977>1982, 520 w/ 2.0 1977>1981

**FIAT:** Regata 138B 1.3/1.5 1983>1985, Regata 138C 1.5 1985>1987, Regata 138C3 1.5 1985>1989, Ritmo 138B3 1.5 1985>1987, Uno 138C2 1.5 1985>1987

**LANCIA:** Delta 138C 1.5 1985>1987, Prisma 138C 1.5 1985>1986

**CITROËN:** C25 Box 2.5 1987>1994, CX 2000 1974>1980, CX 2200 1975>1980, CX 2500 1983>1990, CX I Break 2500 D 1982>1985, CX II 25 D Turbo 1985>1986

**SAAB:** 900 L4 2.0 1985 1979>1980

**ALTERNATOR / ALTERNATOR:**

**BMW:** 12311277232, 12311277502, 12311361373, 12311361824

**FIAT:** 46231688, 46231689, 77401410, 77525410, 9563261580

**CITROËN:** 5705 75, 5705 88, 5705 Y6 (C), 95607228 (C), 95607228 (C), 9563261580, 95635746

**SAAB:** 8512311, 8523254, 8557043

**VALEO**

**GA1848**



**FEATURES / CARACTERÍSTICAS:** 150A, 6x60A, Diodo Avalanche B+: M8x16.5mm

**REPLACES / REEMPLAZA:**

**Valeo:** 2606622, 593526, 593803; **Elccor:** ARC-PR055; **Cargo:** 235654; **As-Poland:** ARC3030; **Transpo:** MER548

**APPLICATION / APLICACIÓN:**

**MERCEDES-BENZ:** A160/ A180/ A200 2000 2004>2010, B180/ B200 2000 2005>2010

**BMW:** 318 2.0 2006>2015, 320 2.0 2006>2015, 325 3.0 2010, 325 3.0 2006>2009, 330 3.0 2005>2008, 335 3.0 2006>2015

**CITROËN:** Berlingo 2.0 4x4 2002>2005, C1 1.4 2005>2014, C3 1.4 2005>2006, C4 coupe 2.0 2006>2007, C5 II 2.2 2004, C8 2.2 2002, Xsara 1.4 2003>2005

**PEUGEOT:** 206 1600 2004>2010, 207 1400/ 1600 2006>2010, 307 1600/ 2000 2003>2010, 308 1600 2007>2012, 406 2000/ 2200 2001>2004, 407 1600/ 2000/ 2200 2004>2010, 607 2000/ 2200 2004>2010, 807 2000/ 2200 2002>2010

**FIAT:** Ulysse 2.0 2002>2011

**ALTERNATOR / ALTERNATOR:**

**BMW:** 12317799180, 12317799181

**FIAT:** 71748885, 9646065480, 9646066880, 9646321780

**MERCEDES-BENZ:** 6401540202, 6401540302, 6401540402, 6401540502, 6401540102, A6401540202, A6401540302, A6401540402, A6401540502, A6401540102

**PEUGEOT/CITROËN:** 5702 C5, 5702 C5 (P), 5702 C6, 5702 C6 (C), 5702 E2, 5702 E3 (C)

**VALEO:** TG15C020, TG15C022, TG15C023, TG15C028, TG15C034, TG15C053, TG15C054, TG15C056, TG15C057, TG15C057A, TG15C057B, TG15C057C, TG15C093, TG15C118, TG15C119, TG15C121, TG15C127, TG15C134, TG15C156

**VALEO**
**GA1849**

**FEATURES / CARACTERÍSTICAS:** 80A, 6x50A, B+: M8X15mm

**REPLACES / REEMPLAZA:**
**Cargo:** 235517; **AS-Poland:** ARC3124; **Mobiletron:** RP-39H; **Regitar:** RP-39H

**APPLICATION / APLICACIÓN:**
**CITROËN:** C2 1.1/1.4/1.6 2003->, C3 1.1/1.4/1.6 2002->, C3 Pluriel 1.4/1.6, Berlingo 1.4 2002>2005

**PEUGEOT:** 207 hatch 1.4/1.6 16V 2006->, 307 hatch 1.4/1.6 2000>2007, 1007 1.4/1.6 2005->

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 2542485A, 603030256

**CITROËN/ PEUGEOT:** 5705 4H, 5705 5A, 5705 5T, 5705 6Y, 5705 6Z, 5705 GN, 9642879480

**VALEO**
**GA1851**

**FEATURES / CARACTERÍSTICAS:** 150A, Avalanche Diode, 6x60A, B+ M8X11.5mm

**REPLACES / REEMPLAZA:**
**AS-Poland:** ARC3049; **Cargo:** 239788; **Transpo:** MER531; **Era:** 216202

**APPLICATION / APLICACIÓN:**
**NISSAN:** Primastar Box 780 dCi 2006

**RENAULT:** Espace IV 2000 2006>2010, Trafic 2000 2006>2010

**OPEL:** Vivaro 2000 2006>2010

**ALTERNATOR / ALTERNATOR:**
**VALEO:** TG15C091, TG15C059, TG15C125

**RENAULT:** 8200725683, 8200404461, 8200525891

**VALEO**
**GA1878**

**FEATURES / CARACTERÍSTICAS:** 70A, 6x35A Avalanche Diode, Bolt B+: M8X15mm

**REPLACES / REEMPLAZA:**

...

**APPLICATION / APLICACIÓN:**
**VW:** Cross UP 1.0 3 Cylinders 2014>, Fox 1.0 2014>, Fox 1.6 2014>, Gol 1.0 3 Cylinders 2014>, Gol 1.6 2014>, UP 1.0 3 Cylinders 2014>, Voyage 1.0 3 Cylinders 2016>, Saveiro

**ALTERNATOR / ALTERNATOR:**
**VALEO:** TG7S019; **VW:** 04C 903 023 F

**VALEO**
**GA1881**

**FEATURES / CARACTERÍSTICAS:** 140A, 6x50A Avalanche Diodes

**REPLACES / REEMPLAZA:**
**Valeo:** 2607513 A3

**APPLICATION / APLICACIÓN:**
**AUDI:** A3 Limousine;

**SEAT:** Leon, Leon SC, Leon ST


**ALTERNATOR / ALTERNATOR:**
**TG14C071, 2622499A**
**VALEO**
**GA1882**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A, with capacitor

**REPLACES / REEMPLAZA:**
**Valeo:** 592882; **Cargo:** 136883

**APPLICATION / APLICACIÓN:**
**VOLVO:** FH12 05/98 >, NH12 05/98 >, Serie Globetroter 05/98 >.

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 439231, A14N183M

**VOLTAGE REGULATOR:**
**GA969**
**VALEO**
**GA1892**

**FEATURES / CARACTERÍSTICAS:** 75A, 6x35A, Avalanche diode, B+: M8X16mm, with triodiode

**REPLACES / REEMPLAZA:**

-

**APPLICATION / APLICACIÓN:**
**KIA:** Picanto ex4 1.0 2012>2015

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 2619399; **KIA/ HYUNDAI:** 37300-04030, 37300-04010

**VOLTAGE REGULATOR:**
**GA907**

**VALEO**

**GA1269**



**FEATURES / CARACTERÍSTICAS:** 110A, Diode 6x50A, Avalanche, B+: M8(10mm)\*M6(17mm)\*27mm(Screw), External diameter 108mm  
**REPLACES / REEMPLAZA:**

**Valeo:** 593175; **Mobiletron:** RP-22; **AS-Poland:** ARC3016; **Era:** 215933

**APPLICATION / APLICACIÓN:**

**RENAULT:** Clio I 1200 8V 1996>1999, Clio II 1200 8V 1998>1999, Megane 1400/1600 1996>1999, Laguna 1900 1998>1999, Espace III 2000 1997>2000;

**VOLVO:** S40 I 1.9 TD 1995>1999, V40 Estate 1.9 TD 1995>1999

**ALTERNATOR / ALTERNATOR:**

**VALEO:** 2541750, 2541825, 2541875, 2541882, 2541883, 2541905, 2541908, 2541937, 2541938, 2541942, 2541945, 2541976, 2541977, 2541978, 2541979, 2541983, 2541984, 2541985, 2541989, 2541999, 2542223, 2542231, 2542315, 2542316, 2542363, 2542366, 2542367, 2542368, 2542603, 2941983, A11V154, A11V176, A11V177, A11V179

**VALEO**

**GA1276**



**FEATURES / CARACTERÍSTICAS:** 90A, 6x50A Avalanche Diode, B+: M8X18.0mm. External diameter 108mm  
**REPLACES / REEMPLAZA:**

**Valeo:** 593320; **Mobiletron:** RP-27; **AS-Poland:** ARC3015; **Era:** 215834

**APPLICATION / APLICACIÓN:**

**MERCEDES-BENZ:** A170 1700 1998>2001, A210 2100 Evolution 2002>2004, Vaneo 1700/1900 2002>2005

**ALTERNATOR / ALTERNATOR:**

**VALEO:** 2541922, 2541968, 2542286, 2542291, 2542347, 2542394, 2542396, 2542397, 2542398, 2542399, 2542400, 2542428, 2542429, 2542525, A13V1178, A13V1202, A13V1237, A13V1257; **MERCEDES BENZ:** 010-154-38-02, 011-154-56-02, A0101543802, A0111545602

**VOLTAGE REGULATOR:**

GA996

**VALEO**

**GA1807**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A Avalanche (Zener)

**REPLACES / REEMPLAZA:**

**Valeo:** 593204; **Cargo:** 230031; **WAI/Transpo:** IPR841; **Magneti Marelli:** PR520570

**APPLICATION / APLICACIÓN:**

**RENAULT:** Clio 1.0 99>, Clio 1.0 16V 01>, Clio 1.6 without AC without DH 07/02>, Mégane 1.6 16V without AC, Scenic 1.6 without AC 02>, Kangoo 1.0 02>, Kangoo 1.6 without AC without DH 07/02>;

**PEUGEOT:** 206 1.0 without AC 10/02>

**ALTERNATOR / ALTERNATOR:**


**VALEO:** 439429, 439430

**VOLTAGE REGULATOR:**

GA984

**VALEO - PARIS RHONE**

**GA1840**



**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A 8x35A, Avalanche (Zener)

**REPLACES / REEMPLAZA:**

**Valeo:** 2 545 941, 545 940, 592 846, 592 847, A546860A, NF007; **Cargo:** 135518; **Lucas:** UBB252; **Magneti Marelli:** 940 038 316, PR520543; **Regitar:** RP-17; **WAI/Transpo:** IPR846

**APPLICATION / APLICACIÓN:**

**CITROËN;**

**FIAT;**

**PEUGEOT**

**ALTERNATOR / ALTERNATOR:**

**VALEO:** A11V1104, A11V1105, A11V161, A11V185, A11V193, A13V1104, A13V1105, A13V1106, A13V1164, A13V117, A13V1184, A13V1185, A13V1186, A13V1209, A13V1212, A13V1213, A13V1216, A13V1218, A13V1222, A13V1264, A13V1265, A13V1266, A13V1267, A13V1268, A13V145, A13V152, A13V157

**VOLTAGE REGULATOR:**

GA501

**VALEO - PARIS RHONE**

**GA1841**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes Avalanche (Zener) 6x35A, with diode trio

**REPLACES / REEMPLAZA:**

**Valeo Paris Rhone:** 2546062, 2546076, 590933, 592844, 592845, 592917, 593163; **Cargo:** 135427; **Lucas:** 592915, UBB250, UBB251, UBB253; **Magneti Marelli:** 940 038 315, 940 038 326; **Peugeot:** 5744.C2; **Regitar:** RP-14; **WAI/Transpo:** IPR844

**APPLICATION / APLICACIÓN:**

**AUDI:** A4 1.6, 1.8 20V Turbo, A6 1.8T;

**CITROËN:** Saxo 1.0i, 1.1i, 1.4i, Xsara 1.4, Berlingo 1.1, Evasion 1.8, 2.0, ZX 1.1, 1.4, 1.6, 1.8, 2.0;

**PEUGEOT:** 106, 306, 405;

**FIAT:** Ulysse 1.8;

**SEAT:** Cordoba 1.9D, TD

**ALTERNATOR / ALTERNATOR:**

**VALEO:** 2514656, 2541273, 2541348, 2541416, 2541417, 2541420, 2541473, 2541475, 2541617, 2541620, 2541644, 2541655, 2541656, 2541658, 2541665, 2541676, 2541678, 2541680, 2541683, 2541696, 2541697, 2541699, 2541703, 2541724, 2541726, 2541741, 2541767, 2541793, 2541794, 2541801, 2541802, 2541812, 2541814, 2541815, 2541816, 2541821, 4236387, 436380, 436381, 436386, 436388, 436389, A13V1134, A13V1135, A13V1137, A13V1138, A13V1155, A13V1156, A13V1170, A13V1175, A13V1176, A13V1180, A13V1198, A13V124, A13V167, A13V169, A13V170, A13V174, A13V175, A13V177, A13V178, A13V179; **LESTER:** 13458; **PIC:** 208590

**VOLTAGE REGULATOR:**

GA501

**VALEO - PARIS RHONE**
**GA1842**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x50A, with diode trio

**REPLACES / REEMPLAZA:**
**Valeo Paris Rhone:** 135 293, 2 521 487, 2 523 972, 592 845, 592 915, A546062A, NF016, NF017; **Regitar:** RP-15; **Cargo:** 231736-135494; **WAI/Transpo:** MER592

**APPLICATION / APLICACIÓN:**
**CITROËN:** Saxo 1.0i, 1.1i, 1.4i, 1.5D, Xsara 1.4, 1.5D, Berlingo 1.1, AX 1.5D, ZX 1.1, 1.4, 1.5D;

**PEUGEOT:** 106 0.9, 1.1, 1.3, 1.4 XT, XSI, 1.6, 1.6 Xsi, 1.6 Rallye, 306 1.1, 1.4, 1.6, 405 1.4, Partner 1.1, 1.4;


**AUDI:** A4 1.6, 1.8 20V, 1.9 Di, TDI, A6 1.8T, 2.3 5 cyl quattro;

**VW:** Passat 1.6, 1.8 20V turbo, 1.9 TDI

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 2541298, 2541299, 2541410, 2541415, 2541447, 2541457, 2541458, 2541459, 2541461, 436257, 436258, 436260, 436338, 436339, 436345, 436363, 436364, 436379, A11V110, A11V111, A11V121, A11V122, 11V123, A11V124, A11V125, A11V135, A11V136, A11V162, A11V166, A13N217, A13V1108, A13V1109, A13V1114, A13V1121, A13V1123, A13V1124, A13V1125, A13V1132, A13V1140, A13V141, A13V144, A13V146, A13V149, A13V151, A13V160, A13V161, A13V168, A13V171, A13V180, A13V181, A13V183, A13V184, A13V196

**VOLTAGE REGULATOR:**

GA501

**VALEO - PARIS RHONE**
**GA1843**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodos Avalanche (Zener) 6x35A, with diode trio

**REPLACES / REEMPLAZA:**
**Valeo Paris Rhone:** 2546048, 546041, 592848, 592915, 592916, NF009; **Cargo:** 135278; **Lucas:** UBB254;

**Magneti Marelli:** 940 038 318; **Regitar:** RP-37; **WAI/Transpo:** IPR848

**APPLICATION / APLICACIÓN:**
**CITROËN:** Saxo 1.4, ZX 1.8, 1.9d;

**PEUGEOT:** 405 1.6, 1.8i;

**SEAT:** Arosa 1.0, 1.4, Cordoba 1.0, 1.6, 1.8, 1.9, Ibiza 1.0, 1.4, 1.6, 1.8, 2.0, Inca 1.4i, 1.6i, Toledo 1.6, 1.8, 1.9;

**VW:** Golf 1.4i, 1.6, 1.8i, 2.0, Passat 1.6, 1.8, 1.9td, 2.0 92-97, Polo 1.0, 1.3, 1.4, Polo Classic 1.6 95-99

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 2541355, 2541356, 2541360, 2541361, 2541362, 2541455, 2541731, 2541738, 2541739, 2541740, 2541758, 2541759, 2541784, 2541785, 436259, 436261, 436336, 436340, 436346, 436362, A11V115, A11V116, A11V117, A11V118, A11V147, A11V148, A13V1101, A13V1102, A13V131, A13V148, A13V185, A13V186, A13V187, A13V188, A13V194

**VOLTAGE REGULATOR:**

GA501

**VALEO**
**GA1808**

**FEATURES / CARACTERÍSTICAS:** 85A, Diodos 6x35A Avalanche (Zener)

**REPLACES / REEMPLAZA:**
**Valeo:** 593508

**APPLICATION / APLICACIÓN:**
**FIAT:** Dobló 1.8 SOHC, OHC I 01/01>, Palio 1.8 SOHC, OHC I 02>, Stilo 1.8 02>, Strada 1.8 02>, Ducato 2.8 SOHC 03;

**GM:** Meriva 1.8 10/02>, Corsa sedan 1.0, 1.0 16V, 1.6, 1.6 16V 04>, Corsa 1.0 e 8 e 16V, 94>, Novo Corsa 1.0, 1.8, Sedan 02>, Celta 1.0 OHC, VHC 00>, Celta 1.4 VHC 00>, Corsa Wagon 1.0, 1.0 16V, 1.6, 1.6 16V 04>, Corsa 1.4, 1.6, 1.6 16V 94>, Corsa pick up 1.6, 1.6 16V 94>

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 439512, 439513, 439514

**VOLTAGE REGULATOR:**

GA905 / GA984

**VALEO**
**GA1809**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x50A Avalanche (Zener)

**REPLACES / REEMPLAZA:**
**Valeo:** 593408; **Regitar:** RP-62; **Cargo:** 235521; **WAI/Transpo:** MER528

**APPLICATION / APLICACIÓN:**
**RENAULT:** Kangoo 1.6 with AC 12/00>, Mégane 1.6 16V with AC 00>, Mégane 2.0 with AC 12/02>, Scenic 1.6 with AC 00>, Scenic 2.0 with AC 12/02>, Clio 1.6 with AC 12/00>

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 439431, 430396

**VOLTAGE REGULATOR:**

GA911 / GA984

**VALEO**
**GA1810**

**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x50A Avalanche (Zener)

**REPLACES / REEMPLAZA:**
**Valeo:** 493810

**APPLICATION / APLICACIÓN:**
**FORD:** EcoSport 1.0 Superc, 1.6 03>, Novo Fiesta, Sedan 1.0 supercharger

**ALTERNATOR / ALTERNATOR:**
**VALEO:** 439465

**VOLTAGE REGULATOR:**

GA984



**VALEO**

**GA1811**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x35A Avalanche (Zener)  
**REPLACES / REEMPLAZA:**  
**Valeo:** 593509; **Regitar:** RP-59; **WAI/Transpo:** MER520  
**APPLICATION / APLICACIÓN:**  
**PEUGEOT:** 206 1.6 16V 01>, Partner 01>, 206 1.4 03>  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** 439515  
**VOLTAGE REGULATOR:**  
 GA939

**VALEO**

**GA1812**



**FEATURES / CARACTERÍSTICAS:** 90A, Diodos avalanche 3x35A, M8x30 B+ Parafusos  
**REPLACES / REEMPLAZA:**  
**Hyundai:** 373602B100  
**APPLICATION / APLICACIÓN:**  
**HYUNDAI:** HB20 1.6 16V >2012, HB20 1.0 Turbo 2016>, i30 1.6 >2009  
**KIA:** Soul 1.6 2009, Cerato 1.6 16V >2009  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** 26555447; **HYUNDAI:** 37300-2B101  
**VOLTAGE REGULATOR:**  
 GA950

**VALEO**

**GA1813**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x50A Avalanche (Zener), Parafuso B+ M8  
**REPLACES / REEMPLAZA:**  
**Transpo:** MER523  
**APPLICATION / APLICACIÓN:**  
**KIA:** Soul 2.0L;  
**HYUNDAI:** I-30 2009>, Elantra 2.0 2007-2012  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** 2655635, 37300-23650; **HYUNDAI:** 37300-22650, 37300-22650RU; **KIA:** 37300-22650, 37300-22650RU; **VALEO:** 18470128, 20090724, 2614548, 2655524, A0002655009, A0002655023, TG11C028  
**VOLTAGE REGULATOR:**  
 GA913

**VALEO**

**GA1815**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodos 6x35A Avalanche (Zener)  
**REPLACES / REEMPLAZA:**  
**Valeo:** 493815  
**APPLICATION / APLICACIÓN:**  
**FORD:** EcoSport 2.0 04>, Escort, SW 1.6 Zetec Rocam 00>, Fiesta, Sedan 1.0, 1.6 with AC 99>, Novo Fiesta, Sedan 1.0, 1.6 with AC 01>, Ka 1.0, 1.6 Zetec Rocam with AC 10/02>, Courier Zetec Rocam 1.6, 1.0 07/99>  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** 439466  
**VOLTAGE REGULATOR:**  
 GA984

**VALEO**

**GA1819**



**FEATURES / CARACTERÍSTICAS:** 100A, Diodos 8x35A Avalanche (Zener), with diode trio  
**REPLACES / REEMPLAZA:**  
**Valeo:** 493819; **Cargo:** 235886; **WAI/Transpo:** MER540  
**APPLICATION / APLICACIÓN:**  
**GM:** Corsa 1.0 e 1.6 all with AC 94>, Blazer/ S10 Gas 2.0 97>, Astra 1.8, 2.0 16V, 2.0 99>, Omega/ suprema 3.0/4.1 09/92>, Vectra 2.0/2.2 8/ 16 V 93>, Meriva 1.4 2008  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** 439427, 93312974, SG9B082  
**VOLTAGE REGULATOR:**  
 GA911

**VALEO**

**GA1820**



**FEATURES / CARACTERÍSTICAS:** 105A, Diodos 6x35A Avalanche (Zener)  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**PEUGEOT:** 207, 307  
**ALTERNATOR / ALTERNATOR:**  
 2610426, SG9B127  
**VOLTAGE REGULATOR:**  
 GA905 / GA930

**VALEO**
**GA1823**


**FEATURES / CARACTERÍSTICAS:** 100A, Diodes 8x35A Avalanche (Zener), with diode trio  
**REPLACES / REEMPLAZA:**  
**Valeo:** 493823; **Magneti Marelli:** PR520566  
**APPLICATION / APLICACIÓN:**  
**NISSAN:** Nissan Frontier 2.8 TD MWM 10/02>, Nissan X Terra 2.8 TD MWM 10/02>;  
**GM:** Blazer/ S10 Diesel 2.8 00>;  
**TROLLER:** Troller T4/T4M/ vehiculos especiales 10/02>, Meriva 1.4 2008  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** 439428, 93312974, SG9B082  
**VOLTAGE REGULATOR:**  
 GA911 / GA920

**VALEO**
**GA1825**


**FEATURES / CARACTERÍSTICAS:** 100A, Diodes 8x35A Avalanche (Zener)  
**REPLACES / REEMPLAZA:**  
**Valeo:** 493825  
**APPLICATION / APLICACIÓN:**  
**FIAT:** Dobló 1.8 OHC I 03>, Palio 1.8 OHC I 02>, Stilo 1.8 03>;  
**GM:** New Corsa, Sedan 1.0 02>  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** 439517, 439519  
**VOLTAGE REGULATOR:**  
 GA905

**VALEO**
**GA1826**


**FEATURES / CARACTERÍSTICAS:** 105A, 3x35A avalanche diodes, M8x30 B+ bolt  
**REPLACES / REEMPLAZA:**  
 -  
**APPLICATION / APLICACIÓN:**  
**Hyundai:** Tucson, Sportage, Cerato  
**ALTERNATOR / ALTERNATOR:**  
**Valeo:** 2655023, 2455023, 2655474, TG9S018  
**VOLTAGE REGULATOR:**  
 GA921

**VALEO**
**GA1830**


**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A Avalanche (Zener)  
**REPLACES / REEMPLAZA:**  
**Valeo:** 493830; **WAI/Transpo:** MER538  
**APPLICATION / APLICACIÓN:**  
**GM:** New Corsa, Sedan 1.8 02>, Meriva 1.8 02>  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** 439 520, 439522, SG9B083  
**VOLTAGE REGULATOR:**  
 GA905

**VALEO**
**GA1831**


**FEATURES / CARACTERÍSTICAS:** 120A, Diodes Avalanche 3x50A, M8x30 B+ Parafusos  
**REPLACES / REEMPLAZA:**  
**Valeo:** 2626949  
**APPLICATION / APLICACIÓN:**  
**FORD:** Focus 2.0, New Fiesta, Eco Sport Titanium; **PEUGEOT:** 208 1.2 2017; **GM:** Onix 1.0 2020>, Tracker 1.0 2020>, Tracker 1.2 2020>, Agile 1.4 2009>2014, Cobalt 1.4 2011>, Cobalt 1.8 2011>, Montana 1.4 2007>2021, Spin 1.8 2012>  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** 2605459-A, TG12C106, TG12C108, NRG12S021; **FORD:** AE8T-10300-BA, CN1510300CC; **PEUGEOT:** 9670899580;  
**GM:** 26261634  
**VOLTAGE REGULATOR:**  
 GA998

**VALEO**
**GA1832**


**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A Avalanche (Zener)  
**REPLACES / REEMPLAZA:**  
**Valeo:** 493832; **Cargo:** 235555; **WAI/Transpo:** MER529  
**APPLICATION / APLICACIÓN:**  
**PEUGEOT:** 206 1.6 16V 01>;  
**CITROËN:** Xsara Picasso 2.0L with AC  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** 439445, 439521  
**VOLTAGE REGULATOR:**  
 GA939 / GA980

**VALEO**

**GA1853**



**FEATURES / CARACTERÍSTICAS:** 90A, 6x50A, B+: M8x13mm

**REPLACES / REEMPLAZA:**

**Cargo:** 236997; **AS-Poland:** ARC3056; **Transpo:** MER533

**APPLICATION / APLICACIÓN:**

**FIAT:** 500 1.3 2007>2015, Grande Punto 1.3 2005>2015, Idea 1.3 2004>2015, Linea 1.3 2007>2015, Punto Evo 1.3 2009>2012, Strada 1.3 2006>2015

**LANCIA:** Musa 1.3 2004>2015, Ypsilon 1.3 2003>2015

**OPEL:** Agila A 1.3 2003>2008, Astra H 1.3 2005>2010, Combo C 1.3 2003>2015, Meriva A 1.3 2003>2010, Tigra B 1.3 2005>2015

**ALTERNATOR / ALTERNATOR:**

**FIAT:** 55185076

**CHEVROLET:** 13117279, 13283344BW, 704042419

**OPEL:** 13283344BW

**VALEO**

**GA1854**



**FEATURES / CARACTERÍSTICAS:** 90A, 6x35A, Avalanche Diode B+: M8x15.2mm

**REPLACES / REEMPLAZA:**

**Valeo:** 235653, 593530

**APPLICATION / APLICACIÓN:**

**CITROËN:** Berlingo 1.4 2002>2005, C1 1.4 2005>2014, C5 1.8/2.0 16V 2001>2004, C8 2.0/2.2 2002, Nemo box/estate 1.4 2009, Xsara break/coupe 1.6 16V 2000>2004, Xsara picasso 1.8 16V 2000>2006

**FIAT:** Scudo box 1.9 2004>2006, Ulysse 2.0 2002>2011

**ALTERNATOR / ALTERNATOR:**

**VALEO:** SG10B022

**CITROËN:** 9642880180, 9655858280, 9665580680, 5705 5V, 5705 7E, 5705 7F

**FIAT:** 9642880480, 9649611280

**VALEO**

**GA1883**



**FEATURES / CARACTERÍSTICAS:** 85A, Diodes 6x35A Avalanche (Zener)

**REPLACES / REEMPLAZA:**

**Valeo:** 593483; **WAI/Transpo:** MER536

**APPLICATION / APLICACIÓN:**

**VW:** Gol 1.0 e 1.6 with AC without DH 03>, Polo 1.0/ 1.6 with AC without DH 03>, Fox 1.0/ 1.6 with AC without DH 03>, Golf 1.6 with AC without DH 99>

**ALTERNATOR / ALTERNATOR:**

**VALEO:** 439439

**VALEO**

**GA1884**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes 6x50A Avalanche (Zener)

**REPLACES / REEMPLAZA:**

**Valeo:** 593482

**APPLICATION / APLICACIÓN:**

**VW:** Polo, Polo Sedan 1.0L 16V, 1.6L with AR, Fox 1.0L 16V with AR with DH

**ALTERNATOR / ALTERNATOR:**

**VALEO:** 439445

**VOLTAGE REGULATOR:**

GA980

**VALEO**

**GA1885**



**FEATURES / CARACTERÍSTICAS:** 120A, Diodes Avalanche 3x50A, M8x30 B+ Parafusos

**REPLACES / REEMPLAZA:**

-

**APPLICATION / APLICACIÓN:**

**RENAULT:** Megane, Scenic 2.0 16V >2007, Grand Scenic 1.6 >2004, Kangoo 1.6 >2008

**ALTERNATOR / ALTERNATOR:**

**VALEO:** TG11C060, 2543551F, TG11C065, TG11C069, TG11C039, TG9B053, TG11S142; **VW:** 04C 903 024A

**VOLTAGE REGULATOR:**

GA985

**VALEO**
**GA1886**


**FEATURES / CARACTERÍSTICAS:** 105A, 3x35A Avalanche Diodes, B+ M6x15  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**Toyota:** Etios  
**ALTERNATOR / ALTERNATOR:**  
**Valeo:** FG7T010;  
**Toyota:** 27060-0Y110

**VALEO**
**GA1887**


**FEATURES / CARACTERÍSTICAS:** 70A, 3x35A Avalanche Diodes  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**KIA:** Picanto 1.0 2008>  
**ALTERNATOR / ALTERNATOR:**  
 2655517  
**VOLTAGE REGULATOR:**  
 GA293

**VALEO**
**GA1971**


**FEATURES / CARACTERÍSTICAS:** 75A, 8x35A Avalanche Diodes, B+: M6 x 1 x 26,7 (mm)  
**REPLACES / REEMPLAZA:**  
 ...  
**APPLICATION / APLICACIÓN:**  
**RENAULT:** Twingo 1.2 1993>1996  
**ALTERNATOR / ALTERNATOR:**  
**VALEO:** A11VI54, 2541750, 439014, 436447; **RENAULT:** 7700847513, 7701352300  
**VOLTAGE REGULATOR:**  
 GA971

**VALEO**
**GA1998**


**FEATURES / CARACTERÍSTICAS:** 90A, 6X 35A Avalanche Diodes  
**REPLACES / REEMPLAZA:**  
**GM:** 94 700 046, 94 700 045  
**APPLICATION / APLICACIÓN:**  
**Chevrolet:** Corsa, Agile, Montana, Meriva without A/C 1.4/1.8  
**ALTERNATOR / ALTERNATOR:**  
**Valeo:** 2605231, SG9B114, 2605232, SG9B115  
**VOLTAGE REGULATOR:**  
 GA998

**VISTEON**
**GA1890**


**FEATURES / CARACTERÍSTICAS:** 95A, Diodes 8x35A Avalanche (Zener), B+ Post M6  
**REPLACES / REEMPLAZA:**  
**Regitar:** RF-19H; **WAI/Transpo:** FR6100  
**APPLICATION / APLICACIÓN:**  
**FORD:** Fiesta, Ka, EcoSport  
**ALTERNATOR / ALTERNATOR:**  
 20 150 01005, 1S7T-10300-BA, 1S7Z-10346-BC  
**VOLTAGE REGULATOR:**  
 GA350 / GA360

**VISTEON**
**GA1891**


**FEATURES / CARACTERÍSTICAS:** 140A, Avalanche Diodes 8x50A, B+ Bolt M6, Ø 114mm  
**REPLACES / REEMPLAZA:**  
**Regitar:** RF-18HV  
**APPLICATION / APLICACIÓN:**  
**FORD:** Focus I, Mondeo, EcoSport  
**ALTERNATOR / ALTERNATOR:**  
**Ford:** 1S7T10300BA, 1S7T10300BB, 1S7T10300BC, 1S7T10300BD, 1S7Z10346BC, 1S7TBA, 1S7TBB, 1S7TBC, 1S7TBD, 2S6T10300AA, 2S6T10300AC, 2S6T10300FA, 2S6T10300FB, 2S6T10300FC, 2T1U10300BB, 2T1U10300BC, 2T1U10300BD, 3S5T10300AA, 3S6T10300AA, 3S6T10300AB, 5S6Y10300AA, 5S6Y10300AB, 5S6Y10300AC, 5S6Y10300AD; **Visteon:** 2015001001, 2015001002, 2015001003, 2015001005, 1120211, 1140696, 1151212, 1464779  
**VOLTAGE REGULATOR:**  
 GA350