



FUEL INJECTION PARTS
SISTEMA DE INYECCIÓN DE COMBUSTIBLE

CRANKSHAFT POSITION SENSOR
SENSOR DE POSICIÓN DE ÁRBOL DE LEVAS

GS8000



REPLACES / REEMPLAZA:

VW: 050906433; **Audi:** 050906433; **Valeo:** 254161; **Meat & Doria:** 87063; **Mobiletron:** CS-E309

APPLICATION / APLICACIÓN:

AUDI: 80 (89, 89Q, 8A, B3) 1.6 1996>2002, 80 (8C2, B4) 1.6 E 1995>2002, 80 Avant (8C5, B4) 1.6 E 1995>2002, A4 (8D2, B5) 1.6 1995>2002, A4 (8D2, B5) 1.8 1996>2002, A4 (8D2, B5) 1.8 T 1995>2002, A4 (8D2, B5) 1.8 T 1995>2002, A4 (8D2, B5) 1.8 T Quattro 1995>2002, A4 (8D2, B5) 1.8 T Quattro 1997>2002, A4 (8D2, B5) 1.8 Quattro 1996>2002, A4 Avant (8D5, B5) 1.6 1996>2002, A4 Avant (8D5, B5) 1.8 1996>2002, A4 Avant (8D5, B5) 1.8 T 1996>2002, A4 Avant (8D5, B5) 1.8 T 1998>2003, A4 Avant (8D5, B5) 1.8 T Quattro 2005>2015, A4 Avant (8D5, B5) 1.8 T Quattro 1989>1991, A4 Avant (8D5, B5) 1.8 Quattro 1989>1991, A6 (4B2, C5) 1.8 T 1990>2001, A6 (4B2, C5) 1.8 T 1990>2001, A6 (4B2, C5) 1.8 T Quattro 1990>2002, A6 (4B2, C5) 1.8 T Quattro 1990>2003, A6 Avant (4B5, C5) 1.8 T 1990>2004, A6 Avant (4B5, C5) 1.8 T 1990>2005, A6 Avant (4B5, C5) 1.8 T Quattro 1990>2006, A6 Avant (4B5, C5) 1.8 T Quattro 1990>2007, Cabriolet (8G7, B4) 1.8 1990>2008;

VW: Passat (3B2) 1.6 1996>2000, Passat (3B2) 1.8 1997>2000, Passat (3B2) 1.8 1996>2000, Passat (3B2) 1.8 Syncro/4Motion 1996>2000, Passat (3B2) 1.8 T 1996>2000, Passat Variant (3B5) 1.6 1997>2000, Passat Variant (3B5) 1.8 1997>2000, Passat Variant (3B5) 1.8 T 1997>2000, Passat Variant (3B5) 1.8 T 1997>2000

GS8001



REPLACES / REEMPLAZA:

Hyundai: 391802B000, 391802B010; **Bosch:** 0 986 280 497, **Valeo:** 366133; **Mobiletron:** CS-K025

APPLICATION / APLICACIÓN:

HYUNDAI: Accent IV Saloon 1.4 2010>2017, Elantra Saloon 1.6 CVVT 2006>2011, Elantra Saloon 1.6 2011>, Elantra Saloon 1.8 2010>, Elantra Saloon 2.0 2016>, i20 1.4 LPG 2008>, ix20 1.6 2010>, ix30 1.4 2007>2015, ix30 1.6 2007>2016, ix30 Estate 1.4 2007>, ix30 Estate 1.6 2008>, ix30 1.6 GDI 2011>2016, ix30 Estate 1.6 GDI 2012>, ix30 Coupe 1.4 2013>, ix30 Coupe 1.6 MPI 2016>, ix30 Coupe 1.6 GDI 2013>, ix35 1.6 2010>, ix35 2.0 GDI 2013>, ix35 2.0 GDI 4WD 2013>, ix35 2.0 CVVT 4WD 2013>, ix35 Van GDI 2015, i40 (VF) 1.6 GDI 2011>, i40 (VF) 2.0 CVVT 2012>, Solaris Saloon (HCR) 1.6 2017>, Sonata VII (LF) 2.0 CVVT 2018>, Tucson (TL, TLE) 1.6 GDI 2015>, Tucson (TL, TLE) 2.0 2015>, Tucson (TL, TLE) 2.0 CVVT AWD 2015>, Veloster (FS) 1.6 MPI 2011>2017, Veloster (FS) 1.6 GDI 2011>2017;

KIA: Carens 1.6 CVVT 2009>, Carens 2.0 GDI 2013>, CEE'D 1.4 2006>2012, CEE'D 1.6 2007>2012, Pro CEE'D 1.6 2008>2013, Cerato 1.6 2009>, Optima 2.0 2012>, Rio 1.4 2011>, Rio 1.6 2012>, Soul 1.6 2009>, Soul 2.0 2014>, Sportage 1.6 2011>, Sportage 2.0 2014>, Venga 1.4 2010>, Venga 1.6 2010>

GS8003



REPLACES / REEMPLAZA:

Honda: 37500-PNA-003, 37500-PNB-003, 15503L23

Denso: 15512225

APPLICATION / APLICACIÓN:

Honda: Civic Mk1 Saloon 1.3 1980>1983, Civic Mk6 Hatch 2.0 i Sport/2.0 Type-R 2001>2005, Civic Mk6 Saloon 1.3 IMA 2003>2005, Civic Mk7 Hatch Type-R 2006>, Civic Mk7 Saloon 1.3 Hybrid 2006>, CR-V Mk2 SUV 2.0 2001>2006, FR-V 2.0 2005>, Jazz Mk2 Hatch 1.3 2002>2008, Stream MPV 2.0 16V 2001>

GS8009



REPLACES / REEMPLAZA:

Hafei: 25346094

APPLICATION / APLICACIÓN:

Hafei: Minyz

GS8010



REPLACES / REEMPLAZA:

Hyundai / Kia: 39310-39010

APPLICATION / APLICACIÓN:

Hyundai: XG300, XG350

Kia: Sedona

GS8011



REPLACES / REEMPLAZA:

Meat & Doria: 87710; **Mobiletron:** CS-J105; **NGK:** 81466; **Maxauto:** MAX 08.0165

APPLICATION / APLICACIÓN:

TOYOTA: AVENSIS 1.6/1.8 1997>2000, AVENSIS Liftback 1.6/1.8 1997>2000, AVENSIS Kombi 1.6/1.8 1997>2000, CARINA E 1.6 1993>1997, CARINA E Stufenheck 1.6 1995>1997, CARINA E Sportswagon 1.6 1995>1997, CELICA Coupe 1.8 1993>1999, COROLLA Compact 1.6 1992>1997, COROLLA Liftback 1.6 1992>1997, COROLLA 1.6 1994>1997, COROLLA Kombi 1.6/1.8 1992>1997, COROLLA Compact 1.6 1997>2000, COROLLA Liftback 1.6 1997>2000, COROLLA 1.6 1997>2000, 1.6 1997>2000, COROLLA Kombi 1.6/1.8 1997>2001



GS8013

REPLACES / REEMPLAZA:

Bosch: 0.261.210.207, 0.261.210.208;

VW: 06A906433K, 030906433K

APPLICATION / APLICACIÓN:

VW: Gol III (Power) 1.0 16V MI 2000> Gol, Parati III 1.0 16V MI (TURBO/ASPIRATE) 04/00>02, Gol, Parati, Saveiro 1.6, 1.8 (Flex) 02>Gol II

Special 1.0Mi 8V 02>05, Touareg, Touran 2002>, Golf 2003>, Passat 2005>;

Audi: A3 2003>



GS8015

REPLACES / REEMPLAZA:

Honda: 37500-PLC-015; **Denso:** 00601D0

APPLICATION / APLICACIÓN:

Honda: Civic 1.7 2001>2005, Acura 2001>2003



GS8030

REPLACES / REEMPLAZA:

Mobiletron: CS-J083; **MTE-THOMSON:** 70568; **NGK:** 81269; **Meat & Doria:** 87711

APPLICATION / APLICACIÓN:

TOYOTA: AURIS 1.4 2007.2012, AVENSIS 1.6/1.8 2000>2008, AVENSIS Liftback 1.6/1.8 2000>2003, AVENSIS Kombi 1.6/1.8 2000>2003, AVENSIS Stufenheck 1.6/1.8 2003>2008, CELICA Coupe 1.8 16v 1999>2005, COROLLA Compact 1.4/1.6 1999>2002, COROLLA Liftback 1.4/1.6 1999>2002, COROLLA 1.4/1.6 1999>2001, COROLLA Kombi 1.4/1.6 16v 2000>2001, COROLLA Stufenheck 1.6 2001.2008, COROLLA Verso 1.6/1.8 2001>2004, MR 2 III 1.8 16v 1999>2007, RAV 4 II 1.8 2000>2005



GS8033

REPLACES / REEMPLAZA:

Nissan: 23731-EC01A, 949979-033

APPLICATION / APLICACIÓN:

Nissan: Almera Mk2 Hatch/Saloon/Tino MPV 2.2 dCi 2003>, Murano 2.5 dCi 4x4 2010>2014, Pick Up 2.5 Di/2.5 Di 4WD 2002>2005, NP300 Pick Up 2.5 dCi/2.5 dCi 4x4 2008>, Primera Mk3 Hatch/Estate 2.2 Di/2.2 dCi 2002>, X-Trail 2.2 dCi/2.2 dCi 4x4 2003>2013



GS8047

REPLACES / REEMPLAZA:

Toyota: 90919-05047, 90919-05067

APPLICATION / APLICACIÓN:

TOYOTA: Avensis Mk1 Saloon/Hatch/Estate 2.0 2000>2003, Avensis Verso MPV 2.0 2001>2009, Avensis Mk2 Hatch/Estate 2.0/2.4 2003>2008, Camry Saloon 2.4 2001>2006, Picnic 2.0 2001, Previa Mk2 2.4 2000>2006, RAV4 Mk2 2.0 2000>2005, RAV 4 Mk3 2.0/2.4 2005>



GS8050

REPLACES / REEMPLAZA:

Hyundai: 39310-38050; **Kia:** 39310-38050;

Mitsubishi: J5T23071A; **Volvo:** 30874179; **Mazda:** MD 327107

APPLICATION / APLICACIÓN:

Hyundai: Santa Fé 2.4 2001>, Sonata 1999>, Atos 1998>;

Kia: Sorento, Picanto, Optima 2001>, Magentis 2001>;

Suzuki: Vitara 1.6, 2.0 1999>;

GM: Tracker 1.6, 2.0 1999>;

Volvo: S40, V40 1995-2003



GS8072

REPLACES / REEMPLAZA:

Mazda: J5T15072, KL4718221

APPLICATION / APLICACIÓN:

Mazda: Millenia


GS8076

REPLACES / REEMPLAZA:

Cummins: 5594275; **New Holland:** 87352952, 90418076

APPLICATION / APLICACIÓN:

CASE: Sprayer; **NEW HOLLAND:** Platform

GS8082

REPLACES / REEMPLAZA:

Mazda: ZZM367082, 1F2367082

Ford: F57E6C315CA, F57Z6C315A, 1L5E6C315AA, 1L5Z6C315AA

APPLICATION / APLICACIÓN:

Mazda: B2300, B2500

Ford: Ranger

GS8094

REPLACES / REEMPLAZA:

Chevrolet: 12623094

APPLICATION / APLICACIÓN:

Chevrolet: Camaro, Corvette

GS8097

REPLACES / REEMPLAZA:

Renault: 8200746497

APPLICATION / APLICACIÓN:

RENAULT: Sandero 2007>2015

GS8099

REPLACES / REEMPLAZA:

Dodge: 5093101AA, 5179099AA, 5179099AB

APPLICATION / APLICACIÓN:

Dodge: Ram Pick up 2500/3500

GS8104

REPLACES / REEMPLAZA:

Fiat: 7762252, 7762282; **Bosch:** 0.261.210104;

Kia: 0K9A018891; **VDO:** 324003030R; **Hyundai:** 3965042110

APPLICATION / APLICACIÓN:

Fiat: Palio, Strada, Siena, Weekend 1.4, 1.6 mpi 96>02, Punto 1.4 93>99;

Hyundai: H200 Diesel, H1 Starex 97>04;

Kia: Sportage Gasoline 84>03, Diesel 97>03, Retona 1998>, Clarus 1996>

GS8126



REPLACES / REEMPLAZA:
Nissan: 237313S500
 APPLICATION / APLICACIÓN:
Nissan: Pick up 2.4i 2002>2005

GS8128



REPLACES / REEMPLAZA:
Jeep: 4638128, 53006154, 53009954, 56027042, 56027070
 APPLICATION / APLICACIÓN:
Jeep: Cherokee 2.5 / 4.0 1991>2001

GS8133



REPLACES / REEMPLAZA:
VW: 06H906433; **Audi:** 06H906433; **Bosch:** 0 986 280 496
 APPLICATION / APLICACIÓN:
VW: Amarok 2.0 2010>2012, CC 1.8 2012>2017, CC 2.0 2012>2017, Fusca 2.0 2012>2016, Jetta 2.0 2011>2014, Passsat 1.8 2009>2011, Passsat 2.0 2009>2011, Tiguan 2.0 2008>2011, EOS 2.0 2009>2011, Golf 2.0 2004>2012, Scirocco 2.0 2008>2017;
AUDI: A3 1.8 2006>2013, A3 2.0 2004>2013, A4 1.8 2007>2015, A4 2.0 2008>2016, A5 1.8 2007>2017, A5 2.0 2008>2017, Q5 2.0 2008>2017, TT 2.0 2006>2014;
SEAT: Alhambra 1.8 2010>2012, Altea 1.8 2007, Altea 2.0 2009, Exeo 1.8 2010>2013, Exeo 2.0 2010>2013, Leon 1.8 2007>2012, Toledo 1.8 2007>2009;
SKODA: Octavia 1.8 2007>2013, Octavia 2.0 2005>2013, SuperB 1.8 2008>2015, SuperB 2.0 2010>2015, Yeti 1.8 2009>2017

GS8145



REPLACES / REEMPLAZA:
Mitsubishi: MR985145, J5T35171
 APPLICATION / APLICACIÓN:
Mitsubishi: Shogun/Pajero Mk3 3.8 V6 2007>

GS8150



REPLACES / REEMPLAZA:
Hyundai / Kia: 3918037150, 3918037200
 APPLICATION / APLICACIÓN:
Hyundai: Santa Fé, Sonata, Tucson, Trajet
Kia: Sportage, Magentis

GS8151



REPLACES / REEMPLAZA:
Bosch: 0 261 210 151, 0 281 002 662, 0 281 002 742; **Chrysler:** 05066 833AB, 5066 833AB; **Opel:** 09118368, 90532619, 9118368;
Volvo: 20513343; **GM:** 6238109, 90532619, 9118368; **Renault:** 5010 412 449; **Meat & Doria:** 87206; **Mobileron:** CS-E001
 APPLICATION / APLICACIÓN:
CHRYSLER: Voyager MK 3 2.5/2.8 2000>2008;
NISSAN: Interstar MINIBUS DCI 140 2003, Interstar VAN DCI 140 2003, Interstar FLATBED DCI 140;
SUZUKI: WAGON R 1.2 2004>2005



GS8161

REPLACES / REEMPLAZA:

GM: 10456161; **Delphi:** SS10213

APPLICATION / APLICACIÓN:

GM: Omega Australiano 3.8 V6 98>, Impala, Monte Carlo 1998>2005;

Buick: Lacrosse 2005>2009, Lucerne 2006>2008



GS8170

REPLACES / REEMPLAZA:

Mercedes Benz: 0031532828, 0031532728;

Chrysler: 05080350AA, 05080352AA; **Mitsubishi:** MN-960274, MN-960372

APPLICATION / APLICACIÓN:

Mercedes: Classe A - A160, A190, Classe C - C230, C240, C240 automatic, C280, C32AMG, C320, C320 4matic, C43AMG, Classe 500 - CL500, CL55AMG, CL600, CLK320, CLK430, Classe E - E430, E500, E55AMG, Classe ML - ML320, ML350, ML430, ML500, Classe S - S430, S500, S600, SL500, SL55amg, SL600, SLK230, SLK32amg, SLK320



GS8171

REPLACES / REEMPLAZA:

Mitsubishi: MR560132; **Denso:** J5T20171

APPLICATION / APLICACIÓN:

Mitsubishi: Pajero TR4 2.0, Pajero iO 1.8, Lancer 99>07, Mirage 96>02



GS8178

REPLACES / REEMPLAZA:

Bosch: 0 261 210 178; **VW:** 078906433B

APPLICATION / APLICACIÓN:

AUDI: A4 2.4 Avant quattro 1998>2001 / 2.8 1998>2000 / 2.8 Avant quattro 1999>2001 / 3.0 Avant quattro Cabriolet 2001>2004, A6 2.4 Avant quattro 1997>2005 / 2.8 Avant quattro 1998>2001 / 3.0 2001>2004, TT 1.8 T Coupè quattro 2002>2006 / 1.8 T Roadster quattro 2002>2006 (All Gasoline);

VW: Golf IV 2.0 2007>2008, New Beetle 2.0 2006>2010, Passat 2.8 1997>2005 / 2.8 Variant Syncro 1998>2000 (All Gasoline)

SKODA: Octavia MK 1.6/1.8/2.0 1997>2010, Superb 2.8 V6 2001>2008;

SEAT: Leon 1.8 T Cupra R 2002>2006



GS8180

REPLACES / REEMPLAZA:

Peugeot: 9640316180

APPLICATION / APLICACIÓN:

PEUGEOT: 206 1.0 16V 2001>2005



GS8200

REPLACES / REEMPLAZA:

Hyundai: 39180-25200, 39180-25300

APPLICATION / APLICACIÓN:

Hyundai: iX35 2.0/2.0 4WD 2010->, Santa Fé 2.4/2.4 4x4 1200>2012, Sonata Mk5 2.0 VVTi GLS/2.4 2005>2010

Kia: Carens Mk3 2.0 CVVT 2006->, Sportage 2.0 CVVT 2010->, Magentis Mk2 Saloon 2.0 2005->

GS8202




REPLACES / REEMPLAZA:

Nissan: 23731-6N20A, 23731-6N20B, 23731-6N20C, 23731-6N20D, 23731-6N202, 23731-6N205, 23731-6N206, 23731-6N21A, 23731-8J005, 23731-8J006

APPLICATION / APLICACIÓN:

Nissan: Primera, X-trail, Altima, Frontier, Sentra

GS8206



cable length: 46cm

REPLACES / REEMPLAZA:

Magneti Marelli: 4820083010; **Fiat:** 4460206

APPLICATION / APLICACIÓN:

FIAT: Elba CSL 4P 1.6 8V (SPI - gasoline) 94>96 / Weekend 2P/4P 1.5 8V (SPI - alcohol/gasoline) 92>96, Fiorino / Furgão/ Pick-up 2P 1.0 8V (SPI - gasoline) 96 / Furgão/ Pick-up 2P 1.3 8V (SPI - gasoline) 94>95 / Furgão 2P 1.5 8V (SPI - alcohol/gasoline) 94>96 / Pick-up 2P 1.5 8V (SPI - alcohol/gasoline) 94>95 / Pick-up LX 2P 1.6 8V (SPI - gasoline) 94>96 / Pick-up Trekking 2P 1.5 8V (SPI - gasoline) 96 / 2P 1.5 8V (MPI - gasoline) 97>98 / MTV 2P 1.5 8V (MPI - gasoline) 97 / Pick-up Working 2P 1.5 8V (SPI - gasoline) 96, Prêmio CS 4P 1.5 8V (SPI - alcohol/gasoline) 93>94 / CSL 4P 1.6 8V (SPI - gasoline) 94>96 / S 2P 1.5 8V (SPI - gasoline) 92>93 / SL 4P 1.5 8V (SPI - gasoline) 92, Uno CS 2P/4P 1.5 8V (SPI - alcohol/gasoline) 93>94 / Furgoneta 2P 1.5 8V (SPI - alcohol/gasoline) 94>96 / Mille City 4P 1.0 8V (SPI - gasoline) 99>00 / Eletronic 2P/4P 1.3 8V (SPI - gasoline) 93>95 / ELX 2P/4P 1.3 8V (SPI - gasoline) 94>95 / EP 2P/4P 1.0 8V (SPI - gasoline) 96 / EX 2P/4P 1.0 8V (SPI - gasoline) 98>00 / IE 2P 1.0 8V (SPI - gasoline) 94 / Smart 2P/4P 1.0 8V (SPI - gasoline) 00>01 / Smart City 4P 1.0 8V (SPI - gasoline) 00>01 / SX 2P/4P 1.0 8V (SPI - gasoline) 97>98 / SX Young 2P 1.0 8V (SPI - gasoline) 98>99, Uno S 2P 1.5 8V (SPI - alcohol/gasoline) 92>94

GS8208




REPLACES / REEMPLAZA:

Chevrolet: 12598208, 12591007

APPLICATION / APLICACIÓN:

Chevrolet: Equinox, Impala, Malibu, Monte Carlo

GS8215



REPLACES / REEMPLAZA:

VDO: 324 005 001R

APPLICATION / APLICACIÓN:

FORD: Courier, Fiesta, Ka 1.0/1.3 (Endura) 96>99, EcoSport, Novo Fiesta 1.6 (Zetec RoCam) 03>09

GS8220



REPLACES / REEMPLAZA:

Nissan / Infiniti: 237311S700

APPLICATION / APLICACIÓN:

Nissan: Pick up 2.4i, Pathfinder

Infiniti: QX4 3.3

GS8221



REPLACES / REEMPLAZA:

Ford: 6M866C315

APPLICATION / APLICACIÓN:

Ford: C-Max, Edge

GS8228


REPLACES / REEMPLAZA:
Opel: 1238228, 6238377, 90506103, 9174621
 APPLICATION / APLICACIÓN:
Opel: Astra, Calibra, Omega, Vectra

GS8235


REPLACES / REEMPLAZA:
Daewoo: 96183235
 APPLICATION / APLICACIÓN:
Daewoo: Lanos hatch/saloon, Nubira hatch/saloon/estate

GS8243


REPLACES / REEMPLAZA:
GM: 55567243; **Valeo:** 366506; **Mobiletron:** CS-E324; **Bremi:** 60293
 APPLICATION / APLICACIÓN:
GM: Aveo 1.6 2011>, Cruze 1.8 2009>, Trax 1.4 2012>, Trax 1.8 2013>

GS8251


cable length: 42cm

REPLACES / REEMPLAZA:
Bosch: 0 281 002 102; **Fiat:** 77662510
 APPLICATION / APLICACIÓN:

FIAT: Brava 1.4 12V 94>98, Coupé 2.0 20V 94>98, Marea Turbo 98>07, Marea Weekend ELX 4P 2.0i 20V (MPI - gasoline) 142 CV 96>00, Marea, Marea Weekend HLX 4P 2.0i 20V (MPI - gasoline) 142 CV 96>00

GS8269


* Right side output.

REPLACES / REEMPLAZA:
Renault: 7700101970, 7700103069A; **Bosch:** 0 986 280 410

APPLICATION / APLICACIÓN:

RENAULT: Clio II 1.6i / 1.6i 16V 1999 / 2007, Twingo 1.0 16V, Kangoo 1.6i 2001 >, Mégane 1.6i / 2.0 1996 / 2002, Mégane II 1.6i 16V, Scénic I / II 1.6 16V 1999 >

GS8279


REPLACES / REEMPLAZA:
Cummins: 2872279; **CNH:** 84274595, 87341787

APPLICATION / APLICACIÓN:

CASE: AF 2388 1998>2015, AF 2399 2006>2013, AF 2688 2006>2021, AF 2799 2006>2021, Cotton Express 620 2015>2021, MXMG 305 2002>2014, MXMG 335 2002>2014; **NEW HOLLAND:** T 8050 1979>1982; **DODGE:** Ram 2500 2001>2008



GS8282

REPLACES / REEMPLAZA:

Mitsubishi: J5T23282 / ME203180

APPLICATION / APLICACIÓN:

Mitsubishi: Pajero III 3.2 Di-D 2000>2006, Pajero III 3.2 Di-D 2000>2001



GS8290


cable length: 48,5cm

REPLACES / REEMPLAZA:

Magneti Marelli: 4820084010; **Fiat:** 5944390, 7588435, 7604582, 7646975

APPLICATION / APLICACIÓN:

FIAT: Ducato TD 2.8 8V (MPI - gasoline) 00>, Tempra 2.0 16V (MPI - gasoline) 93>99, Tempra 2.0 8V (SPI - gasoline) 94>, Uno Turbo 1.4 8V (MPI - gasoline) 94



GS8302

cable length: 73,5cm


* without air conditioning

REPLACES / REEMPLAZA:

Bosch: 0 261 210 102, 0 261 210 115; **Fiat:** 7756925, 7799033; **New Holland:** 8203048

APPLICATION / APLICACIÓN:

FIAT: Tipo 2P/4P 1.6 8V (SPI - gasoline), Tempra 1.6ie 1993 / 1996



GS8303

cable length: 64cm

REPLACES / REEMPLAZA:

Bosch: 0 261 210 103, 0 261 210 118; **Fiat:** 7756924, 7799032

APPLICATION / APLICACIÓN:

FIAT: Elba CSL 1.6 (MPI) All, Fiorino, Pick-up 1.6 (MPI) 95>96, Tempra 1.6ie 04/93>12/96, Tipo 1.6 ie (gasoline) with AC 93>95, Tipo 1.6 8V (MPI - gasoline) with AC 96>97, Uno 1.6 8V (MPI - gasoline) 95>96



GS8305

REPLACES / REEMPLAZA:

Ford: 94BF-6C315-AA, 948F-6C315-AA, 92BF-6C315-A1F, 928F-6C315-A1F, F5RZC315AA; **Mazda:** 1E00-18-221, YF0918221

APPLICATION / APLICACIÓN:

Ford: Escort 91>, Fiesta 1.0, 1.4 95>, Focus 98>04, KA 1.3 96>08, Mondeo 96>00, Transit 00>06;

Mazda: Model 121 III 96>



GS8307

REPLACES / REEMPLAZA:

Fiat: 5033307AC

APPLICATION / APLICACIÓN:

Jeep: Compass 2.0 16V 2011>

Dodge: Caliber 1.8/2.0/2.4 2006->, Viper Convertible SRT-10 2002>2006

Lancia: Flavia Convertible 2.4 2012>2014




GS8311

REPLACES / REEMPLAZA:

Mazda: L3G218221, L3K918221A; **Bremi:** 60172; **Meat & Doria:** 87581; **Mobiletron:** CS-J046

APPLICATION / APLICACIÓN:

Mazda: 3 hatch/saloon 2.0/2.3 2003>2009, 5 MPV, 6 saloon/estate/sport 1.8/2.0 2002>2007, MX-5 Mk3 1.8/2.0 2005>2014



GS8315

cable length: 99cm

REPLACES / REEMPLAZA:

Bosch: 0 261 210 030; **GM:** 90 213 515, 90 451 441; **VDO:** 324 003 007R

APPLICATION / APLICACIÓN:

GM: Astra, Sedan 2.0 (MPFI) 09/94>12/96, Astra 2.0i 09/91>02/98, Astra, Sedan 2.0 (MPFI) 09/03>, Astra, Sedan 2.0 (MPFI - Flexpower) 04/04>, Blazer, S10 2.2 (MPFI) 08/97>04/00, Blazer, S10 2.4 (MPFI) 05/00>01/07, Calibra 2.0i/2.0i turbo 06/90>03/97, Calibra 2.0 16V 10/93>03/96, Omega, Suprema GLS 2.0 (MPFI) 09/92>12/95, Omega 1.8/1.8i/2.0i 09/86>03/94, Vectra 1.8i 03/90>08/95, Vectra CD 2.0 8V, Vectra GLS 2.0 (MPFI) 10/93>03/96, Vectra GSI 2.0 16V 10/93>03/96, Zafira 2.0 (MPFI - Flexpower) 03/04>



GS8319

cable length: 48cm

REPLACES / REEMPLAZA:

Bosch: 0 261 210 119; **Fiat:** 7790917

APPLICATION / APLICACIÓN:

FIAT: Marea, Marea Weekend 2.0i 20V (Turbo) 05/98>



GS8320

REPLACES / REEMPLAZA:

Chevrolet: 25339320, 25366549, 97249413

APPLICATION / APLICACIÓN:

Chevrolet: C4500, C5500, Silverado 2500/3500




GS8321

REPLACES / REEMPLAZA:

Jeep: 4897321AA, 56027865AC, 56027868, 56027868AB, 56027868AC, 56027869AC

APPLICATION / APLICACIÓN:

Jeep: Grand Cherokee Mk1 / Mk2, Wrangler



GS8324


cable length: 61,5cm

REPLACES / REEMPLAZA:

Bosch: 0 261 210 124; **Fiat:** 77872650, 46774532, 55187333, 7777960

APPLICATION / APLICACIÓN:

FIAT: Fiorino Furgão Fire 2P 1.3 8V (MPI - gasoline) 03/00>, Palio EX Fire 2P/4P 1.0 8V (MPI - gasoline) 01>03, Palio EX Fire 2P/4P 1.3 8V (MPI - gasoline) 03, Palio EX Fire Flex 2P 1.0 8V (MPI - alcohol/gasoline) 06>, Palio ELX Fire Flex 4P 1.0 8V (MPI - alcohol/gasoline) 06>, Palio ELX Fire Flex 4P 1.3 8V (MPI - alcohol/gasoline) 04>05, Palio Fire 2P/4P 1.0 8V (MPI - gasoline) 03/00>04, Palio Fire Flex 2P/4P 1.0 8V (MPI - alcohol/gasoline) 06>, Palio Penta Fire 4P 1.0 8V (MPI - gasoline) 03, Palio Weekend EX Fire 4P 1.3 8V (MPI - gasoline) 03>04, Palio Weekend ELX Fire Flex 4P 1.3 8V (MPI - alcohol/gasoline) 05, Palio Young Fire 2P/4P 1.0 8V (MPI - gasoline) 02, Siena ELX Fire Flex 4P 1.0 8V (MPI - alcohol/gasoline) 02>03 / 4P 1.3 8V (MPI - alcohol/gasoline) 06>, Siena EX Fire 4P 1.3 8V (MPI - gasoline) 03>04, Siena Fire 4P 1.0 8V (MPI - gasoline) 05, Siena Fire Flex 4P 1.0 8V (MPI - alcohol/gasoline) 06>, Strada Fire 2P 1.3 8V (MPI - gasoline) 03>05, Strada Fire estendida 2P 1.3 8V (MPI - gasoline) 03>05, Uno Furgoneta Fire 2P 1.3 8V (MPI - gasoline) 03>, Uno Mille Fire 2P/4P 1.0 8V (MPI - gasoline) 02>06, Uno Mille Fire Flex 2P/4P 1.0 8V (MPI - alcohol/gasoline) 06>



GS8328

cable length: 100cm

REPLACES / REEMPLAZA:

Bosch: 0 261 210 128; **GM:** 92062490, 93232413

APPLICATION / APLICACIÓN:

GM: Astra, Sedan 1.8 (MPFI) 98 >, Astra, Sedan 2.0 (MPFI) 98>, Astra Sedan 2.0 (MPFI - Multipower) 04 >, Blazer, S10 2.4 (MPFI - Flexpower) 07 >, Vectra 2.0 (Flexpower) 05 > Vectra B 2.0 (MPFI) 96 / 98 e 03 / 05 , 2.2 (MPFI) 98 > 02, Vectra C 2.0 Flex 05 >, Vectra Hatch 2.0 (Flexpower) 07 >, Zafira 2.0 (MPFI) 01 > 04

GS8331



cable length: 44cm

* without air conditioning


REPLACES / REEMPLAZA:

Fiat: 46445731; Magneti Marelli: 4820171010

APPLICATION / APLICACIÓN:

FIAT: Fiorino Furgão, Pick up 1.5 8V (MPI - alcohol/gasoline) 97>04, Palio 1.5 8V (MPI - alcohol) 96>00 and 03>04, Palio 1.0 8V MPI 96>00, Young 1.0 8V 01>02, Weekend 1.5 8V MPI 97>00, Weekend 1.0 8V MPI 99>00, Siena 1.5 8V MPI 99>00 and 03>04, Strada 1.5 8V MPI 00>04, Uno, Mille, Furgoneta 1.5 8V MPI 97>04, Mille 1.6 8V MPI 99>04

GS8332



cable length: 73cm

REPLACES / REEMPLAZA:

Magneti Marelli: 1040211101; Fiat: 55187332, 55189515, 46479975

APPLICATION / APLICACIÓN:

FIAT: Brava SX, ELX 4P 1.6 16V (MPI - gasoline) 00 > 03, Doblò Cargo 2P 1.6 16V (MPI - gasoline) 02 > 03 / ELX 2P 1.6 16V (MPI - gasoline) 02 > 03, Marea, Marea Weekend SX 4P 1.6 16V (MPI - gasoline) 06 >, Palio 1.6 16V (MPI - gasoline) 96 > 03 / 1.6 16V (MPI - gasoline) 96>00 / ELX 1.6 16V 01>03 / Stile 1.6 16V (MPI - gasoline) 01>02 / Adventure 1.6 16V (MPI - gasoline) 01>03 / Weekend 1.6 16V (MPI - gasoline) 97>98 / Weekend Sport 1.6 16V (MPI - gasoline) 97>00 / Weekend Stile 1.6 16V (MPI - gasoline) 97>03, Siena EL 1.6 16V (MPI - gasoline) 98 / ELX 1.6 16V (MPI - gasoline) 01>03 / HL 1.6 16V (MPI - gasoline) 98 / Sport MTV 1.6 16V (MPI - gasoline) 98 / Stile 1.6 16V (MPI - gasoline) 98>99, Strada LX 1.6 16V (MPI - gasoline) 99>00 / LX extended 1.6 16V (MPI - gasoline) 00>02 / Working extended 1.6 16V (MPI - gasoline) 01 / Working 1.6 16V (MPI - gasoline) 02 / Adventure 1.6 16V (MPI - gasoline) 02

GS8337



cable length: 21cm


REPLACES / REEMPLAZA:

Bosch: 0 261 210 137; Renault: 770085931 / 7702218699

APPLICATION / APLICACIÓN:

RENAULT: Clio 1.6i 96 > 97, R19 Sedan 1.6i 93 > 00

GS8339



cable length: 88,5cm | chicote longo

REPLACES / REEMPLAZA:

GM: 90 483 739; Bosch: 0 261 210 048

APPLICATION / APLICACIÓN:

GM: Corsa, GSI, Sedan, Wagon 1.0/ 1.6 16V 97 > 02, Corsa 1.6 8V 95>01, Tigra 1.6 16V 96 >

GS8341



REPLACES / REEMPLAZA:


Bosch: 0 986 280 403

Renault: 7700720341, 7700725811, 7700728639, 7700732300, 7700739792

APPLICATION / APLICACIÓN:

Renault: R11 hatch 1.7, R5 Mk2 hatch, Trafic Mk2 minibus/van

GS8342



cable length: 66cm

REPLACES / REEMPLAZA:

GM: 90 451 442; VDO: 324003001R

APPLICATION / APLICACIÓN:

GM: Astra 1.8 16V 03>, Celta 1.0/1.4 (MPFI) 01>, Corsa 1.4/1.6 (EFI - MPFI) 95>, Corsa 1.0/1.4/1.6 (MPFI - gasoline/Flexpower) 02>, Corsa 1.8 (MPFI - gasoline) 04>, Meriva 1.8 8V (MPFI - gasoline/Flexpower) 03>, Montana 1.8 8V (MPFI - gasoline/Flexpower) 04>


GS8348


cable length: 58cm

REPLACES / REEMPLAZA:

Bosch: 0 261 210 147, 0 261 210 148 ; **VW:** 06A906433C

APPLICATION / APLICACIÓN:

AUDI: A3 1.6, 1.8, 1.8 20V Turbo 96 / 06, A4, A6, A8, TT 1.8T;

VW: Bora 1.6, 1.8, 2.0 98 / 06, Golf IV 1.6 97 / 04, 1.8 T 97 / 08, Jetta 98 / 05, New Beetle 2.0 98 / 05, Passat 00 / 05, Polo Classic 99 / 01

GS8350

cable length: 83cm

REPLACES / REEMPLAZA:

Bosch: 0 261 210 150; **GM** 932493251

APPLICATION / APLICACIÓN:

GM: Astra 2.0i (SFI)16V 99>05 / 2.0 GTC Turbo 05> / Turbo / Cabrio 02>05, Astra Sedan 2.0 (SFI) 16V 99>04, Vectra 2.2i 16V (SFI) 97>05, Vectra CD 2.0 16V (SFI) 96>97, Zafira 2.0 16V (SFI) 01>05

GS8360


cable length: 62cm

REPLACES / REEMPLAZA:

Bosch: 0 261 210 160 ; **Fiat:** 46470477, 46469866, 46472687, 60814589

APPLICATION / APLICACIÓN:

ALFA ROMEO: Alfa 146 1.8/2.0 TS 16V 98 > 00, Alfa 147 1.6/2.0 TS 16V 00 >, Alfa 156 SW 2.0 TS 16V 97 > 05, Spider 98 / 06, Alfa 166 98 > ;

FIAT: Coupé 98 / 00, Marea, Marea Weekend 2.0, 2.4i 20V Turbo 00 >, Stilo 2.4 (MPI) 20V 01 >

GS8361

cable length: 66cm

REPLACES / REEMPLAZA:

Bosch: 0 261 210 161, 0 261 210 219; **Fiat:** 46474583, 46754538, 46754539

APPLICATION / APLICACIÓN:


FIAT: Dobló 1.3 (MPI) 16V 01 > 06, Palio 1.0 16V, 1.3 16V (Fire) 00 > 03, Palio Weekend 1.0 16V, 1.3 (Fire) 00 > 03, Siena 1.0 16V, 1.3 16V (Fire) 00 > 03, Strada 1.3 16V (Fire) 00 >

GS8365

REPLACES / REEMPLAZA:

Ford: F6T26C365GE, 1L226C315CA

APPLICATION / APLICACIÓN:

Ford: Bronco, E-150, E-250, E-350, F-150, F-250, F-350

GS8383

cable length: 33cm

REPLACES / REEMPLAZA:

Bosch: 0 261 210 043, 0 261 210 065, 0 261 210 083, 0 261 210 154; **Hyundai:** 3918022001; **KIA:** 0K04G-18-891, 0K934-18-891

APPLICATION / APLICACIÓN:

GM: Omega, Suprema CD 4.1(MPFI) 10/94>12/98, Pick-up C20 (MPFI) 02/92>12/96, Silverado 4.1(MPFI) 01/96>09/97;

HYUNDAI: Scoupe 1.5/1.5i/GTi 1.5i Turbo 02/90>04/95;

KIA: Sportage 2.0i 16V 4WD FE (16V) 04/94>, Sportage 2.0i 4WD FE 04/94>08/99, Sportage 2.2i 04/94>12/97




GS8384

REPLACES / REEMPLAZA:

Renault: 7700101969, 7700875184B, 8200436025; Bosch: 0 986 280 411

APPLICATION / APLICACIÓN:

RENAULT: Clio 1.0 8V 99 >, Clio II 1.0 8V, 16V 99 > 02, Kangoo 1.0 8V/16V 98 >, Kangoo 1.6 8V 00 >, Scenic 1.6i 96 > 03, Twingo 1.0 16V 01 > 07



GS8389

cable length: 85cm

REPLACES / REEMPLAZA:

GM: 90 508 637, 93 384 389; VDO: 324003008R

APPLICATION / APLICACIÓN:

GM: Astra, Zafira 2.0L 16V 03>09, Astra, Zafira 2.4L 16V 04>09, Vectra B 16V 97 >, Vectra C 2.4 16V 06 >



GS8391

cable length: 61cm

REPLACES / REEMPLAZA:

Fiat: 7 083 327, 7 083 791; GM: 93 393 867; VDO: 324003002

APPLICATION / APLICACIÓN:

FIAT: Doblo, Idea, Palio, Siena, Stilo, Strada, Weekend 1.8 8V 04>;
GM: Corsa, Meriva, Montana 1.8 8V (MPFI - Flexpower) 04>



GS8405

REPLACES / REEMPLAZA:

Bosch: 0.986.280.405; Renault: 7700855719, 7700728637, 7700739794, 7700748442; Delphi: SS10757-12B1

APPLICATION / APLICACIÓN:

Renault: Mégane 1.4, 1.6 95>, Laguna 93>01, Espace 96>, Twingo 1.2 93>98



GS8416

REPLACES / REEMPLAZA:

Citroën / Peugeot: 1920 7N, 9632400580

Fiat: 9632400580

APPLICATION / APLICACIÓN:

Citroën: C5

Peugeot: 206, 406

Fiat: Scudo, Ducato



GS8427

REPLACES / REEMPLAZA:

Dodge / Jeep: 4713427, 56026882, 56027031, 56029621

APPLICATION / APLICACIÓN:

Jeep: Cherokee, Grand Cherokee, Wrangler Mk1

Dodge: Dakota


GS8433

REPLACES / REEMPLAZA:

VW: 032.906.433, 03C.906.433A

APPLICATION / APLICACIÓN:

VW: Gol, Fox 1.0, 1.6, Polo 1.6, Golf 1.6, Kombi 1.4, Passat 05>, Jetta 05>, Beetle 11>;

Audi: Audi TT 06>, A3, A4, A5 2007> Q3, Q5 2008>;

Skoda: Fabia 99>, Laura 04>, Octavia 04>, Roomster 06>;

Seat: Toledo 04>, Leon 05>, Exeo 08>

GS8434

REPLACES / REEMPLAZA:

Kia: 0K2A618891, 0K04G18891, 0K93418891

Citroën / Peugeot: 591880, 91541027, 9154102780

APPLICATION / APLICACIÓN:

Kia: Retona, Mentor, Sportage

Citroen: BX, ZX hatch

Peugeot: 205, 309, 405

GS8443

REPLACES / REEMPLAZA:

Mazda: ZM0118221A, ZM0118221B

APPLICATION / APLICACIÓN:

Mazda: Protege 1999>2003

GS8450

REPLACES / REEMPLAZA:

GM: 12498965, 10456118

APPLICATION / APLICACIÓN:

GM: Kalos 1.4 2005>, Lacetti 1.4/1.6 2005>, Nubira Saloon/Estate 1.6 2005>2011, Tacuma 1.6 2005>

GS8468

REPLACES / REEMPLAZA:

Kia: 0K30A18891

APPLICATION / APLICACIÓN:

Kia: Sedona, Rio Mk1 saloon/estate

GS8471

REPLACES / REEMPLAZA:

Mitsubishi: J5T38471

Honda: 37510-59BJ01

APPLICATION / APLICACIÓN:

HONDA: Civic X Hatchback 1.5 VTEC 2017>, CR-V 1.5/2.4 2017>

GS8500

REPLACES / REEMPLAZA:

Hyundai: 39180-23500; **Kia:** 39180-23910

APPLICATION / APLICACIÓN:

Hyundai: Tucson 2.0 16V 05>09, Elantra 01>10, Tiburon 03>08, I30 2.0 07>;

Kia: Soul 2010, Sportage 05>09, Cerato 2.0 06>, Carens 2.0 04>

GS8513



REPLACES / REEMPLAZA:

Bosch: 0 281 002 513; **Iveco:** 500374763

APPLICATION / APLICACIÓN:

FIAT: Ducato Bus2.3 2002, Ducato Kasten 2.3 2002, DUCATO Pritsche/Fahrgestell 2.3 2002 IVECO: DAILY III, IV, V, Kasten/Kombi 29L 10V/12V/14 , 35 C 12 V, 35 S 12 V , 35 C 14, 35 C 14, 35 S 14, 35 C 17, 35 S 17, 35 S 10, 40 C 17, 40 S 17, 50 C 14, 50 C 17, 65 C 17 2002>2014 DAILY III Bus 35 S 12, 35 C 12, 40 C 12 , 35 S 14, 50 C 14, 40 C 17, 50 C 17 2003>2006 DAILY III, IV, V, VI Pritsche/Fahrgestell 29 L 10, 29 L 12, 29 L 14, 35 C 10 V , 35 S 10 V, 35 C 12 , 35 S 12, 35 C 14, 35 C 14, 35 S 14, 35 C 17, 35 S 17, 40 C 17, 40 S 17, 50 C 14, 50 C 17 2002>2014 MASSIF Single Cab 3.0 HPI/HPT 2008>2011 MASSIF Pick-up 3.0 HPI/HPT 2008>2011 MASSIF Station Wagon 3.0 HPI/HPT 2008>2011 AUZ: PATRIOT 2.3 D 2006

GS8515



REPLACES / REEMPLAZA:

Chevrolet / Daewoo: 10456515, 96418382

APPLICATION / APLICACIÓN:

Chevrolet: Captiva, Nubira, Tacuma

Daewoo: Evanda, Lacetti

GS8571



REPLACES / REEMPLAZA:

Mitsubishi: J5T32571, 1865A069

APPLICATION / APLICACIÓN:

Mitsubishi: Shogun 2.0 GDI 2000>2007, Pajero Pinin 2.0 GDI 2000>2007, Outlander EX

GS8542



REPLACES / REEMPLAZA:

GM: 96253542, 96434780; **Delphi:** SS10894; **Magneti Marelli:** 064848106010; **Meat & Doria:** 87233; **Mobiletron:** CS-K007; **M.T.E:** 70583

APPLICATION / APLICACIÓN:

GM: Aveo 1.4 2003>2008, Lacetti 1.4/1.6 2005>, Nubira 1.6 2005>2011, Rezzo 1.6 2005> DAEWOO: Kalos 1.4 2002>2003, Lacetti 1.4/1.6 2004>, Nubira 1.6 1997>2002, Rezzo 1.6/1.8 2000>

GS8556



REPLACES / REEMPLAZA:

Nissan: 01436-00QAC, 23750-00QAG, 23750-00Q0E; **Renault:** 7700108073, 8200468647, 8200647556; **Mobiletron:** CS-E096

APPLICATION / APLICACIÓN:

NISSAN: Kubistar 1.6 16v 2003>, Kubistar Furgonato 1.6 16v 2003>;

RENAULT: Clio II 1.4 16v 1999>2004, Clio II 1.6 16v 1998>, Espace III 2.0 2001>2002, Espace III 2.0 16v 1998>2002, Grand Scénic II 1.6 2004>, Kangoo I 1.6 16v 2001>, Kangoo I 4x4 1.6 16v 2001>, Kangoo I Express 4x4 1.6 16v 2001>, Laguna II 1.8 16v 2001>, Laguna II Grandtour 1.8 16v 2001>, Megane I 1.4i 1999>2000, Megane I 1.4i 16v 1999>2000, Megane I 1.6 1997>2001, Megane I 1.6 16v 1999>2003, Megane I 1.6e 1996>1999, Megane I 1.8 16v 1999>2002, Megane I 2.0i 1996>2003, Megane I 2.0i 16v 2000>-, Megane I Cabriolet 1.6 16v 1999>2003, Megane I Cabriolet 1.6e 1996>1999, Megane I Cabriolet 2.0i 1999>2003, Megane I Classic 1.6 16v 1999>2003, Megane I Classic 1.6e 1996>1999, Megane I Classic 2.0i 1996>2003, Megane I Classic RT 2.0 2001>2003, Megane I Coach 1.6 16v 1999>2003, Megane I Coach 1.6e 1996>1999, Megane I Coach 2.0i 1996>2003, Megane I Grandtour 1.6 16v 1999>2003, Megane I Grandtour 1.6e 1999>2003, Megane I Scenic 1.6 16v 1998>1999, Megane I Scenic 1.6e 1996>1999, Megane I Scenic 2.0i 1997>1999, Megane II 1.6 16v 2003>, Megane II Coupé-Cabriolet 1.6 2003>, Megane II Coupé-Cabriolet 1.6 16V 2006>, Megane II Familiare 1.6 2003>, Megane II Familiare 1.6 16v 2006>, Megane II Tre Volumi 1.6 2003>, Megane II Tre Volumi 1.6 16v 2006>, Scenic I 1.6 2001>2003, Scenic I 2.0 16v 1999>2003, Scenic I 2.0i 1996> Scenic I 2.0i 16v 2001>, Scenic II 1.6 2003>

GS8600



REPLACES / REEMPLAZA:

Hyundai/Kia: 39650-42600; **Meat & Doria:** 87760

APPLICATION / APLICACIÓN:

Hyundai: Galloper II 2.5 1998>2003, Starex 2.5 1997>2007, H-1 Van 2.5 2000>2007, H100 Van 2.5 1994>2004, H100 Pickup 2.5 1994>2004, Terracan 2.5 2001>2006

Kia: K2500 2.5 2003>, Pregio Bus 2.5 1995>2004, Pregio Box 2.5 Tci 2002>



GS8608

REPLACES / REEMPLAZA:

Suzuki: 3322077E00, 3322052D01

APPLICATION / APLICACIÓN:

Suzuki: Baleno hatch/saloon/estate, Grand Vitara, SX4, Wagon R+



GS8643

REPLACES / REEMPLAZA:

VW: 041906433A

APPLICATION / APLICACIÓN:

VW: Gol GL 2003>2006, Gol GL 2006>2010, Gol G4 2011>2014, Saveiro 2006>2010, Parati 2011>2013, Fox, Voyage, Golf, Polo, Spacefox (All with engine AP)



GS8622

REPLACES / REEMPLAZA:

Mitsubishi: MD320622, J5T25082A, PC96; **Meat & Doria:** 87728; **Mobiletron:** CS-J010

APPLICATION / APLICACIÓN:

MITSUBISHI: Pajero/Montero II 3.0/3.5 1990>1999, Pajero/Montero Sports 3.0 1998>



GS8700

REPLACES / REEMPLAZA:

Hyundai: 39310-02700, 39310-02600

APPLICATION / APLICACIÓN:

Hyundai: i10 Hatch 1.1 2008>2013, i10 Hatch 1.1 2011>2013

Kia: Picanto Mk1 2004>



GS8712

REPLACES / REEMPLAZA:

Chevrolet: 12567712, 24576398, 71739267

APPLICATION / APLICACIÓN:

Opel: Astra G, Signum, Vectra B/C, Zafira B



GS8726

REPLACES / REEMPLAZA:

Fiat: 71739726

Opel: 01045660, 010456604, 01238938

APPLICATION / APLICACIÓN:

Fiat: Stilo hatch

Opel: Astra G/H, Corsa C, Vectra B/C, Zafira



GS8761

REPLACES / REEMPLAZA:

Jeep: 33004761

APPLICATION / APLICACIÓN:

Jeep: Cherokee 4.0i, Comanche, Wagoneer, Wrangler

GS8780



REPLACES / REEMPLAZA:
Citroën / Peugeot: 9640627780, 1920FP, 1920EN;
Suzuki: 33220-67G01-000
APPLICATION / APLICACIÓN:
Citroën: C4, C5, C6, Xsara Picasso 2006>;
Peugeot: 307, 407 2005>;
Suzuki: Gran Vitara

GS8795



REPLACES / REEMPLAZA:
GM: 90412795; **Opel:** 6238000
APPLICATION / APLICACIÓN:
GM: Corsa 1.0, 1.6 16V 93>03, Tigra 1.6 94>, Astra 91>, Zafira 99>05

GS8826



REPLACES / REEMPLAZA:
Mitsubishi: MD342826, J5T25871, ADC47205
APPLICATION / APLICACIÓN:
MITSUBISHI: Shogun/Pajero MK1 2.5 TD 1989>1991, Shogun/Pajero MK1 Soft Top 2.5 TD 1986>1990, Shogun/Pajero MK2 2.5 TD 1990>1999, Shogun/Pajero MK2 Soft Top 2.5 TD 1990>2000, Pajero III 2.5 Tdi 2000>2006, Shogun/Pajero MK2 Classic 2.5 TD 2002->, L-200 2.5 TD 4WD 1992>2007

GS8865



REPLACES / REEMPLAZA:
Fiat: 55261865
APPLICATION / APLICACIÓN:
FIAT: Argo HGT 1.8 2017>

GS8868



REPLACES / REEMPLAZA:
GM: 96325868, 93434780; **Delphi:** SS11055; **Magneti Marelli:** 064848210010; **Meat & Doria:** 87491, 87491E;
 Mobiletron: CS-K010
APPLICATION / APLICACIÓN:
CHEVROLET: Spark 1.0/1.2 2010>, Aveo 1.4 2005>2008, Matiz 0.8/1.0 2005>2007;
DAEWOO: Matiz 0.8/1.0 1998>2003, Kalos 1.2/1.4 2002

GS8880



REPLACES / REEMPLAZA:
Citroën / Peugeot: 9639999880, 9637465980 1920AW; **Bosch:** 0.986.280.408; **Delphi:** SS10747-12B1
APPLICATION / APLICACIÓN:
Citroën: Aircross 1.6 10>, C2 1.6 04>09, C3 1.4, 1.6 03>, C4 09>, Hoggar 1.4, 1.6 10>, Xsara 1.6 00>06, Nemo 08>;
Peugeot: 206 1.4, 1.6 Flex All, 207 1.4, 1.6 08>13, 307 1.6 00>

GS8884



REPLACES / REEMPLAZA:
Jeep: 56026884, 56027280
APPLICATION / APLICACIÓN:
Jeep: Cherokee, Grand Cherokee, Wrangler Mk2


GS8891

REPLACES / REEMPLAZA:
Kia: 0K2A618891
Peugeot: 591879, 591884
APPLICATION / APLICACIÓN:
Kia: Carens, Sedona, Retona, Mentor, Sportage
Peugeot: 505 Saloon 2.8 Gti V6


GS8918

REPLACES / REEMPLAZA:
Suzuki: 3322070E00
Subaru: 3322070E00
Chevrolet: 30015918
APPLICATION / APLICACIÓN:
Suzuki: Grand Vitara
Subaru: Justy Mk2 hathc
Chevrolet: Tracker


GS8920

REPLACES / REEMPLAZA:
Citroën / Peugeot: 9639999980, 1920AV;
Delphi: SS10748-12B1
APPLICATION / APLICACIÓN:
Peugeot: 206 1.4, 1.6 98>, 306 1.6 94>, 307>;
Citroën: C3 1.4/1.6, C4 1.4/1.6, Xsara Picasso 1.6 97>05;
Renault: Mégane 95>03


GS8971

REPLACES / REEMPLAZA:
Byd: 28091971
APPLICATION / APLICACIÓN:
Byd: F3


GS8991

REPLACES / REEMPLAZA:
GM: 12590991; **Bosch:** 0 261 210 274
APPLICATION / APLICACIÓN:
GM: Captiva 3.2 4WD 2006->
Cadillac: CTS/CTS Sport Wagon/CTS Coupe 3.6/3.6 AWD 2008->, SRX 3.6/3.6 AWD 2004>2008
Buick: Enclave 3.6 2007>2008
Opel: Antara 3.2 V6 2007->, Insignia Hatch/Saloon/Estate 2.8 V6 Turbo 4x4 2008->
Suzuki: Grand Vitara Mk2 3.2 All-wheel Drive 2009>2015


GS8992

REPLACES / REEMPLAZA:
GM: 12588992
APPLICATION / APLICACIÓN:
CHEVROLET: Agile, Montana, Onix, Prisma, Captiva 2.4 2006, Malibu 2.4 2012;
OPEL: Antara 2.4 2006>, GT Convertible 2.0 2007>, Insignia 2.0 Turbo 2008>;
SAAB: 9-3 2.0 2002>2015, 9-3X 2.0 2009>2012, 9-5 2.0 2010>2012