



EMS COMPONENTS | SISTEMA DE CONTROL DE MOTOR

IGNITION CABLE | CABO DE IGNICIÓN

GC5000 // NEW //

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 058; **NGK:** SC-T54

APPLICATION / APLICACIÓN:
FIAT: Fiorino Furgão/ Pick-up/ Strada 1.5 MPI Gasoline/Alcohol/GNV 97>04, Palio/ Weekend/ Siena/ Strada 1.0/1.5 MPI 8V Gasoline/Alcohol/GNV 96>04, Uno/ Furgoneto 1.3/1.5 Gasoline/Alcohol/GNV 97>03

GC5001 // NEW //

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 063; F 000 99C 064; 9 295 080 061; SC-F01

APPLICATION / APLICACIÓN:
FORD: Courier 1.3/ Endura Gasoline/GNV 97>99, Fiesta 1.0/ Endura Gasoline/GNV 96>, Fiesta 1.3/ Endura Gasoline/GNV 96>, Fiesta 1.3 / Espanhol (60 cv) Gasoline/GNV 94>95, Ka 1.0 / 1.3 / Endura Gasoline/GNV 96>

GC5002 // NEW //

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:
Bosch: F 000 99C 081; **NGK:** ST-V17

APPLICATION / APLICACIÓN:
VW: Gol/ Special II 1.0Mi 8V Gasoline/Alcohol/GNV 96>05, Gol III 1.0Mi 8V Gasoline/Alcohol/GNV 99>05

GC5003 // NEW //

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:
Bosch: F 000 99C 082; **NGK:** ST-V18

APPLICATION / APLICACIÓN:
SEAT: Cordoba/ Ibiza 1.8 Gasoline/Alcohol/GNV 96>02;

VW: Gol/ Parati/ Saveiro II / III 1.6/1.8/2.0 Mi Gasoline/Alcohol/GNV 96>05, Santana/ Quantum 1.8/2.0 Mi (AP) Gasoline/Alcohol/GNV 96>06

GC5004 // NEW //

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 110; **NGK:** SC-T06

APPLICATION / APLICACIÓN:
FIAT: Palio/ Weekend/ Siena/ Uno 1.0/1.3 MPI 8V (Fire) Gasoline/Alcohol/GNV 00>06, Fiorino Furgão 1.3 MPI 8V (Fire) Gasoline/Alcohol/GNV 03>08, Strada 1.3 MPI 8V (Fire) Gasoline/Alcohol/GNV 02>05

GC5005 // NEW //

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:
Bosch: F 000 99C 127; **NGK:** ST-V30

APPLICATION / APLICACIÓN:
VW: Gol/ Parati/ Saveiro III 1.6/1.8Mi Gasoline/Alcohol/GNV 03>05, Gol/ Parati/ Saveiro IV 1.6/1.8 Gasoline/Alcohol/GNV 05>

GC5006 // NEW //

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 130; **NGK:** SC-T09

APPLICATION / APLICACIÓN:
FIAT: Palio/ Siena 1.0 MPI 8V Gasoline/Alcohol/GNV 03>, Uno Mille Economy 1.0 MPI 8V Gasoline/Alcohol/GNV 09>, Idea/Palio/Punto/Siena/Strada 1.4 Gasoline/Alcohol/GNV 05>, Fiorino Furgão/ Uno Furgoneta 1.3 MPI 8V Gasoline/Alcohol/GNV 07>

**GC5007 // NEW //**

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 076; **NGK:** SC-F02

APPLICATION / APLICACIÓN:

FORD: Courier 1.6 / Zetec Rocam Gasoline/GNV 1999>, Courier 1.6 / Zetec Rocam Flex (96 cv gas - 107 cv eta) Bifuel/GNV 07>08, Ecosport 1.0 8v / Superchager (Zetec-Rocam) Gasoline/GNV 03>06, Ecosport 1.6 8v / Zetec Rocam (W37) Gasoline/GNV 03>08, Ecosport 1.6 8v / Zetec Rocam Flex (105 cv Gasoline / 111 cv eta. - WFF) Bifuel/GNV 05>08 Escort 1.6 / Zetec Rocam Gasoline/GNV 1995>, Escort 1.6 / Zetec Rocam Ethanol/GNV 00>02, Fiesta 1.0 8v / Zetec Rocam Gasoline/GNV 99>06, Fiesta 1.0 8v / Zetec Rocam Flex (71cv Gasoline/ 73cv eta.) Bifuel/GNV 06>08, Fiesta 1.0 8v / Superchager (Zetec-Rocam) (WCP) Gasoline/GNV 02>07, Fiesta 1.6 8v / Zetec Rocam (W37) Gasoline/GNV 99>08, Fiesta 1.6 8v / Zetec Rocam Flex (WFF) Bifuel/GNV 04->08, Focus 1.6 8v - SOHC / Zetec Rocam (103 cv) Gasoline/GNV 04>, Focus 1.6 8v / Zetec Rocam Flex (105,2 cv gas - 112,6 cv eta.) Bifuel/GNV 07>08, Ka 1.0 / Zetec Rocam Gasoline/GNV 1999>, Ka 1.6 / Zetec Rocam Gasoline/GNV

**GC5008 // NEW //**

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 016; **NGK:** SC-F29

APPLICATION / APLICACIÓN:

FORD: Belina/ Corcel/ Del Rey/ Pampa 1.3 / 1.4 / 1.6 Gasoline/GNV >83, Belina/ Corcel/ Del Rey/ Pampa 1.3 / 1.4 / 1.6 Ethanol/GNV >83

**GC5009 // NEW //**

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 032; **NGK:** SC-T46

APPLICATION / APLICACIÓN:

FIAT: Elba/ Prêmio/ Uno 1.5 SPI/1.6 SPI Gasoline/Alcohol/GNV 92>96, Fiorino 1.0/1.5 SPI Gasoline/Alcohol/GNV 94>96, Uno Mille 1.0 SPI / Eletronic 1.0 Gasoline/Alcohol/GNV 93>01

**GC5010 // NEW //**

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: F 000 99C 125; **NGK:** ST-V25

APPLICATION / APLICACIÓN:

VW: Fox/ Crossfox/ Spacefox 1.0/1.6 Gasoline/Alcohol/GNV 03>, Gol III / IV / V (NF) 1.0/1.6 Gasoline/Alcohol/GNV 01>, Golf IV 1.6 Gasoline/Alcohol/GNV 01>07, Polo / Sedan 1.6 Gasoline/Alcohol/GNV 02>08

**GC5011 // NEW //**

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 076, F 000 99C 142; **NGK:** SC-F30

APPLICATION / APLICACIÓN:

FORD: Courier 1.6 / Zetec Rocam Gasoline/GNV 99>, Courier 1.6 / Zetec Rocam Flex (96 cv gas - 107 cv eta) Bifuel/GNV 07>08, Courier 1.6 8v / Zetec Rocam Flex (103 cv Gasoline/ 109 cv eta.) Bifuel/GNV 08>, Ecosport 1.0 8v / Superchager (Zetec-Rocam) Gasoline/GNV 03>06, Ecosport 1.6 8v / Zetec Rocam (W37) Gasoline/GNV 03>08 Ecosport 1.6 8v / Zetec Rocam Flex (105 cv Gasoline / 111 cv eta. - WFF) Bifuel/GNV 05>08, Ecosport 1.6 8v / Zetec Rocam Flex (101 cv Gasoline/ 107 cv eta.) Bifuel/GNV 08>, Escort 1.6 / Zetec Rocam Gasoline/GNV 95>, Escort 1.6 / Zetec Rocam Ethanol/GNV 00>02, Fiesta 1.0 8v / Zetec Rocam Gasoline/GNV 99>06, Fiesta 1.0 8v / Zetec Rocam Flex (71cv Gasoline/ 73cv eta.) Bifuel/GNV 06>08, Fiesta 1.0 8v / Zetec Rocam Flex (69cv Gasoline- 73cv eta.) Bifuel/GNV 08>, Fiesta 1.0 8v / Superchager (Zetec-Rocam) (WCP) Gasoline/GNV 02>07, Fiesta 1.6 8v / Zetec Rocam (W37) Gasoline/GNV 99>08, Fiesta 1.6 8v / Zetec Rocam Flex (WFF) Bifuel/GNV 04>08, Fiesta 1.6 8v / Zetec Rocam Flex (101 cv Gasoline / 106,6cv eta. - WFF) Bifuel/GNV 08>, Focus 1.6 8v - SOHC / Zetec Rocam (103 cv) Gasoline/GNV 04>, Focus 1.6 8v / Zetec Rocam Flex (105,2 cv gas - 112,6 cv eta.) Bifuel/GNV 07>08, Focus 1.6 8v / Zetec Rocam Flex (105,2 cv Gasoline / 112,6 cv eta.) Bifuel/GNV 08>, Ka 1.0 / Zetec Rocam Gasoline/GNV 99>, Ka 1.0 8v / Zetec Rocam Flex (70cv Gasoline/ 73cv eta.) Bifuel/ GNV 08>, Ka 1.6 / Zetec Rocam Gasoline/GNV, Ka 1.6 8v / Zetec Rocam Flex (102 cv Gasoline / 110 cv eta.) Bifuel/GNV

**GC5012 // NEW //**

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 005; **NGK:** SC-G01

APPLICATION / APLICACIÓN:

GM: Ipanema 1.8 / 2.0 - efi (opcional cable) Gasoline/GNV 92>94, Ipanema 1.8 / 2.0 - efi (opcional cable) Ethanol 92>94, Kadett 1.8 / 2.0 - efi (opcional cable) Gasoline/GNV 92>94, Kadett 1.8 / 2.0 - efi (opcional cable) Ethanol 92>94, Monza 1.8 / 2.0 - efi (opcional cable) Gasoline/GNV 92>94, Monza 1.8 / 2.0 - efi (opcional cable) Ethanol 92>94

GC5013 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 002; **NGK:** SC-G61

APPLICATION / APLICACIÓN:

GM: Ipanema 1.8 (carb.) Gasoline/GNV, Ipanema 1.8 (carb.) Ethanol/GNV >96, Ipanema 2.0 - mpfi Gasoline/GNV, Ipanema 2.0 - mpfi Ethanol/GNV >96, Kadett 1.8 - (carb.) Gasoline/GNV Kadett 1.8 - (carb.) Ethanol/GNV >96, Kadett 2.0 - mpfi Gasoline/GNV, Kadett 2.0 - mpfi Ethanol/GNV >96, Monza 1.6 / 1.8 / 2.0 - (carb.) Gasoline/GNV, Monza 1.6 / 1.8 / 2.0 - (carb.) Ethanol/GNV >96, Monza 2.0 - mpfi Gasoline/GNV, Monza 2.0 - mpfi Ethanol/GNV >96

GC5014 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 000; **NGK:** SC-G62

APPLICATION / APLICACIÓN:

GM: Chevette 1.0 / 1.4 / 1.6 Gasoline/GNV/Ethanol, Chevy 1.4 / 1.6 Gasoline/GNV/Ethanol, Marajó 1.4 / 1.6 Gasoline/GNV/Ethanol

GC5015 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 001; **NGK:** SC-G63

APPLICATION / APLICACIÓN:

GM: Caravan / Comodoro 4Cil. (ign. conv. and ign. electr.) Gasoline/GNV/Ethanol, Diplomata 4Cil. (ign. conv. and ign. electr.) Gasoline/GNV/Ethanol, Opala 4Cil. (ign. conv. and ign. electr.) Gasoline/GNV/Ethanol

GC5016 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 004; **NGK:** SC-G64

APPLICATION / APLICACIÓN:

GM: A-10 / A-20 6 Cil. 250 GNV/Ethanol 85>95, Brasinca Blazer 4.1 / 6 Cil. (L30) GNV/Ethanol 85>89; C-10 / C-14 / C-15 6 Cil. 261 Gasoline / GNV Gasoline/ GNV, Caravan / Comodoro 6Cil. (ign. conv./ eletr.) Gasoline/GNV/Ethanol, Diplomata 6 Cil. / (ign. conv./ eletr.) without air conditioning Gasoline/GNV/Ethanol, Opala 6Cil. - ign. conv./ ign. eletr. Gasoline/GNV/Ethanol

GC5017 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 003, 9 295 080 005; **NGK:** SC-G65

APPLICATION / APLICACIÓN:

GM: Ipanema 1.8 / 2.0 - efi Gasoline/GNV/Ethanol 92>, Kadett 1.8 / 2.0 - efi Gasoline/GNV/Ethanol 92>, Monza 1.8 / 2.0 - efi Gasoline/GNV/Ethanol 92>

GC5018 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 010; **NGK:** SC-G66

APPLICATION / APLICACIÓN:

GM: Corsa 1.0 / 1.4 / 1.6 8v efi Gasoline/GNV, Corsa 1.0 / 1.4 / 1.6 8v efi GNV/Ethanol 94>

GC5019 // NEW //**FEATURES/ CARACTERISTICAS:**

PS: With resistive cable

REPLACES / REEMPLAZA:**Bosch:** F 000 99C 012; **NGK:** SC-G73**APPLICATION / APLICACIÓN:**

FIAT: Doblò 1.8 8v Gasoline/GNV 04>, Doblò 1.8 8v / Flex (112 cv Gasoline / 114 cv eta.) Bifuel/GNV 06>, Doblò Adventure 1.8 8v Gasoline/GNV 04>06, Doblò Adventure 1.8 8v / Flex (112 cv Gasoline / 114 cv eta) Bifuel/GNV 06>, Idea 1.8 8v / HLX Flex (112 cv Gasoline / 114 cv eta.) Bifuel/GNV 05>Idea Adventure 1.8 8v / Flex (112 cv Gasoline / 114 cv eta.) Bifuel/GNV 06>, Palio 1.8 8v Gasoline/GNV 03>, Palio 1.8 8v / Flex Bifuel/GNV 04>, Palio 1.8R 8v / Flex (113 cv Gasoline - 115 cv eta.) Bifuel/GNV 05>, Palio Adventure 1.8 8v / Flex (112 cv Gasoline / 114 cv eta.) Bifuel/GNV 05>, Palio Weekend 1.8 8v Gasoline/GNV 03>, Palio Weekend 1.8 8v / HLX - Flex Bifuel/GNV 04>, Punto 1.8 8v MPI / Flex (113 cv Gasoline - 115 cv eta.) Bifuel/GNV 07>, Siena 1.8 8v Gasoline/GNV 03>, Siena 1.8 8v / Flex (112 cv Gasoline / 114 cv eta.) Bifuel/GNV 04>, Stilo 1.8 8v Gasoline/GNV 02>, Stilo 1.8 8v / Flex (112 cv Gasoline / 114 cv eta.) Gasoline/GNV 05>, Strada 1.8 8v Gasoline/GNV 03>, Strada 1.8 8v / Flex (112cv Gasoline / 114cv eta.) Bifuel/GNV 04>, Agile 1.4 8v / Econo.Flex (102 cv eta. / 97 cv Gasoline) Bifuel/GNV 09>, Blazer 2.4 8v / Flexpower (141 cv Gasoline - 147 cv eta.) Bifuel/GNV 07>, Celta 1.0 8v / SOHC mpfi (60 cv) Gasoline/GNV 00>, Celta 1.0 8v / VHC (70 cv) Gasoline/GNV, Celta 1.0 8v / VHC Flexpower (70 cv) Bifuel/GNV 05>, Celta 1.0 / VHCE (78 cv eta. / 77 cv Gasoline) Bifuel/GNV , Celta 1.4 8v / SOHC mpfi Gasoline/GNV 03>, Classic 1.0 8v / VHCE (77 cv Gasoline / 78 cv eta.) Bifuel/GNV 10>Cobalt 1.4 / Econo.Flex (99 cv gas / 105 cv eta.) Bifuel/GNV 11>, Cobalt 1.8 8v / Econo.Flex (106 cv Gasoline / 108 cv eta.) Bifuel/GNV 12>, Corsa 1.0 /1.4 /1.6 8v mpfi Gasoline/GNV 96>, Corsa 1.0 /1.4 /1.6 8v mpfi Ethanol/GNV 96>, Corsa 1.0 8v / VHC (70 cv) Gasoline/GNV 02>, Corsa 1.0 8v / Flexpower (77 cv Gasoline / 79 cv eta.) Bifuel/GNV 05>, Corsa 1.0 8v / Flexpower Classic (70cv Gasoline/ 72cv eta.) Bifuel/GNV 06>, Corsa 1.4 8v / Econo.Flex (99 cv gas / 105 cv eta.) Bifuel/GNV 07>, Corsa 1.8 8v - SOHC mpfi Gasoline/GNV 02>, Corsa 1.8 8v / Flexpower Bifuel/GNV 03>, Meriva 1.4 / Econo.Flex (99 cv Gasoline / 105 cv eta.) Bifuel/GNV 08>, Meriva 1.8 8v - SOHC mpfi Gasoline/GNV 02>, Meriva 1.8 8v / Flexpower Bifuel/GNV 03>, Montana 1.4 8v / Econo.flex (99 cv Gasoline - 105 cv eta.) Bifuel/GNV 07>, Montana 1.8 8v / Flexpower Bifuel/GNV 03>, Prisma 1.0 / VHCE (78 cv eta. / 77 cv gas) Bifuel/GNV 09>, Prisma 1.4 8v / Econo Flex (89 cv Gasoline / 97 cv eta.) Bifuel/GNV 06>, S-10 2.4 8v / Flexpower (141 cv Gasoline - 147 cv eta. - Coil in front of the engine) Bifuel/GNV 07>, Spin 1.8 8v / Econo.Flex (106 cv Gasoline / 108 cv eta.) Bifuel/GNV 12>

GC5020 // NEW //**FEATURES/ CARACTERISTICAS:**

PS: With resistive cable

REPLACES / REEMPLAZA:**Bosch:** F 000 99C 014; **NGK:** SC-G76**APPLICATION / APLICACIÓN:**

GM: Astra 1.8 / 2.0 8v - SOHC mpfi Gasoline/GNV 98>, Astra 1.8 / 2.0 8v - SOHC mpfi Ethanol/GNV 00>, Astra 2.0 8v / Flexpower (121cv gás. / 128cv eta.) Bifuel/GNV 204>, Astra 2.0 8v / Flexpower (133 cv Gasoline / 140 cv eta.) Bifuel/GNV , Vectra 2.0 8v / SOHC mpfi Gasoline/GNV 98>Vectra 2.0 8v / Flexpower (121 cv Gasoline / 128 cv eta.) Bifuel/GNV 05>, Vectra 2.0 8v / Flexpower (133cv Gasoline / 140cv eta.) Bifuel/GNV 09>, Vectra 2.2 8v / SOHC mpfi Gasoline/GNV 98>, Vectra GT / GTX 2.0 8v / Flexpower (121 cv Gasoline - 128 cv eta.) Bifuel/GNV 06>, Vectra GT / GTX 2.0 8v / Flexpower (133cv Gasoline / 140cv eta.) Bifuel/GNV , Zafira 2.0 8v Gasoline/GNV 01>, Zafira 2.0 8v / Flexpower (121 cv Gasoline - 128 cv eta.) Bifuel/GNV 04>, Zafira 2.0 8v / Flexpower (133 cv Gasoline / 140 cv eta.) Bifuel/GNV 09>

GC5021 // NEW //**FEATURES/ CARACTERISTICAS:**

PS: With resistive cable

REPLACES / REEMPLAZA:**Bosch:** F 000 99C 122; **NGK:** SC-T02**APPLICATION / APLICACIÓN:**

FIAT: Doblò 1.3 16v / Fire Gasoline/GNV, Palio 1.0 16v / Fire Gasoline/GNV 00>, Palio 1.3 16v / Fire Gasoline/GNV 00>, Palio Weekend 1.0 16v / Fire Gasoline/GNV 00>, Palio Weekend 1.3 16v / Fire Gasoline/GNV 00>Siena 1.0 16v / Fire Gasoline/GNV 00>, Siena 1.3 16v / Fire Gasoline/GNV 00>

GC5022 // NEW //**FEATURES/ CARACTERISTICAS:**

PS: With resistive cable

REPLACES / REEMPLAZA:**Bosch:** 9 295 080 026; **NGK:** SC-T04**APPLICATION / APLICACIÓN:**

FIAT: 147/Panorama/Rallye 1050 / 1300 Gasoline/GNV/Ethanol, Fiorino / Fiorino Pick-up 1.050 / 1.300 / carb. Gasoline/GNV/Ethanol >89, Oggi 1.050 / 1.300 / 1.415 Gasoline/GNV/Ethanol, Spazio 1.050 / 1.300 carb. Gasoline/GNV/Ethanol, Uno 1.050 / 1.300 / carb. Gasoline/GNV/Ethanol >89

GC5023 // NEW //**FEATURES/ CARACTERISTICAS:**

PS: With resistive cable

REPLACES / REEMPLAZA:**NGK:** SC-T07**APPLICATION / APLICACIÓN:**

FIAT: Uno 1.0 carb. / 1.0 i.e. / Mille Gasoline/GNV/Etanol 93>01

GC5024 // NEW //

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 071; **NGK:** SC-T08

APPLICATION / APLICACIÓN:
FIAT: Brava 1.6 16v / mpi Gasoline/GNV 99>, Doblò 1.6 16v / mpi Gasoline/GNV 01>, Marea 1.6 16v / SX (106 cv) Gasoline/GNV 05>, Palio/Palio Weekend/ Siena/Strada 1.6 16v / mpi Gasoline/GNV All

GC5025 // NEW //

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: 9 295 080 030; **NGK:** SC-T41

APPLICATION / APLICACIÓN:
FIAT: Elba 1.6 8v / Carburado Gasoline/GNV 90>91, Elba 1.6 8v / Carburado Etanol/GNV 90>91, Prêmio 1.5 / carb. Gasoline/GNV >89, Prêmio 1.5 / carb. Etanol/GNV >89, Prêmio 1.6 / carb. Gasoline/GNV >91 Prêmio 1.6 / carb. Etanol/GNV >91, Uno 1.5 carb. Gasoline/GNV >89, Uno 1.5 carb. Etanol/GNV >89, Uno 1.5 R Gasoline/GNV >91, Uno 1.5 R Etanol/GNV >91

GC5026 // NEW //

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: 9 295 080 027; **NGK:** SC-T42

APPLICATION / APLICACIÓN:
FIAT: Elba 1.3/1.5 8v / Carburado Gasoline/GNV 86>89, Elba 1.3/1.5 8v / Carburado Etanol/GNV 86>89, Fiorino / Fiorino Pick-up / Uno Furgoneta 1.3 / 1.5 Gasoline/GNV 88>89, Fiorino / Fiorino Pick-up / Uno Furgoneta 1.3 / 1.5 Etanol/GNV 88>89, Uno 1.3 Gasoline/GNV 85>89, Uno 1.3 Etanol/GNV 85>89

GC5027 // NEW //

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: 9 295 080 036; **NGK:** SC-T53

APPLICATION / APLICACIÓN:
FIAT: Fiorino / Fiorino Pick-up 1.6 / mpi Gasoline/GNV 95>, Tipo 1.6 8v / mpi Gasoline/GNV, Uno 1.6 mpi Gasoline/GNV95>, Uno 1.6 mpi Etanol/GNV 95>

GC5028 // NEW //

FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 091; **NGK:** SC-T60

APPLICATION / APLICACIÓN:
FIAT: Palio/ Palio Weekend , Siena/ Strada 1.6 8v / mpi / spi Gasoline/GNV

GC5029 // NEW //

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:
NGK: ST-F27

APPLICATION / APLICACIÓN:
FORD: Belina/ Corcel/ Del Rey/ Escort/ Pampa/ Verona 1.6 (CHT - AE) Gasoline/GNV/Ethanol >91

GC5030 // NEW //

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:
Bosch: 9 295 080 040; **NGK:** ST-V01

APPLICATION / APLICACIÓN:
VW: Gol/Parati/Saveiro/Voyage 1.6 / 1.8 (AP) Gasoline/GNV 82>86, Gol/Parati/Saveiro/Voyage 1.6 / 1.8 (AP) Ethanol/GNV 82>86, Passat 1.5 / 1.6 / 1.8 (AP) Gasoline/GNV 74>86, Passat 1.5 / 1.6 / 1.8 (AP) Ethanol/GNV 74>86, Santana/Quantum 1.6 / 1.8 Gasoline/GNV 84>86, Santana/Quantum 1.6 / 1.8 Etanol/GNV 84>86

GC5031 // NEW //



FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: 9 295 080 041; **NGK:** ST-V02

APPLICATION / APLICACIÓN:

FORD: Escort 2.0 i (AP) / XR3 Gasoline/GNV 92, Escort 2.0 i (AP) / XR3 Ethanol/GNV 92, Royale/Versailles 1.8 / 2.0 (AP) Gasoline/GNV >94, Royale/Versailles 1.8 / 2.0 (AP) Ethanol/GNV >94, Gol/Royale/Versailles/Santana/Quantum 2.0 i (AP) Gasoline/GNV >93Gol/Royale/Versailles/Santana/Quantum 2.0 i (AP) Ethanol/GNV >93, Gol 2.0i (AP) / GTI Gasoline/GNV >93, Gol 2.0i CFI (AP) Gasoline/GNV >93, Gol 2.0i CFI (AP) Ethanol/GNV >93, Gol/Parati/Saveiro/Voyage/Passat/Santana/Quantum 1.6 / 1.8 / 2.0 (AP) Gasoline/GNV 87>, Gol/Parati/Saveiro/Voyage/Passat/Santana/Quantum 1.6 / 1.8 / 2.0 (AP) Ethanol/GNV 87>

GC5032 // NEW //



FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: 9 295 080 044; **NGK:** ST-V03

APPLICATION / APLICACIÓN:

VW: Gol 1.0 8v / carb. (AE) Gasoline/GNV, Gol/Parati/Saveiro/ 1.6 8v (AE) Gasoline/GNV/Ethanol 92>94

GC5033 // NEW //



FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: 9 295 080 020; **NGK:** ST-V04

APPLICATION / APLICACIÓN:

FORD: Escort 1.0/1.6 (AE) Gasoline/GNV/Ethanol 93>;

VW: Logus 1.6 8v (AE) Gasoline/GNV/Ethanol 93>94

GC5034 // NEW //



FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: 9 295 080 050; **NGK:** ST-V09

APPLICATION / APLICACIÓN:

VW: Gol/Parati 1.6i / 1.8i (AP) Gasoline/GNV 95>96, Gol/Parati 1.6i / 1.8i (AP) Ethanol/GNV 95>96, Parati 2.0i CFI / EFI (AP) Gasoline/GNV 95>97, Parati 2.0i CFI / EFI (AP) Ethanol/GNV 95>97

GC5035 // NEW //



FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: 9 295 080 051; **NGK:** ST-V11

APPLICATION / APLICACIÓN:

VW: Gol 1.0 8v / PLUS inj. (AE) Gasoline/GNV 95>96

GC5036 // NEW //



FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: F 000 99C 080, 9 295 080 042; **NGK:** ST-V12

APPLICATION / APLICACIÓN:

VW: Brasilia 1300 / 1600 Gasoline/GNV/Ethanol, Fusca 1.2 / 1.3 / 1.5 / 1.6 - short thread GNV/Ethanol 75>86, Fusca 1.2 / 1.3 / 1.5 / 1.6 - short thread Gasoline/GNV >83, Fusca 1.3 / 1.6 - long thread Gasoline/GNV/Ethanol 84>86, Fusca 1.6 (sem catalisador) - long thread Gasoline/GNV/Ethanol 93>96, Kombi 1.3 / 1.5 / 1.6 - short thread Gasoline/GNV/Ethanol, Kombi 1.6 (without catalisador) - long thread Gasoline/GNV/Ethanol


GC5037 // NEW //

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: 9 295 080 047; **NGK:** ST-V13

APPLICATION / APLICACIÓN:

VW: Fusca 1.6 (with catalisator) - long thread Gasoline/GNV/Ethanol 93>96, Kombi 1.6 (with catalisator) - long thread Gasoline/GNV/Ethanol

GC5038 // NEW //

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: F 000 99C 084; **NGK:** ST-V24

APPLICATION / APLICACIÓN:

VW: Gol/Parati 1.0 16v / Mi (AT) - with distributor Gasoline/GNV 97>01

GC5039 // NEW //

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: F 000 99C 126; **NGK:** ST-V32

APPLICATION / APLICACIÓN:

VW: Gol/Parati/ 1.0 16v / without distributor (RSH) Gasoline/GNV 01>, Polo 1.0 16v (RSH) Gasoline/GNV 02>06

GC5040 // NEW //

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: F 000 99C 599; **NGK:** ST-V38

APPLICATION / APLICACIÓN:

VW: Kombi 1.4 8v / Totalflex RSH (78 cv Gasoline / 80 cv eta. - EA 111) Bifuel/GNV 06>

GC5041 // NEW //

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: F 000 99C 624; **NGK:** ST-V42

APPLICATION / APLICACIÓN:

VW: Fox 1.0 8v / Totalflex (72 cv Gasoline / 76 cv eta. - EA-111 RSH / VHT - CCN Tranf. 4X1) Bifuel/GNV 08>, Gol 1.0 8v / Totalflex G5 (72 cv Gasoline / 76 cv eta. - EA-111 RSH - VHT / CCN Tranf. 4X1) Bifuel/GNV 09>, Voyage 1.0 8v / Totalflex (72 cv Gasoline / 76 cv eta. - VHT / CCNA Tranf. 4X1) Bifuel/GNV 08>

GC5042 // NEW //

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: F 000 99C 625; **NGK:** ST-V43

APPLICATION / APLICACIÓN:

VW: Bora 2.0 / Flex (120cv eta. / 116cv Gasoline - CFEA) Bifuel/GNV 09>; Golf 2.0 8v / Total Flex (116 cv Gasoline/120cv eta.-CFEA) Bifuel/GNV 08>, Jetta 2.0 (116 cv gas / 120 cv eta - CKJA) Bifuel/GNV 10>, Polo 2.0 8v / Totalflex (120cv eta / 116 cv Gasoline -CFEA) Bifuel/GNV 09>

GC5043 // NEW //

FEATURES/ CARACTERISTICAS:

PS: Resistive terminal








REPLACES / REEMPLAZA:

Bosch: 9 295 080 049; **NGK:** ST-V08

APPLICATION / APLICACIÓN:

FORD: Escort 1.6 / 1.8 (AP) inj. 95>, Escort 2.0 EFI (AP) Gasoline/GNV/Ethanol 95>, Verona 1.6 (AP) - inj. Gasoline/GNV 95>, Verona 1.6 / 1.8 (AP) - inj. Ethanol/GNV 95>, Verona 1.8 (AP) - inj. Gasoline/GNV 95>Verona 2.0 (AP) efi Gasoline/GNV/Ethanol 95>;

VW: Logus 1.6 CFI (AP) Gasoline/GNV 95>96, Logus 1.6 CFI / 1.8 CFI / 2.0 EFI (AP) Ethanol/GNV 95>96, Logus 1.8 CFI (AP) Gasoline/GNV 95>96, Logus 2.0 EFI (AP) Gasoline/GNV 95>96, Pointer 1.8/2.0 - cfi / efi (AP) Ethanol/GNV 95>96, Pointer 1.8 CFI (AP) Gasoline/GNV 95>96, Pointer 2.0 EFI (AP) Gasoline/GNV 95>96

	<p>GC5044 // NEW //</p> <p>FEATURES/ CARACTERISTICAS: PS: Resistive terminal REPLACES / REEMPLAZA: NGK: ST-V19 APPLICATION / APLICACIÓN: VW: Santana / Quantum 1.8 Mi (AP) Gasoline/GNV/Ethanol 97>, Santana / Quantum 2.0 Mi (AP) Gasoline/GNV/Ethanol 97></p>
	<p>GC5045 // NEW //</p> <p>FEATURES/ CARACTERISTICAS: PS: With resistive cable REPLACES / REEMPLAZA: Bosch: F 000 99C 072; NGK: SC-F03 APPLICATION / APLICACIÓN: FORD: Escort 1.8 16v / Zetec Gasoline/GNV, Mondeo 1.8 / 2.0 16v / (Zetec) GLX / CLX Gasoline/GNV 94>98</p>
	<p>GC5046 // NEW //</p> <p>FEATURES/ CARACTERISTICAS: PS: With resistive cable REPLACES / REEMPLAZA: Bosch: F 000 99C 128; NGK: SC-G72 APPLICATION / APLICACIÓN: GM: Ipanema 2.0 - mpi Gasoline/GNV/Ethanol 97>98, Kadett 2.0 - mpi Gasoline/GNV/Ethanol 97>98, Vectra 2.0 8v / CD / GLS mpi Gasoline/GNV</p>
	<p>GC5047 // NEW //</p> <p>FEATURES/ CARACTERISTICAS: PS: Resistive terminal REPLACES / REEMPLAZA: Bosch: F 000 99C 124; NGK: ST-V23 APPLICATION / APLICACIÓN: VW: Kombi 1.6 (air, electronic injection) - long thread Gasoline/GNV/Ethanol 98>; Kombi 1.6 Mi / se fi ref. Air long thread Gasoline/GNV/Ethanol 98></p>
	<p>GC5048 // NEW //</p> <p>FEATURES/ CARACTERISTICAS: PS: Resistive terminal REPLACES / REEMPLAZA: Bosch: 9 295 080 018; NGK: ST-F22 APPLICATION / APLICACIÓN: FORD: Belina / Corcel / Del Rey 1.8 (AP) Gasoline/GNV/Ethanol >91, Del Rey 1.8 (AP) Gasoline/GNV/Ethanol 92, Escort 1.8 (AP) Gasoline/GNV/Ethanol >91, Pampa 1.8 (AP) Gasoline/GNV/Ethanol >91, Verona 1.8 (AP) Gasoline/GNV/Ethanol >91; VW: Apollo 1.8 - carb. (AP) / Coil without pin Gasoline/GNV/Ethanol 90>92</p>
	<p>GC5049 // NEW //</p> <p>FEATURES/ CARACTERISTICAS: PS: With resistive cable REPLACES / REEMPLAZA: Bosch: F 000 99C 075; NGK: SC-G79 APPLICATION / APLICACIÓN: DAEWOO: Lanos 1.6 16v - DOHC Gasoline/GNV 99; GM: Calibra 2.0 16v (X20XE) Gasoline/GNV 94>95, Corsa 1.0 / 1.6 16v Gasoline/GNV, Tigra 1.6 16v Gasoline/GNV 98>99</p>
	<p>GC5050 // NEW //</p> <p>FEATURES/ CARACTERISTICAS: PS: With resistive cable REPLACES / REEMPLAZA: Bosch: F 000 99C 013; NGK: SC-G80 APPLICATION / APLICACIÓN: GM: Astra 1.8 / 2.0 8v - SOHC hexagon 16 mm (C20NE) Gasoline/GNV 95</p>


GC5051 // NEW //
FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:
Bosch: F 000 99C 062; **NGK:** ST-V16

APPLICATION / APLICACIÓN:
FORD: Royale / Versailles 1.8 / 2.0 (AP) cfi / efi / e-core with pin on the transformer Gasoline/GNV/Ethanol 95>96;

VW: Gol 1.6i / 1.8i (AP) (e-core) with pin on the transformer Gasoline/GNV/Ethanol 95>96, Santana / Quantum 1.8 / 2.0 - cfi / efi (AP) e-core cwith pin on the transformer Gasoline/GNV/Ethanol 95>96

GC5052 // NEW //
FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:
Bosch: F 000 99C 078; **NGK:** ST-V28

APPLICATION / APLICACIÓN:
SEAT: Cordoba 1.6 8v (100 hp - AKL) Gasoline/GNV 99>00, Ibiza 1.6 8v (100 hp - AKL) Gasoline/GNV 99>03, Vario 1.6 8v (100 hp - AKL) Gasoline/GNV 99>03;

VW: Bora 2.0 8v (116 cv - CBPA) Gasoline/GNV 07>, Bora 2.0 8v (APK / BHP / BER) Gasoline/GNV 00>07Bora 2.0 8v (116 cv - CBPA) Gasoline/GNV 07>, Golf 1.6 8v - Alemão / A4 (EA111) Gasoline/GNV 98>99, Golf 1.6 8v (AKL) - tucho hidráulico / A4 (EA 113 - aluminum sump) Gasoline/GNV 99>01, Golf 2.0 8v (APK / AEG / AKL / BER / BHP / CBPA) Gasoline/GNV 99>, New Beetle 2.0 8v (116 cv) Gasoline/GNV 99>05, New Beetle 2.0 8v (116 cv - BER / BHP / CBPA) Gasoline/GNV 05>, Polo 2.0 8v (116 cv - BBX) Gasoline/GNV 02>06, Polo Sedan 2.0 8v (116 cv - BBX) Gasoline/GNV 02>

GC5053 // NEW //
FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 092; **NGK:** SC-G81

APPLICATION / APLICACIÓN:
GM: Blazer 4.3 V6 Gasoline/GNV 96>, S10 4.3 V6 Gasoline/GNV 96>

GC5054 // NEW //
FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:
Bosch: 9 295 080 021; **NGK:** ST-V05

APPLICATION / APLICACIÓN:
FORD: Escort 1.6 / 1.8 (AP) Gasoline/GNV/Ethanol 93>94, Pampa 1.8i / coil with internal lock (AP) Gasoline/GNV 97, Verona 1.6 / 1.8 (AP) Gasoline/GNV/ Ethanol 93>94;

VW: Logus 1.6 / 1.8 / 2.0 (AP) Gasoline/GNV/Ethanol 93>94

GC5055 // NEW //
FEATURES/ CARACTERISTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 067; **NGK:** SC-T58

APPLICATION / APLICACIÓN:
FIAT: Tipo 1.6 8v / ie Gasoline/GNV

GC5056 // NEW //
FEATURES/ CARACTERISTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:
Bosch: 9 295 080 046; **NGK:** ST-F28

APPLICATION / APLICACIÓN:
VW: Gol 1.6 8v (AE) Gasoline/GNV/Ethanol >91, Parati 1.6 8v (AE) Gasoline/GNV/Ethanol >91, Saveiro 1.6 8v (AE) Gasoline/GNV/Ethanol >91



GC5057 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 119; **NGK:** SC-G74

APPLICATION / APLICACIÓN:

GM: Blazer 2.2 - EFI - transf. behind the engine Gasoline/GNV >96; S-10 2.2 - EFI - transf. behind the engine Gasoline/GNV >96



GC5058 // NEW //

REPLACES / REEMPLAZA:

Bosch: F 000 99C 131; **NGK:** SC-G90

APPLICATION / APLICACIÓN:

GM: Blazer 2.4 mpfi Gasoline/GNV 01>; S-10 2.4 mpfi (coil behind the engine) Gasoline/GNV 01>06



GC5059 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: 9 295 080 059; **NGK:** ST-V07

APPLICATION / APLICACIÓN:

FORD: Pampa 1.6 / 1.8 (AP) Gasoline/GNV/Ethanol 93>96



GC5060 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 079; **NGK:** SC-R11

APPLICATION / APLICACIÓN:

RENAULT: Clio 1.0 8v / spark plug with hexagon 16mm and long term. cable. (D7D) Gasoline/GNV, Kangoo 1.0 8v / spark plug with hexagon 16mm and long term. cable. (D7D) Gasoline/GNV, Twingo 1.0 8v / spark plug with hexagon 16mm and long term. cable (D7D) Gasoline/GNV , Twingo 1.2 8v / spark plug with hexagon 16mm and long term. cable. (D7F) Gasoline/GNV 99>



GC5061 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 028; **NGK:** SC-T47

APPLICATION / APLICACIÓN:

FIAT: Elba 1.5 8v / Carburado (E201) Gasoline/GNV 91, Fiorino / Fiorino Pick-up 1.3 / 1.5 Gasoline/GNV/Ethanol 90>91, Prêmio 1.3 / 1.5 Gasoline/GNV/Ethanol 90>91, Uno 1.0 carb. / Mille Gasoline/GNV 90>91, Uno 1.3 / 1.5 carb. Gasoline/GNV/Ethanol 90>91, Uno Furgoneta 1.3 / 1.5 Gasoline/GNV/Ethanol 90>91



GC5062 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 121; **NGK:** SC-F10

APPLICATION / APLICACIÓN:

FORD: Focus 1.8 / 2.0 16v / Zetec (115 / 130 cv) Gasoline/GNV 00>, Mondeo 1.8 / 2.0 16v / (Zetec) GLX / CLX Gasoline/GNV 98>01



GC5063 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 025; **NGK:** SC-G77

APPLICATION / APLICACIÓN:

GM: Blazer 2.2 L4 - mpfi Gasoline/GNV 97>, S-10 2.2 L4 - mpfi Gasoline/GNV 97>

GC5064 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 602; **NGK:** SC-R16

APPLICATION / APLICACIÓN:
NISSAN: March 1.0 16v (74 cv - D4D) Bifuel/GNV 11>;

RENAULT: Clio 1.0 16v / Hi-Flex (76 cv Gasoline/ 77 cv eta. - D4D) Bifuel/GNV 05>, Kangoo 1.0 16v / Hi-Flex (76 cv Gasoline/ 77 cv eta. - D4D) Bifuel/GNV 05>, Logan 1.0 16v / Hi-Flex (76 cv Gasoline / 77 cv eta. - D4D) Bifuel/GNV 07>, Sandero 1.0 16v / Hi-Flex (76 cv Gasoline / 77 cv eta. - D4D) Bifuel/GNV 08>

GC5065 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: 9 295 080 009; **NGK:** SC-G69

APPLICATION / APLICACIÓN:
GM: Vectra 2.0 8v / CD / GLS mpfi Gasoline/GNV 93>95

GC5066 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: 9 295 080 029; **NGK:** SC-T44

APPLICATION / APLICACIÓN:
FIAT: Elba 1.5 8v / Carb. (E201) Gasoline/GNV/Ethanol 92>93, Fiorino / Fiorino Pick-up 1.5 / carb. Gasoline/GNV/Ethanol 92>, Prémio 1.5 / carb. Gasoline/GNV/Ethanol 92>, Uno 1.0 carb. / Mille Gasoline/GNV 92>93, Uno 1.5 carb. Gasoline/GNV/Ethanol 92>, Uno Furgoneta 1.5 carb. Gasoline/GNV/Ethanol 92>

GC5067 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:
Bosch: F 000 99C 068; **NGK:** ST-V20

APPLICATION / APLICACIÓN:
SEAT: Inca 1.6 8v Mi (AP) Gasoline/GNV 98>03;

VW: Passat / Variant 2.0 - hexagon 21mm (527) Gasoline/GNV 94>97, Polo classic 1.6 8v / Mi (88,5 cv - MJ3) Gasoline/GNV 96>98, Polo classic 1.6 8v / Mi (90 cv - MY4) Gasoline/GNV 98>03, Polo classic 1.8 8v / Mi (99 cv - MJ2) Gasoline/GNV 96>98, Polo classic 1.8 8v / Mi (105 cv / 96,6 cv - MY5 / MY6) Gasoline/ GNV 98>03, Van 1.6 8v / Mi Gasoline/GNV 98>03

GC5068 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:
NGK: ST-F26

APPLICATION / APLICACIÓN:
FORD: Escort 1.6 (AE) Gasoline/GNV/Ethanol 92; Pampa 1.6 (AE) Gasoline/GNV/Ethanol 92, Verona 1.6 (CHT - AE) Gasoline/GNV/Ethanol 92

GC5069 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 612; **NGK:** SC-G101

APPLICATION / APLICACIÓN:
GM: Onix 1.0 8v / SPE (78cv Gasoline / 80cv eta.) Bifuel/GNV 12>, Onix 1.4 8v / SPE (98 cv gas / 106 cv eta. - LKL) Bifuel/GNV 12>, Prisma 1.0 8v / SPE (78cv Gasoline / 80cv eta.) Bifuel/GNV 13>, Prisma 1.4 8v / SPE (98 cv Gasoline / 106 cv eta.) Bifuel/GNV 13>

GC5070 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 135; **NGK:** SC-R13

APPLICATION / APLICACIÓN:

RENAULT: Clio 1.6 8v - hexagon 16mm (K7M) Gasoline/GNV 98>, Kangoo 1.6 8v (K7M) Gasoline/GNV 98>, Logan 1.6 8v - Hi-Torque / Flex (92 cv Gasoline / 95 cv eta. - K7M Bifuel/GNV 07>, Megane 1.6 8v (K7M) Gasoline/GNV 99>, Sandero 1.6 8V - Hi Torque / Flex (92 cv Gasoline / 95 cv eta. - K7M) Bifuel/GNV 08>, Symbol 1.6 8v / Hi - Torque (95 cv eta. / 92 cv Gasoline - K7M) Bifuel/GNV 09>

GC5071 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 140; **NGK:** SC-R08

APPLICATION / APLICACIÓN:

RENAULT: Megane 2.0 8v (F3R) Gasoline/GNV 97>, Scenic 2.0 8v (F3R) Gasoline/GNV 97>, Trafic 2.0 8v / Injection (F3R) Gasoline/GNV

GC5072 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 006; **NGK:** SC-G67

APPLICATION / APLICACIÓN:

GM: Omega / Suprema 2.0 4Cil. - mpfi Gasoline/GNV/Ethanol 93>94

GC5073 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 132; **NGK:** SC-F23

APPLICATION / APLICACIÓN:

FORD: EcoSport 2.0 16v / Duratec (manual gear) (143 cv) Gasoline/GNV 03>08, Focus 2.0 16v / Duratec (manual gear) (147cv-HEIB) Gasoline/GNV 05>, Mondeo 2.0 16v Duratec Gasoline/GNV 01>

GC5074 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 106; **NGK:** SC-K01

APPLICATION / APLICACIÓN:

HONDA: Civic 1.6 16v / EX Gasoline/GNV 96>00, Civic 1.6 16v / LX / LXB Gasoline/GNV 96>00, Civic 1.6 16v / EX Gasoline/GNV 96>00

GC5075 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

NGK: SC-F11; **Bosch:** F 000 99C 074

APPLICATION / APLICACIÓN:

FORD: Courier 1.4 16v / Zetec Gasoline / GNV 1997>1999, Fiesta 1.4 16v / Zetec Gasoline / GNV

GC5076 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

NGK: SC-A02; **Bosch:** F 000 99C 104

APPLICATION / APLICACIÓN:

ASIA MOTORS: Towner Van (carb.) Gasoline / GNV


GC5077 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

NGK: SC-W04

APPLICATION / APLICACIÓN:

TOYOTA: Corolla 1.6 16v (4A-FE) Gasoline/GNV 92>98, Corolla 1.8 16v (7A-FE) Gasoline/GNV 92>02

GC5078 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

NGK: SC-T65; **Bosch:** F 000 99C 146

APPLICATION / APLICACIÓN:

FIAT: Palio 1.0 8v / Fire EVO (73 gas. / 75 eta.) Bicombustível / GNV 2012>, Uno 1.0 / Fire EVO (73 cv gas. / 75 cv eta.) Bicombustível / GNV 2010>

GC5079 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: 9 295 080 043; **NGK:** ST-V22

APPLICATION / APLICACIÓN:

VW: Gol 1.3 / 1.6 (air cooling) - long thread Gasoline/GNV/Ethanol, Gol 1.6 (air cooling) - short thread Gasoline/GNV/Ethanol, Saveiro 1.3 / 1.6 - air cooling - long thread Gasoline/GNV/Ethanol, Saveiro 1.6 air cooling - short thread Gasoline/GNV/Ethanol

GC5080 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 147; **NGK:** SC-T64

APPLICATION / APLICACIÓN:

FIAT: 500 1.4 8v / Fire EVO (85 cv Gasoline / 88 cv eta.) Bifuel/GNV 11>, Fiorino 1.4 8v / Fire EVO (85 cv Gasoline / 88 cv eta.) Bifuel/GNV 10>, Grand Siena 1.4 8v / Fire EVO (85 cv Gasoline / 88 cv eta.) Bifuel/GNV 12>, Grand Siena Tetrafuel 1.4 8v / Fire EVO (75 cv gnv / 85 cv Gasoline / 88 cv eta) Tetrafuel/GNV 11, Palio 1.4 8v / Fire EVO (85cv Gasoline / 88cv eta.) Bifuel/GNV 11>, Punto 1.4 8v / Fire EVO (85 cv Gasoline / 88 cv eta.) Bifuel/GNV 12>, Uno 1.4 / Fire EVO (85cv Gasoline / 88cv eta.) Bifuel/GNV 10>

GC5081 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 613; **NGK:** SC-F24

APPLICATION / APLICACIÓN:

FORD: Ranger 2.3 8v Gasoline/GNV 96>97, Ranger 2.5 8v Gasoline/GNV 97>01

GC5082 // NEW //

FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 031; **NGK:** SC-T45

APPLICATION / APLICACIÓN:

FIAT: Elba 1.6 8v / Carb. Gasoline/GNV 92>93, Elba 1.6 8v / Carb. Ethanol/GNV 92>94, Fiorino Fiorino Pick-up 1.6 / carb. Gasoline/GNV/Ethanol 92>, Prêmio 1.6 / carb. Gasoline/GNV/Ethanol 92>, Uno 1.6 Gasoline/GNV/Ethanol 92>, Uno 1.6 R / Carb. Gasoline/GNV/Ethanol 90>93

GC5083 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 143; **NGK:** SC-T66

APPLICATION / APLICACIÓN:

FIAT: Bravo 1.8 16v / E.torQ (130 cv Gasoline / 132 cv eta.) Bifuel/GNV 11>, Dobló 1.8 16v / E.torQ (130 cv Gasoline / 132 cv eta.) Bifuel/GNV 11>, Dobló Adventure 1.8 16v / E.torQ (130 cv Gasoline / 132 cv eta.) Bifuel/GNV 11>, Idea 1.6 16v / E.torQ (115 cv Gasoline / 117 cv eta.) Bifuel/GNV 11>, Idea 1.8 16v / E.torQ (130 cv Gasoline / 132 cv eta.) Bifuel/GNV 11>Linea 1.8 16v / E.torQ (130 cv Gasoline / 132 cv eta.) Bifuel/GNV 11>, Palio 1.6 16v / E.torQ (115 cv Gasoline / 117 cv eta.) Bifuel/GNV 12>, Palio Adventure 1.8 16v / E.torQ (130 cv Gasoline / 132 cv eta.) Bifuel/GNV 11>, Punto 1.6 16v / E.torQ (115 cv Gasoline / 117cv eta.) Bifuel/GNV 11>, Punto 1.8 16v / E.torQ (130 cv Gasoline / 132 cv eta.) Bifuel/GNV 11>, Siena 1.6 16v / E.torQ (115 cv Gasoline / 117 cv eta.) Bifuel/GNV 11>, Strada 1.8 16v / E.torQ (130 cv Gasoline / 132 cv eta.) Bifuel/GNV 11>

GC5084 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 007; **NGK:** SC-G71

APPLICATION / APLICACIÓN:

GM: Omega / Suprema 2.2 4Cil. - mpfi Gasoline/GNV/Ethanol 95>

GC5085 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

NGK: SC-S01

APPLICATION / APLICACIÓN:

SUZUKI: Samurai 1.3 (SJ413-6 / G13A) Gasoline/GNV 93>; Samurai 1.3 / Canvas / Metal Top Gasoline/GNV 93>

GC5086 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: 9 295 080 048; **NGK:** ST-V10

APPLICATION / APLICACIÓN:

FORD: Royale / Versailles 1.8 / 2.0 (AP) cfi / efi / e-core with pin on the transformer Gasoline/GNV/Ethanol 95>;
VW: Santana / Quantum 1.8 / 2.0 - cfi / efi (AP) i-core without pin on the transformer Gasoline/GNV/Ethanol 95>96

GC5087 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 073; **NGK:** SC-F12

APPLICATION / APLICACIÓN:

FORD: Ranger 4.0 V6 / OHV Gasoline/GNV 94>03, Ranger 4.0 V6 - OHV Gasoline/GNV 97>01

GC5088 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 134; **NGK:** SC-N08

APPLICATION / APLICACIÓN:

HYUNDAI: i30 2.0 (145 cv - G4GC) Gasoline/GNV 08>, Tucson 2.0 Gasoline/GNV 04>;

KIA: Sportage 2.0 16v CVVT (142 cv) Gasoline/GNV 04>

GC5089 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: 9 295 080 055; **NGK:** SC-T55

APPLICATION / APLICACIÓN:

FIAT: Tempra 2.0 16v / with distributor Gasoline/GNV 93>94


GC5090 // NEW //
FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 144; **NGK:** SC-F35

APPLICATION / APLICACIÓN:
FORD: Ecosport 1.6 16v / Sigma (109cv Gasoline / 116cv eta.) Bifuel/GNV 12>, Fiesta 1.5 16v N-VCT / Sigma (107 cv Gasoline/ 111 cv eta.) Bifuel/GNV 13>, Fiesta 1.6 16v / Sigma (110 cv Gasoline / 115 cv eta.) Bifuel/GNV 10>, Fiesta 1.6 16v Ti-VCT / Sigma (125 cv Gasoline/130 cv eta.) Bifuel/GNV 13>, Focus 1.6 16v / Sigma (109cv Gasoline / 116cv eta.) Bifuel/GNV 10>, Focus 1.6 16v Ti-VCT / Sigma (131 cv Gasoline/135 cv eta.) Bifuel/GNV 13>, Ka 1.5 16v / TiVCT (105 cv Gasoline / 110 cv eta.) Bifuel/GNV 14>

GC5091 // NEW //
FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 145; **NGK:** SC-T63

APPLICATION / APLICACIÓN:
FIAT: Linea 1.9 16v / Flex (130 cv Gasoline / 132 cv eta.) Bifuel/GNV 08>

GC5092 // NEW //
FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 070; **NGK:** SC-T57

APPLICATION / APLICACIÓN:
FIAT: Tempra 2.0 16v / without distributor Gasoline/GNV 96>

GC5093 // NEW //
FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 086; **NGK:** SC-R06

APPLICATION / APLICACIÓN:
RENAULT: Clio 1.6 8v - hexagon 21mm (C3L) Gasoline/GNV >99, R-19 1.6 8v - hexagon 21 mm (C3L) Gasoline/GNV >99

GC5094 // NEW //
FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 024; **NGK:** SC-G75

APPLICATION / APLICACIÓN:
GM: C-20 4.1 6Cil. - 250 Gasoline/GNV 1996, Gran Blazer 4.1 cil Gasoline/GNV 97>99, Omega / Suprema 4.1 L6 - mpfi Gasoline/GNV, Silverado 4.1 L6 Gasoline/GNV 97>99

GC5095 // NEW //
FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
NGK: SC-T56

APPLICATION / APLICACIÓN:
FIAT: Tempra 2.0 16v / without distributor Gasoline/GNV 95

GC5096 // NEW //
FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:
Bosch: F 000 99C 088; **NGK:** SC-P01

APPLICATION / APLICACIÓN:
PEUGEOT: 106 1.0i 8v (TU9M) Gasoline/GNV 96>, 205 1.4 8v Gasoline/GNV, 306 1.6i 8v / XS (TU5JP) Gasoline/GNV

GC5097 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

Bosch: F 000 99C 087, F 000 99C 095, F 000 99C 096; **NGK:** SC-H01

APPLICATION / APLICACIÓN:

CITROËN: Berlingo 1.8 8v (XU7JB / LFX) Gasoline/GNV 98>, Xsara 1.8 8v - inj. (XU7JP) Gasoline/GNV 93>, ZX 1.8 8v (XU7JP) 93>;

PEUGEOT: 306 1.8i / XN / XR / SR / SL / Cabrio (XU7JP) Gasoline/GNV 96>99, 405 1.6 8v / GL/GR (XU5JP) Gasoline/GNV 95>, 405 1.8 / SR/GR (XU7JP) Gasoline/GNV 95>, Partner 1.8 8v (XU7JB) Gasoline/GNV 99>03

GC5098 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: With resistive cable

REPLACES / REEMPLAZA:

NGK: SC-S02

APPLICATION / APLICACIÓN:

SUZUKI: Vitara 1.6 8v / 3 DR with distributor (G16P) Gasoline/GNV 93>

GC5099 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

Bosch: 9 295 080 017; **NGK:** ST-F25

APPLICATION / APLICACIÓN:

FORD: Escort 1.8 (AP) Gasoline/GNV/Ethanol 92, Pampa 1.8 (AP) Gasoline/GNV/Ethanol 92;

VW: Verona 1.8 (AP) Gasoline/GNV/Ethanol 92, Apollo 1.8 - carb. (AP) / Coil with pin Ethanol/GNVeGasoline/GNV 02/92>11/92

GC5100 // NEW //



FEATURES/ CARACTERÍSTICAS:

PS: Resistive terminal

REPLACES / REEMPLAZA:

NGK: SC-G94

APPLICATION / APLICACIÓN:

GM: Luv 2.2 D-MAX 2.4 Petrol (Gasoline) 2000>2004

GC5101 // NEW //



FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

NGK: SC-G83

APPLICATION / APLICACIÓN:

CHEVROLET: Luv 2.3 1991>2002, Luv 1.6/2.3 1989>, Luv 1.8/2.0 1981>1998

GC5102 // NEW //



FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

NGK: SC-G02

APPLICATION / APLICACIÓN:

CHEVROLET: Spark 0.8/1.0 2005>2010

GC5103 // NEW //



FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

NGK: SC-E06

APPLICATION / APLICACIÓN:

NISSAN: Sentra II 1.6 1990>1995, Sentra 1.6 1996>2007, V16 1997>, X trail 2.5 2001>


GC5104 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Suzuki: 2714(33705-71C20), 27143370571C20, 33705-51G20, 3370551G20, 33705-57B21, 3370557B21, 33705-60G20, 3370560G20, 3370566D00, 33705-71C10, 3370571C10; **Valeo:** 346533

APPLICATION / APLICACIÓN:

SUZUKI: Baleno (Eg) 1.3 1996>2002, Baleno (Eg) 1.3 I 16V 1995>2002, Baleno (Eg) 1.6 I 16V 1995>2002, Baleno (Eg) 1.6 I 16V 4X4 1995>2002, Baleno Hatch (Eg) 1.3 1996>2002, Baleno Hatch (Eg) 1.3 I 16V 1995>2002, Baleno Hatch (Eg) 1.6 I 16V 1995>2002, Baleno Hatch (Eg) 1.6 I 16V 4X4 1995>2002, Baleno Sw (Eg) 1.3 16V 1997>2002, Baleno Sw (Eg) 1.6 I 16V 1996>2002, Baleno Sw (Eg) 1.6 I 16V 1996>2002, Baleno Sw (Eg) 1.6 I 16V 4X4 1996>2002, Baleno Sw (Eg) 1.6 I 16V 4X4 1996>2002, Grand Vitara I (Ft, Ht) 2.0 4X4 1998>2003, Grand Vitara II (Jt, Te, Td) 2.0 2005>2015, Swift II Sedan (Ah, Aj) 1.6 1989>1991, Swift II Sedan (Ah, Aj) 1.6 4Wd 1989>1991, Swift II Sedan (Ah, Aj) 1.6 I 1990>2001, Swift II Sedan (Ah, Aj) 1.6 I 4Wd 1990>2001

GC5105 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Suzuki: 33700-78470, 3370078470, 3370082011, 33700-84100, 3370084100, 33705-60B10, 3370560B10, 33705-60E00, 3370560, 33705-86000, 3370586000, 33710-50G10, 33710-50G10, 3371050G10, 33710-60E10, 3371060000000000000; **Valeo:** 346536

APPLICATION / APLICACIÓN:

SUZUKI: Swift II (Hatch) 1.0 i 1989>2001 Gasoline

GC5107 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

GM: 295613811

APPLICATION / APLICACIÓN:

GM: Swift 1.6 2006> Petrol (Gasoline)

GC5108 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Mazda: 8AU3-18-140, 8BU5-18-140, 8BU5-18-140A; **NGK:** 2917

APPLICATION / APLICACIÓN:

MAZDA: B-Series Pickup 2.6 12V 4WD 1999>2006 Petrol (Gasoline)

GC5109 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Mazda: 8BB318140A

APPLICATION / APLICACIÓN:

MAZDA: 323 DX/LX 1986>1987 Petrol (Gasoline)

GC5110 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Mazda: 8BGA-18-140, 8BGA18140, 8BGA18140A; **Valeo:** 346493; **NGK:** 9917

APPLICATION / APLICACIÓN:

MAZDA: 626 1.6 / 2.0 1987>1998 Petrol (Gasoline), 929 II 2.0 1984>1987 Petrol (Gasoline)



GC5111 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Mazda: FP3918010

APPLICATION / APLICACIÓN:

MAZDA: 626 Matsuri 2.0 1993>1995 Petrol (Gasoline)



GC5112 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Mitsubishi: MD030936, MD030938, MD080536, MD080566, MD080568, MD080569, MD109181, MD997313, MD997318, MD997319, MD997328, MD997349, MD997349, MD997387, MD997506; **Valeo:** 346329, BREMI: 3A00/108

APPLICATION / APLICACIÓN:

MITSUBISHI: Colt Ii (C1_A) 1.2 El, Gl (C15A) 1984>1984, Colt Ii (C1_A) 1.2 El, Gl (C15A) 1986>1986, Colt Ii (C1_A) 1.5 Glx (C12A) 1985>1985, Colt Ii (C1_A) 1.5 Glx (C12A) 1984>1984, Colt Iii (C5_A) 1.3 (C51A) 1988>1988, Colt Iii (C5_A) 1.3 Gl (C61A) 1988>1988, Colt Iii (C5_A) 1.5 Cat (C52A) 1990>1990, Colt Iii (C5_A) 1.5 Glxi (C52A) 1988>1988, Galant Ii (A16_) 2.0 GlS (A163) 1980>1980, Galant Ii (A16_) 2.0 Turbo Eci (A164) 1982>1982, Galant Iii (E1_A) 2.0 GlS (E15A) 1986>1986, Galant Iii (E1_A) 2.0 GlS (E15A) 1984>1984, Galant Iii (E1_A) 2.0 Turbo Eci (E15A) 1984>1984, Galant Iv (E3_A) 2.0 (E39A, E38A, E33A) 1989>1989, Galant Iv (E3_A) 2.0 4Wd (E33A, E38A, E39A) 1989>1989, Galant Iv Sedan (E3_A) 2.0 (E39A, E38A, E33A) 1987>1987



GC5113 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Mitsubishi: MD023742, MD976523, MD997351, MD997357, MD997360; **Mazda:** 0000-18-101A; **Valeo:** 346251; **Bosch:** 0 986 357 196; **NGK:** 9293

APPLICATION / APLICACIÓN:

MITSUBISHI: Pajero Shogun 2.6 1983>1990 Petrol; **VW:** LT-2850 1975>1996, LT 40-55 1975>1996



GC5114 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

NGK: SCN06

APPLICATION / APLICACIÓN:

HYUNDAI: Atos Prime, Accent Verna, Accent Gyro Petrol (Gasoline)



GC5115 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Daewoo: 96497773, 96460220, 96211948, 96 211 948, P96211948; **Hitachi:** 134236; **Valeo:** 346341; **Bosch:** 0 986 MG0 965; **NGK:** 44277

APPLICATION / APLICACIÓN:

GM: Cruze 1.6 LXT/LDE 2009> Petrol (Gasoline);

DAEWOO: Lanos 1.6 16V 1997>, Nubira 1.6 16V 1997>1999, Tacuma 1.6/1.6 SX 2000>2004 Petrol (Gasoline)



GC5116 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Daewoo: 96305387, 9A418150B; **Hitachi:** 134239; **Valeo:** 346355; **NGK:** 8275; **Bosch:** 0 986 356 980

APPLICATION / APLICACIÓN:

GM: Aveo/Kalos 1.4 2005>2008, Aveo LX5 1.4 2005> Petrol (Gasoline);

DAEWOO: Kalos 1.4 2002>, Lanos 1.3/1.5 1997> Petrol (Gasoline)


GC5117 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

GM: 231501451984

APPLICATION / APLICACIÓN:

GM: N200 2008>2012 Petrol (Gasoline)

GC5118 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Daewoo: 96450249; **GM:** 96 450 249; **Hitachi:** 134119; **Valeo:** 346038; **NGK:** 6022

APPLICATION / APLICACIÓN:

DAEWOO: Nubira 1.6 2003> Petrol (Gasoline);

GM: Lacetti 1.4 16V / 1.6 2005> Petrol (Gasoline)

GC5119 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

GM: 25183557, 96651945, 96 984 145; **NGK:** 44341; **Hitachi:** 134375

APPLICATION / APLICACIÓN:

GM: Aveo 1.2 2006>, Spark 1.0/1.2 2010> Petrol (Gasoline)

GC5120 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Hyundai: 2746039010

APPLICATION / APLICACIÓN:

HYUNDAI: XG300 3.0L V6 A/T 2001, XG350 3.5L V6 A/T 2002>2003 Petrol (Gasoline)

GC5121 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Mazda: 26714066

APPLICATION / APLICACIÓN:

MAZDA: 6 2002>2008 Petrol (Gasoline)

GC5122 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

GM: 24512522; **Contacto:** 224531324

APPLICATION / APLICACIÓN:

GM: N300 2008> Petrol (Gasoline)

GC5123 // NEW //

FEATURES/ CARACTERÍSTICAS:

...

REPLACES / REEMPLAZA:

Zotye: 2471Q3707802

APPLICATION / APLICACIÓN:

ZOTYE: Nomad 1.3 2005>2016 Petrol (Gasoline)