



INJEÇÃO

SENSOR MAP

INJEÇÃO

SENSOR MAP

FOTO	CÓD. GAUSS	SUBSTITUI	APLICAÇÃO
	GI3011	Bosch: 0 261 230 011	VW: Gol 1.0 1996>2001; SEAT: Ibiza 1.0 2000>2002
	GI3012	Bosch: 0261230012; Peugeot: 1920.0E/1920	CITROËN: Berlingo 1.8/2.0, Xsara 1.4/1.6/1.8/2.0; PEUGEOT: 206 98>05, 306 97>07, 406 2.0, 605 97>99
	GI3013	Bosch: 0 261 230 013	GM: Ipanema 2.0 MPFI 96-97, Kadett 2.0 MPFI 96-98 /GSi 2.0 91-95, Vectra 2.0 MPFI 96-98 /2.0 SFI 16V 96-97; HYUNDAI: Accent 1.5i 16V /1.5i Hatchbac 95-99, Excel 1.5i 16V /1.5i Hatchback 95-99.
	GI3020	Bosch: 0 261 230 057; Citroën / Peugeot: 1920AN	CITROËN: C5 1.8 16V, 2.0 16V 01-04; Berlingo 1.4, 1.8 96-02, Xantia 97-01, Xsara 1.4 e 2.0 98-, Picasso 1.6, 1.8, 2.0 00-; PEUGEOT: 206 1.4, 1.6, 1.8, 2.0, 2.0 16V 96-07, 306 97-03, 307 2.0i 00-05, 406 99-04, Partner 1.4, 1.8 96-02 Fiat Scudo 2.0 00-07
	GI3022	Bosch: 0 261 230 022	GM: Astra, Zafira, Blazer, S10 2.2 /2.4, Vectra 2.2 /232 16V
	GI3028	Mercedes: A 004 153 7028, 004 153 70 28; Bosch: 0 281 002 468	MERCEDES-BENZ: Actros, Atego 2430, Axor 6.4 18V Diesel 2002>2004, Citaro 6.4 18V Diesel 1998>, Cito 4.25 12V Diesel 1999>, Conecto 6.4/7.2 18V Diesel 2001>, Econic 6.4/7.2 18V Diesel>, Integro 7.2 18V Diesel 2006>, Intouro 7.2 18V Diesel 2005>, O500M 6.4 18V Diesel 2000>, Tourino 6.4/7.2 18V Diesel 2003>, Tourismo 16.0 32V Diesel 2003>, Travego 16.0 32V Diesel 1999>, Unimog 4.25 12V Diesel 2000>, Unimog 4.3 12V Diesel 2002>, Unimog 4.25/6.4 12V Diesel 2000>, Unimog 4.25/4.8 12V Diesel 2002>, Unimog 6.4 18V Diesel 2000>, Unimog 4.8/6.4 12V Diesel 2002>, Zetros 7.2 18V Diesel 2008>
	GI3030	Bosch: 0 261 230 030, 0 261 230 174, 0 261 230 370, 0 261 230 268; GM: 93 313 154, 12568929, 93313154; Fiat: 7084986, 46553045, 55219296	GM: Celta 1.0 VHCE Flexpower Flex 2009>, Classic 1.0 VHCE Flexpower 2008>2010 / 2013, Corsa 1.0 VHC Flexpower 2005>2008 Flex; Corsa 1.0 VHCE Flexpower 2008>2009 Flex, Corsa 1.4 Econo.Flex 2007> Flex; Corsa 1.8 MPFI Flexpower 2005> Flex, Meriva 1.4 Econo.Flex 2008> Flex, Meriva 1.8 MPFI Flexpower 2005> Flex, Montana 1.4 Econo.Flex 2007>2009 Flex, Montana 1.8 MPFI Flexpower 2005>2007 Flex, Montana Combo 1.4 Econo.Flex 2007>2010 Flex; Prisma 1.0 VHCE Flexpower 2009>2011 Flex, Prisma 1.4 Econo.Flex 2006>2009 Flex, Blazer 4.3 V6 MPFI gasolina 2001>2003, Celta 1.0 VHCE Flexpower 2009>, Classic 1.0 VHCE Flexpower 2008>2010, Corsa 1.0 VHC Flexpower 2005>2008, Corsa 1.0 VHCE Flexpower 2008>2009, Corsa 1.4 Econo. Flex 2007>, Corsa 1.8 MPFI Flexpower 2005>, Meriva 1.4 Econo.Flex 2008>, Meriva 1.8 MPFI Flexpower 2005>, Montana 1.4 Econo.Flex 2007>2009, Montana 1.8 MPFI Flexpower 2005>2007, Montana Combo 1.4 Econo. Flex 2007>2010, Prisma 1.0 VHCE Flexpower 2009>2011, Prisma 1.4 Econo.Flex 2006>2009, S10 4.3 V6 MPFI gasolina 2001>2003; FIAT: Palio, Siena, Strada, Weekend, Uno, 1.0 /1.3 /1.4 /1.8 /Flex, Stilo, Punto, Idea 1.4 /1.8 / Flex, 500 2010>, Argo 2017>, Bravo 2011>2015, Bravo Fase 1 2016>2016, Cronos 2018>, Doblò 2002>2009, Doblò Fase 1 2010>, Fiorino 1985>2004, Fiorino 2004>2013, Grand Siena 2012>, Idea 2006>2010, Linea 2009>2014, Mobi 2017>, Nova Strada 2020 >, Novo Fiorino 2011>, Novo Palio 2012>2017, Novo Uno 2011>2014, Novo Uno Fase 1 2015>2016, Novo Uno Fase 2 2016 >, Novo Uno Furgoneta 2011>2016, Palio 1996>2002, Palio Fase 1 2001>2007, Palio Fase 2 2004>2017, Palio Fase 3 2008>2012, Palio Weekend 1996>2002, Palio Weekend Fase 1 2001>2007, Palio Weekend Fase 2 2004>2008, Palio Weekend Fase 3 2008>2012, Palio Weekend Fase 4 2013>2020, Punto 2008>2012, Punto Fase 1 2013>2017, Siena 1996>2002, Siena Fase 1 2001>2007, Siena Fase 2 2004>2013, Siena Fase 3 2008>2012, Siena Fase 4 2013>2017, Strada Fase 1 2001>2007, Strada Fase 2 2004>2013, Strada Fase 3 2008>2012, Strada Fase 4 2013>, Toro 2016>, Uno 1985>2004, Uno Fase 1 2004>2013, Uno Mille 1985>2004, Uno Mille 2004>2013
	GI3031	VW: 06B 906 051; Bosch: 0 261 230 031	VW: Gol II, III 1.0 8V MI 99/05, Golf IV, V 2.0 8V 02 / 07 / 1.6 Plus 05-, Parati II Special 1.0 8V MI 99/02, Parati III 1.0 8V MI 01/05, Passat 2.0 16V 05/, Polo 1.0 98-01 / 1.6 / 2.0 03; AUDI: A3 1.6 03; GM: Kadett 2.0 MPFI 97
	GI3037	Bosch: 0 261 230 037, 0 261 230 039	VW: Gol III 1.0Mi 16V Turbo 00>03, Parati III 1.0Mi 16V Turbo 00>04, Kombi 1.6Mi 97>05 Obs.: é necessário manter a base de apoio, pois esta não acompanha o produto.




FOTO	CÓD. GAUSS	SUBSTITUI	APLICAÇÃO
	GI3044	Bosch: 0 261 230 044	FORD: EcoSport 2.0 16V Duratec 03>08, Focus 2.0 16V Duratec 05>08
	GI3052	Bosch: 0 261 230 095; VW: 03C 906 051	VW: Bora 2.0, Fox, Space Fox, Gol, Parati GIII 1.6, Golf, Polo 1.6 /1.8, Saveiro 1.6 /1.8 /2.0
	GI3079	Bosch: 0 261 230 027; Ford: XS6F 9FA79 AA, XS6F 97479 AB	FORD: Courier, Ka, 1.0, 1.6 Zetec Rocam 99/, Ecosport, Focus 1.6L Zetec Rocam 03/, Escort 1.0, 1.6 Zetec Rocam 00/02, Fiesta 1.0, 1.6 Zetec Rocam 02/
	GI3099	Bosch: 0 261 230 099	GM: Astra 2.0 MPFI Flexp 2004> /2.4 GSI SFI 16 2003> / 2.4 SFI 16V 2003> / Sedan 2.0 MPFI 2004> / Sedan 2.4 SFI 2003>, Blazer 2.4 MPFI Flex 2007>, S10 2.4 MPFI Flexpow 2007>, Vectra 2.0 Flexpower 2005>, Vectra 2.4 16V Flexp 2005> / Hatch 2.0 Fle 2007>, Zafira 2.0 MPFI Flex 2004>; HONDA: Fit 1.4i 8V 2003>, Jazz 1.2 /1.4 2002>
	GI3130	Citroën: 96393830, 9804395480; Bosch: 0 261 230 043, 0 261 230 344; Peugeot: 1920 AJ, 4676 80	CITROËN: Berlingo 1.1, 1.4, 1.6 16V 96/, C2 1.1, 1.4, 1.6 03/, C3 1.1, 1.4 16V, 1.6 16V 02/, C4 1.4 16V, 1.6 16V, 2.0 16V 04/, C5 1.8 16V, 2.0 16V 04/, C8 2.0 16V 05/, Expert, 2.0 16V 07/, Saxo 1.1, 1.4, 1.6 96/, Xsara 1.4, 1.6 16V 00/05, Xsara Picasso 1.6 16V 05/; PEUGEOT: 106 1.1 96/, 206 1.1, 1.4 16V, 1.6 16V 98/, 207 1.4, 1.4 16V, 1.6 16V 06/, 306 1.4, 1.6 93/, 1.6 16V 94/, 307 1.4, 1.4 16V, 1.6 16V, 2.0 16V 00/, 407 1.8, 1.8 16V, 2.0 16V, 2.2 16V 04/, 1007 1.4, 1.4 16V, 1.6 16V 05/, Partner 1.4, 1.6 16V 01/
	GI3146	Bosch: 0 261 230 146, 0 261 230 289; GM: 12591290, 12644228, 55573248	GM: Agile 1.4 4Cil 8v Flex 09>, Camaro 6.2 V8 16v Gasolina 10>15, Captiva 2.4 4Cil 16v Gasolina 08>14, Captiva 3.0 V6 24v Gasolina 10>, Captiva 3.6 V6 24v Gasolina 08>14, Cobalt 2.2 4Cil 16v Gasolina 07>10, Cruze 1.4 4Cil 16v Gasolina 12>, HHR 2.2/2.4 4Cil 16v Gasolina 06>, Malibu 2.2 4Cil 16v Gasolina 07>08, Malibu 2.4 4Cil 16v Gasolina 08>15, Malibu 3.5 V6 12v Gasolina 08>10, Malibu 3.6 V6 24v Gasolina 08>15, Montana 1.4 4Cil 8v Flex 10>, Spark 1.0 4Cil 16v Gasolina 10>, Spin 1.8 4Cil 8v Flex 12>15
	GI3189	Peugeot: 1920 AC, 4574 03, 4574 05; Renault: 96 39 418 980; Citroën: 96394189	CITROËN: C4 2.0 16V 04/, C5 1.8 16V, 2.0 16V, 3.0 V6 01/, C8 2.0, 3.0 V6 02/, SAXO 1.6 VTS 16V 96/, Xsara 2.0 16V 00/, Xsara Picasso 1.8, 2.0 16V 00/; PEUGEOT: 106 1.6 S16 16V 96/, 206 2.0 S16 16V 00/, 307 2.0, 2.0 16V 00/, 406 3.0 V6 24V 00/, 407 1.8 16V, 2.0 16V, 3.0 24V 04/, 607 2.0, 3.0 V6 24V 00/, 807 2.0, 3.0 V6 02/; RENAULT: Avantime 3.0 V6 24V 01/03, Clio II 3.0 V6 Sport 24V 00/05, Laguna II 3.0 V6 24V 01/
	GI3224	BOSCH: 0 261 230 224, 0 261 230 131; Ford: 6C119 F479 AA, M9101473, 1503280, 6C119 F479 AB	FORD: Transit 2.4 TDCi Diesel 2008>2011
	GI3316 Tensão: 0,5>4,5 V Pressão: 50>400kPa	Bosch: 0 281 002 316; Ford: BG5X 9D290 AA	FORD: F250 3.9 4Cil 16V Cummins Diesel 06>12
	GI3334 Tensão: 0,40>4,65 V Pressão: 10>115kPa	Bosch: 0261230334, 0261230333; Fomoco: CV2A-9F479-AA	FORD: Novo KA 1.5 Sigma 2014>, New Fiesta 1.6 2014>, Ecosport 1.6 2012>, Fusion 2.0 Ecoboost Turbo 2012>, Focus 1.6 2014>
	GI3437 Tensão: 0,40>4,65 V Pressão: 20>300kPa	Bosch: 0281002437, 0281002845	FIAT: Ducato Cargo, Combinato, Maxi Cargo, Minibus, Multi 2.3 2009>; IVECO DAILY: 40S16, 45S14/16, 55C16 2007>, 70C16 / HD Massimo 2010>; 2000 35S14 2007> (Obs.: Todos diesel)

FOTO	CÓD. GAUSS	SUBSTITUI	APLICAÇÃO
	GI3514 Tensão: 0,20>4,80 V Pressão: 20>250kPa	Bosch: 0 281 002 514	AGRALE-DEUTZ: Furgovan 6000 E-tronic 2005>, Marrua 2.8 TDi / Pick-up 2006>; CHEVROLET: Blazer 2.8 Diesel Electronic 2005>2009, S-Serie Diesel Electronic 2005>; CITROËN: Jumper 2.8 HDI 2005>2009; FIAT: Ducato Cargo 2.8 JTD, Combinato 2.8 JTD, Maxi Cargo 2.8 JTD, Minibus 2.8 JTD, Multi 2.8 JTD 2005>2009; IVECO: CityClass 2005>2007, Daily 35.13 a 70.13 2005>2007, Daily 2000 50 C 13 1999>2004; PEUGEOT: Boxer 2.8 HDI 2005>2009
	GI3576 Tensão: 0,5>4,5 V Pressão: 50>400kPa	Bosch: 0 281 002 576; Volvo: 20524936; Renault Trucks: 5010437653; Kamaz: 201149033; Iveco: 504073323, 501073323	AGRALE: MA 12.0 E-tronic, MT 12.0 LE E-tronic, MT 12.0 SB E-tronic 2005>; FORD: Cargo C 1317 E, Cargo C 1517 E, Cargo C 1717 E, Cargo C 815 E (todos >2005), Cargo C 1722 E, Cargo C 2422 E, Cargo C 2428 E, Cargo C 2622 E, Cargo C 2628 E (todos >2006); IVECO: Cavallino 450 E 32, Stralis 490 S 38 T, Stralis 490 S 42 T, Tector 170 E 25 T, Tector 240 E 25 S, Tector 260 E 25, Trakker 380 T 38, Trakker 380 T 42, Trakker 720 T 42 T (todos >2008), EuroCargo 170 E 22, EuroCargo 230 E 22, Stralis 450 S 38 T, Stralis 450 S 42 T, Stralis 570 S 38 T, Stralis 570 S 42 T, Stralis 740 S 42 TZ (todos >2008), EuroCargo 230 E 24 (>2006)
	GI3593 Tensão: 0,2>4,8 V Pressão: 20>250kPa	Bosch: 0 281 002 593; Opel: 93450122	AGRALE: 6000 E-tronic 2.8 4Cil 16v Diesel 2005>, Marrua 2.8 4Cil 16v TDi Diesel 2006>; MARCOPOLO: Volare V5 2.8 4Cil 12v Diesel 2006>, Volare V6 2.8 4Cil 12v Diesel 2006>; NISSAN: Frontier 2.8 Diesel Electronic 2005>2008, Xterra 2.8 Diesel Electronic 2005>2008
	GI3980	Citroën/ Peugeot: 9670361980; Valeo: 255610	CITROËN: C3 1.0 >2018
	GI3158 Tensão: 0,3>4,8 V Pressão: 15>105kPa	Chrysler: 56041018AB, 68002763AA	JEEP: Jeep Grand Cherokee V8 6.1 2008>2010, Grand Cherokee V6 3.7 2005>2010, Grand Cherokee V8 4.7 2005>2009, Jeep Liberty L4 2.4 2005, Jeep Liberty V6 3.7 2004>2012, Jeep Wrangler L4 2.4 2006; DODGE: Caravan V6 3.3 2004>2007, Grand Caravan V6 3.3/3.8 2004>2007, Ram 1500 Truck V8 5.7 2006, Ram 1500 Truck V6 3.7 2004>2010, Ram 1500 Truck V8 4.7 2003>2010, Ram 2500 Truck V8 5.7 2006, Ram 2500/3500 Truck V8 5.7 2005, Ram 3500 Truck V8 5.7 2006; CHRYSLER: 300 V8 6.1 2006>2010, Town & Country V6 3.3 2005>2007, Town & Country V6 3.8 2004>2007
	GI3350	GM: 93 333 350	GM: Astra 2.0 (MPFI) 02>, Celta, Corsa 1.0 e 1.4 VHC (Flexpower) 02>, Meriva 1.8 8V 02>, Meriva 1.8 16V 02>, Montana 1.4 (Econo.Flex) e 1.8 (MPFI) 02>, Prisma 1.4 (Econo.Flex) 08>
	GI3060	GM: 16212460; Renault: 77 00 106 644; Daewoo: 93160018	GM: Astra 1.6 16V MPFI 03/, Celta 1.0, 1.4 MPFI 01/02, Corsa / Meriva 1.8 16V MPFI 03/; DAEWOO: Leganza, 2.0, 2.2 16V 97/02, Nubira 2.0 16V 97/00, Rezzo 2.0 8V/16V 00/, Tacuma 2.0 00/05; PEUGEOT: 206 1.0 16V Todos; RENAULT: Clio 1.0 16V Todos, Kangoo 1.0 Todos, Laguna 1.6 16V 97/01, Mégane 1.4 99/, Twingo 1.2 8V 07/
	GI3069	Delphi: SPD 00169; Alfa Romeo: 60811534; GM: 12569240, 16137039, 9389131; Citroën: 19204S, 594607, 594609; Fiat: 7696064; Hyundai: 3933024750; Renault: 7700706876, 8933000153; Volvo: 1378162, 3411400	GM: Monza 1.8 /2.0 91 em diante EFI, Kadet /Ipanema, 1.8 /2.0 91 em diante EFI, Corsa /Hatch /Pick up /Sedan, 1.0 /1.4 /1.6 EFI /MPFI 94 em diante, S10, Blazer, 2.2 96 em diante EFI, Omega /Suprema 2.2 96 em diante MPFI, Vectra 2.2 97 em diante MPFI, Lumina 3.1 /3.4 91 em diante.
	GI3506	28082506	JAC MOTORS: J2/ J3 1.4 16V
	GI3035	MITSUBISHI: 079800-7790, 1865A035	MITSUBISHI: L200 Triton 3.2 16V Diesel 2008>2015, Pajero Full 3.2 16V Diesel 2008>2015, Pajero Dakar 3.2 16V Diesel 2008>

FOTO	CÓD. GAUSS	SUBSTITUI	APLICAÇÃO
	GI3250	DENSO: 079800-4250; Honda: 37830PAAS00, 37830POGS00, 37830P05A01, 37830P7AN11; Land-Rover: MHK100590	Honda: Accord V CE, CF 2.2 1995>1998, Accord VI Hatchback CH, CL 2.3 2000>2002, Accord VI CK, CG, CH, CF8 2.3 1999>2003, Civic V Sedan EG, EH 1.6 EX 16V 1991>1995, CR-V I RD 2.0 ELX 16V 4WD RD1, RD3 1999>2002, CRX III EH, EG 1.6 VTi 16V EG2 1992>1998, Prelude V BB 2.2 SI 16V BB6, BB8 1996>2000
	GI3955 Tensão Alimentação: 4,50 - 5,50 V Tensão de saída: 0,50V - 4,65V Pressão: 10>400kPa	GM: 1264395; Opel: 12612110	GM: Equinox 2018>2020
	GI3988	Magneti Marelli: T-PRT05/A; Fiat: 46451792, 70114218, 71718233, 71718678, 71728656	FIAT: Brava 1.6 16V 96/01, Doblò / Stilo 1.6 16V 01/, Fiorino 1.5 MPI 98/, Marea 1.6 16V 00/, Palio 1.0, 1.5, 1.6 MPI 99/, 1.6 16V 98/, Palio Young / Siena 1.0 MPI FIRE. 01/, Siena 1.0, 1.5, 1.6 MPI 99/01, Strada 1.6 16V MPI 02/, 1.5, 1.6 MPI 99/01, Uno 1.0, 1.5 MPI 99/
	GI3005 Tensão: 0,30>4,50 V Pressão: 10>115kPa	Kia/ Hyundai: 39300-2B020, 39300-2B000	HYUNDAI: Accent 1.6 4Cil 16v Gasolina 2012>2014, Azera 3.3 V6 24v Gasolina 2012>2015, Elantra 1.8 4Cil 16v Gasolina 2010>2015, Elantra 2.0 4Cil 16v Flex 2010>15, Equus 5.0 V8 32v Gasolina 2012>2014, Genesis 5.0 V8 32v Gasolina 2012>2014, HB20 1.0 3Cil 12v Flex 2012>16, HB20 1.6 4Cil 16v Flex 2012>16, IX35 2.0 4Cil 16v Gasolina 2009>, IX35 2.0 4Cil 16v Flex 2012>, IX35 2.4 4Cil 16v Gasolina 2009>, Santa Fé 2.4 4Cil 16v Gasolina 2010>2014, Santa Fé 3.3 V6 24v Gasolina 2013>2014, Sonata 2.0 4Cil 16v Gasolina 2008 >2014, Sonata 2.4 4Cil 16v Gasolina >2008, Sonata 2.4 4Cil 16v Híbrido - Gasolina/Elétrico 2011>2014, Sonata 3.3 V6 24v Gasolina 2006>2010, Tucson 2.0 4Cil 16v Gasolina 2010>2014, Tucson 2.4 4Cil 16v Gasolina 2014, Veloster 1.6 4Cil 16v Gasolina 2012>2014; KIA: Cadenza 3.3 V6 24v Gasolina 2014>, Cerato 1.6 4Cil 16v Flex 2009>2014, Optima 2.0 4Cil 16v Gasolina 2011>2014, Optima 2.4 4Cil 16v Gasolina 2009>2013, Optima 2.4 4Cil 16v Híbrido - Gasolina/ Elétrico 2011>2014, Picanto 1.0 3Cil 12v Flex 2011>, Sorento 2.4 4Cil 16v Gasolina 2011>2014, Sorento 3.3 V6 24v Gasolina 2014, Soul 1.6 4Cil 16v Flex 2010>2014, Soul 1.6 4Cil 16v Gasolina 2010>2014, Sportage 2.0 4Cil 16v Gasolina >2014, Sportage 2.0 4Cil 16v Flex >2014, Sportage 2.4 4Cil 16v Gasolina 2011>2014
	GI3200 Tensão: 0,40>4,50 V Pressão: 10>115kPa	Kia/ Hyundai: 39300-38200, 94809-30201	HYUNDAI: Azera 3.3 2007>2011, Santa Fé 2.7 V6 4x4 2006>2009, Sonata 3.3 2004>2012, Tucson 2005>2013; KIA: Opirus 3.5 2004>2007, Opirus 3.8 V6 2007>2009, Sorento 3.5 V6 2003>2009
	GI3092	Magneti Marelli: T-PRT05/A; Fiat: 46451792, 70114218, 71718233, 71718678, 71728656	FIAT: Brava 1.6 16V 96/01, Doblò / Stilo 1.6 16V 01/, Fiorino 1.5 MPI 98/, Marea 1.6 16V 00/, Palio 1.0, 1.5, 1.6 MPI 99/, 1.6 16V 98/, Palio Young / Siena 1.0 MPI Fire. 01/, Siena 1.0, 1.5, 1.6 MPI 99/01, Strada 1.6 16V MPI 02/, 1.5, 1.6 MPI 99/01, Uno 1.0, 1.5 MPI 99/
	GI3151	Magneti Marelli: 502.024.02, T-PRT04; Bosch: F 000 99P 402; VW: 036 906 051, 027 998 041 1, 036 906 051 D, 036 998 041 1, 036 906 051 D, 036 998 041 1	VW: Bora 1.4 16V, 1.6 16V 00/, Gol 1.0 MI AT 16V 97/, Gol / Parati / Saveiro 1.6, 1.8, 2.0 MPI 97/, Golf III 1.6 92/97, Golf IV 1.6 16V 00/, Parati 1.0 MI AT 16V 97/02, Polo 1.4 16V, 1.6 16V GTI 99/01, Polo Classic 1.8 MPI 96/, Quantum / Santana 1.8, 2.0 MPI 96/; SEAT: Arosa, Inca 1.4 16V 00/, Cordoba 1.4 16V, 1.6 00/, Ibiza III 1.4 16V, 1.6 99/02, Leon, Toledo II 1.4 16V, 1.6 16V 99/
	GI3002	Magneti Marelli: 502.011.02	FIAT: Palio /Siena /Strada, 8V SPi /1.6 16V MPI 96-00, Uno /Premio /Elba 8V SPi 92-01, MPI 97-02, Fiorino 8V SPi 94-96 /MPI 97-02, Ducato 2.8 Diesel 99-00. Turbo 01-05, Tipo 2.0 MPI 94-95, Tempra, 2.0 93-99, Brava, 00-03, Coupe 16V 95-97; VW: Gol /Parati AP 2.0 16V 95-00
	GI3223	Nissan: 22365-EB30A, 22365-EB30B, 22365-EB300	NISSAN: Frontier 2.5 dCi CD SE Diesel 2008>2012, Frontier 2.5 dCi SV Diesel 2012>2015, Frontier 2.5 dCi CD XE SL AT 4WD Diesel 2012>2015, Frontier 2.5 S/SL/SV Attack Turbo 4x4 2015>, Pathfinder 2.5 dCi LE 4WD Diesel 2005>2009
	GI3493	Siemens: 5WK9684; Cummins: 4076493, 2T2 906 051 B, 23B 906 051 A	FORD: F250, F350, F4000; VW: 19.320, 17.330, 24.320, 25.390, 31.330

INJEÇÃO

SENSOR MAP

FOTO	CÓD. GAUSS	SUBSTITUI	APLICAÇÃO
	GI3762	Siemens/ VDO: 8200719629, 7700101762, 5WK96814; Renault: 7.700.101.762, 8.200.105.165, 8.200.121.800; Peugeot: 1920CW	RENAULT: Clio, Kangoo, Twingo 1.0 16V (Todos), Megane, Scenic 1.6 16V (Todos), Megane, Scenic 2.0 16V (Todos)
	GI3171	Toyota: 8942171020	TOYOTA: Hilux SRV 2.5/3.0 16v Turbo Diesel 2005>, Hilux SW4 2.5/3.0 16v Turbo Diesel 2005
	GI3894	Toyota: 8942171030; Denso: DAP-0113	TOYOTA: Hilux 2.8 2017>2018